

**COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT
WATER QUALITY CONTROL COMMISSION**

5 CCR 1002-37

**REGULATION NO. 37
CLASSIFICATIONS AND NUMERIC STANDARDS
FOR
LOWER COLORADO RIVER BASIN**

**APPENDIX 37-1
Stream Classifications and Water Quality Standards Tables**

Effective 12/31/2019

Abbreviations and Acronyms

Aq	=	Aquatic
°C	=	degrees Celsius
CL	=	cold lake temperature tier
CLL	=	cold large lake temperature tier
CS-I	=	cold stream temperature tier one
CS-II	=	cold stream temperature tier two
D.O.	=	dissolved oxygen
DM	=	daily maximum temperature
DUWS	=	direct use water supply
E. coli	=	<i>Escherichia coli</i>
mg/L	=	milligrams per liter
mg/m ²	=	milligrams per square meter
mL	=	milliliter
MWAT	=	maximum weekly average temperature
OW	=	outstanding waters
sc	=	sculpin
SSE	=	site-specific equation
T	=	total recoverable
t	=	total
tr	=	trout
TVS	=	table value standard
µg/L	=	micrograms per liter
UP	=	use-protected
WS	=	water supply
WS-I	=	warm stream temperature tier one
WS-II	=	warm stream temperature tier two
WS-III	=	warm stream temperature tier three
WL	=	warm lake temperature tier

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

1. Deleted.							
COLCLY01	Classifications	Physical and Biological			Metals (ug/L)		
Designation		DM	MWAT		acute	chronic	
Qualifiers:		acute	chronic				
Other:		Inorganic (mg/L)					
		acute	chronic				
2. Mainstem of the Yampa River from a point immediately below the confluence with Elkhead Creek to the confluence with the Green River.							
COLCLY02	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	---	Chromium III	---	TVS
Temporary Modification(s):		E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2021		acute	chronic		Copper	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 37.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	0.05	---	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

3a. All tributaries to the Yampa River, including all wetlands, from a point immediately below the confluence with Elkhead Creek to a point immediately below the confluence with the Little Snake River, except for listings in Segments 3b through 15, 17a, 17b and 18.

COLCLY03A	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT		acute	chronic
UP	Agriculture						
	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---
	Water Supply		acute	chronic	Arsenic(T)	---	0.02
	Recreation P	D.O. (mg/L)	---	5.0	Beryllium(T)	---	100
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Water + Fish Standards Apply		chlorophyll a (mg/m ²)	---	150	Cadmium(T)	5.0	---
Other:		E. Coli (per 100 mL)	---	205	Chromium III	---	TVS
Temporary Modification(s):		Inorganic (mg/L)			Chromium III(T)	50	---
Arsenic(chronic) = hybrid			acute	chronic	Chromium VI	TVS	TVS
Expiration Date of 12/31/2021		Ammonia	TVS	TVS	Copper	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		Boron	---	0.75	Iron	---	WS
*Uranium(chronic) = See 37.5(3) for details.		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	0.05	---	Manganese(T)	---	200
		Phosphorus	---	0.17	Mercury(T)	---	0.01
		Sulfate	---	WS	Molybdenum(T)	---	150
		Sulfide	---	0.002	Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

3b. Mainstems of Upper Johnson Gulch from its source to confluence with Pyeatt Gulch at CO 107. Mainstems of Pyeatt Gulch, Ute Gulch, Castor Gulch, No Name Gulch, Flume Gulch, Buzzard Gulch, Coyote Gulch, Deal Gulch, Horse Gulch (BOTH), Elk Gulch, Jeffway Gulch, and Deacon Gulch, including all tributaries from their sources to their mouths.

COLCLY03B	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT		acute	chronic
UP	Agriculture						
	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Beryllium(T)	---	100
Other:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III	TVS	TVS
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium III(T)	---	100
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	---	Manganese	TVS	TVS
		Chlorine	0.019	0.011	Manganese(T)	---	200
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	100	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.17	Selenium	TVS	TVS
		Sulfate	---	---	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

3c. Mainstem of Milk Creek, including all tributaries and wetlands, from Thornburgh (County Rd 15) to the confluence with the Yampa River, except for listings in Segment 3b and 3e.						
COLCLY03C	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340 ---
	Recreation P		acute	chronic	Arsenic(T)	--- 0.02
Water Supply		D.O. (mg/L)	---	5.0	Cadmium	TVS TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0 ---
Qualifiers:		chlorophyll a (mg/m ²)	---	150	Chromium III	--- TVS
Other:		E. Coli (per 100 mL)	---	205	Chromium III(T)	50 ---
Temporary Modification(s):		Inorganic (mg/L)			Chromium VI	TVS TVS
Arsenic(chronic) = hybrid			acute	chronic	Copper	TVS TVS
Expiration Date of 12/31/2021		Ammonia	TVS	TVS	Iron	--- WS
*Uranium(acute) = See 37.5(3) for details.		Boron	---	0.75	Iron(T)	--- 1000
*Uranium(chronic) = See 37.5(3) for details.		Chloride	---	250	Lead	TVS TVS
		Chlorine	0.019	0.011	Lead(T)	50 ---
		Cyanide	0.005	---	Manganese	TVS TVS/WS
		Nitrate	10	---	Mercury(T)	--- 0.01
		Nitrite	0.05	---	Molybdenum(T)	--- 150
		Phosphorus	---	0.17	Nickel	TVS TVS
		Sulfate	---	WS	Nickel(T)	--- 100
		Sulfide	---	0.002	Selenium	TVS TVS
					Silver	TVS TVS
					Uranium	varies* varies*
					Zinc	TVS TVS

3d. Mainstems of Temple Gulch and Morgan Gulch from their sources to their confluences with the Yampa River.						
COLCLY03D	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340 ---
	Recreation P		acute	chronic	Arsenic(T)	--- 100
Water Supply		D.O. (mg/L)	---	5.0	Cadmium	TVS TVS
		pH	6.5 - 9.0	---	Chromium III	TVS TVS
Qualifiers:		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	--- 100
Other:		E. Coli (per 100 mL)	---	205	Chromium VI	TVS TVS
Temporary Modification(s):		Inorganic (mg/L)			Copper	TVS TVS
Arsenic(chronic) = hybrid			acute	chronic	Iron(T)	--- 1000
Expiration Date of 12/31/2021		Ammonia	TVS	TVS	Lead	TVS TVS
*Uranium(acute) = See 37.5(3) for details.		Boron	---	0.75	Manganese	TVS TVS
*Uranium(chronic) = See 37.5(3) for details.		Chloride	---	---	Mercury(T)	--- 0.01
		Chlorine	0.019	0.011	Molybdenum(T)	--- 150
		Cyanide	0.005	---	Nickel	TVS TVS
		Nitrate	100	---	Selenium	TVS TVS
		Nitrite	0.05	---	Silver	TVS TVS
		Phosphorus	---	0.17	Uranium	varies* varies*
		Sulfate	---	---	Zinc	TVS TVS
		Sulfide	---	0.002		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

3e. Mainstem of Good Spring Creek and its tributaries above Wilson Reservoir.						
COLCLY03E	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Warm 2 Recreation P Water Supply	Temperature °C	WS-II	WS-II	Arsenic	340
Qualifiers:			acute	chronic	Arsenic(T)	---
Other:		D.O. (mg/L)	---	5.0	Cadmium	TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0
		chlorophyll a (mg/m ²)	---	150	Chromium III	---
		E. Coli (per 100 mL)	---	205	Chromium III(T)	50
			Inorganic (mg/L)		Chromium VI	TVS
			acute	chronic	Copper	TVS
		Ammonia	TVS	TVS	Iron	---
		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	0.05	---	Molybdenum(T)	---
		Phosphorus	---	0.17	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS
3f. Big Gulch.						
COLCLY03F	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Warm 2 Recreation E	Temperature °C	WS-II	WS-II	Arsenic	340
Qualifiers:			acute	chronic	Arsenic(T)	---
Other:		D.O. (mg/L)	---	5.0	Beryllium(T)	---
		pH	6.5 - 9.0	---	Cadmium	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III	TVS
		E. Coli (per 100 mL)	---	126	Chromium III(T)	---
			Inorganic (mg/L)		Chromium VI	TVS
			acute	chronic	Copper	TVS
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS
		Chloride	---	---	Manganese	TVS
		Chlorine	0.019	0.011	Manganese(T)	---
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	100	---	Molybdenum(T)	---
		Nitrite	0.05	---	Nickel	TVS
		Phosphorus	---	0.17	Selenium	TVS
		Sulfate	---	---	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

3g. Mainstems of Ben Morgan Creek, Boxelder Gulch, Collom Gulch, Hale Gulch and Jubb Creek, including all tributaries from their sources to their mouths, except for listings in Segment 3j.

COLCLY03G	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2 Recreation P	Temperature °C	WS-III	WS-III	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	100
Other:	*Iron(T)(chronic) = See section 37.6(4) for standards and assessment locations for Collom Gulch from the source to the diversion structure at 40.333977, -107.860833. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (mg/L)	---	5.0	Beryllium(T)	---	100
pH		6.5 - 9.0	---		Cadmium	TVS	TVS
chlorophyll a (mg/m ²)		---	150		Chromium III	TVS	TVS
E. Coli (per 100 mL)		---	205		Chromium III(T)	---	100
Inorganic (mg/L)				Chromium VI	TVS	TVS	
		acute	chronic		Copper	TVS	TVS
Ammonia		TVS	TVS		Iron(T)	---	1000
Boron		---	0.75		Iron(T)	---	varies*
Chloride		---	---		Lead	TVS	TVS
Chlorine		0.019	0.011		Manganese	TVS	TVS
Cyanide		0.005	---		Manganese(T)	---	200
Nitrate		100	---		Mercury(T)	---	0.01
Nitrite		0.05	---		Molybdenum(T)	---	150
Phosphorus		---	0.17		Nickel	TVS	TVS
Sulfate		---	---		Selenium	TVS	TVS
Sulfide		---	0.002		Silver	TVS	TVS
					Uranium	varies*	varies*
				Zinc	TVS	TVS	

3h. Lay Creek from the source to the confluence with the Yampa River.

COLCLY03H	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2 Recreation P Water Supply	Temperature °C	WS-II	WS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02-10 ^A
Other:	*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
pH		6.5 - 9.0	---		Cadmium(T)	5.0	---
chlorophyll a (mg/m ²)		---	150		Chromium III	---	TVS
E. Coli (per 100 mL)		---	205		Chromium III(T)	50	---
Inorganic (mg/L)				Chromium VI	TVS	TVS	
		acute	chronic		Copper	TVS	TVS
Ammonia		TVS	TVS		Iron	---	WS
Boron		---	0.75		Iron(T)	---	1000
Chloride		---	250		Lead	TVS	TVS
Chlorine		0.019	0.011		Lead(T)	50	---
Cyanide		0.005	---		Manganese	TVS	TVS/WS
Nitrate		10	---		Mercury(T)	---	0.01
Nitrite		0.05	---		Molybdenum(T)	---	150
Phosphorus		---	0.17		Nickel	TVS	TVS
Sulfate		---	WS		Nickel(T)	---	100
Sulfide		---	0.002		Selenium	TVS	TVS
					Silver	TVS	TVS
				Uranium	varies*	varies*	
				Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

3i. Lower Johnson Gulch from the confluence with Pyeatt Gulch at CO 107 to the confluence with the Yampa River.							
COLCLY03I	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 2 Recreation P	Temperature °C	WS-III	WS-III	Arsenic	340 ---	---
			acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	---	100
*Uranium(acute) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
*Uranium(chronic) = See 37.5(3) for details.					Inorganic (mg/L)		
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	---	Manganese	TVS	TVS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	100	---	Nickel	TVS	TVS
		Nitrite	0.05	---	Selenium	TVS	TVS
		Phosphorus	---	0.17	Silver	TVS	TVS
		Sulfate	---	---	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

3j. Mainstem of Little Collom Gulch from the source to the confluence with Collom Gulch.							
COLCLY03J	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 2 Recreation P	Temperature °C	WS-III	WS-III	Arsenic(T)	---	100
			acute	chronic	Beryllium(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium(T)	---	10
Other:		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	150	Chromium VI(T)	---	100
*Uranium(acute) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Copper(T)	---	200
*Uranium(chronic) = See 37.5(3) for details.					Inorganic (mg/L)		
			acute	chronic	Iron	---	---
		Ammonia	---	---	Lead(T)	---	100
		Boron	---	0.75	Manganese(T)	---	200
		Chloride	---	---	Mercury	---	---
		Chlorine	---	---	Molybdenum(T)	---	150
		Cyanide	0.2	---	Nickel(T)	---	200
		Nitrate	100	---	Selenium(T)	---	20
		Nitrite	10	---	Silver	---	---
		Phosphorus	---	0.17	Uranium	varies*	varies*
		Sulfate	---	---	Zinc(T)	---	2000
		Sulfide	---	---			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

6. All tributaries to Fortification Creek, including all wetlands, from the confluence of the North and South Forks to the confluence with the Yampa River, except for listings in Segments 4 and 7.							
COLCLY06	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Warm 2 Recreation P Water Supply		DM	MWAT		acute	chronic
Reviewable		acute	chronic	acute	chronic		
		Temperature °C	WS-III	WS-III	Arsenic	340	---
		D.O. (mg/L)	---	5.0	Arsenic(T)	---	0.02-10 ^A
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Cadmium(T)	5.0	---
		E. Coli (per 100 mL)	---	205	Chromium III	---	TVS
		Inorganic (mg/L)			Chromium III(T)	50	---
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron	---	WS
		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	0.05	---	Mercury(T)	---	0.01
		Phosphorus	---	0.17	Molybdenum(T)	---	150
		Sulfate	---	WS	Nickel	TVS	TVS
		Sulfide	---	0.05	Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
	7. Mainstem of Little Bear Creek, including all tributaries and wetlands, from the source to the confluence with Dry Fork.						
	COLCLY07	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Cold 1 Recreation P		DM	MWAT		acute	chronic
Reviewable		acute	chronic	acute	chronic		
		Temperature °C	CS-II	CS-II	Arsenic	340	---
		D.O. (mg/L)	---	6.0	Arsenic(T)	---	7.6
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	---	100
		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	0.05	---	Silver	TVS	TVS(tr)
		Phosphorus	---	0.11	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS/TVS(sc)
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

8. Mainstem of the East Fork of the Williams Fork River, including all tributaries and wetlands which are within the boundaries of the Flat Tops Wilderness Area.							
COLCLY08	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute chronic			
OW	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340 ---	
		acute	chronic	Arsenic(T)	---	0.02	
		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr) TVS	
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---	
		pH	6.5 - 9.0	---	Chromium III	---	
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50 ---	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS TVS	
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	
		Boron	---	0.75	Lead	TVS TVS	
		Chloride	---	250	Lead(T)	50 ---	
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS	
		Cyanide	0.005	---	Mercury(T)	---	
		Nitrate	10	---	Mercury(T)	---	
		Nitrite	0.05	---	Molybdenum(T)	---	
		Phosphorus	---	0.11	Nickel	TVS TVS	
		Sulfate	---	WS	Nickel(T)	---	
		Sulfide	---	0.002	Selenium	TVS TVS	
					Silver	TVS TVS(tr)	
					Uranium	varies* varies*	
					Zinc	TVS TVS	

9. Mainstems of the East and South Forks of the Williams Fork River, including all wetlands and tributaries, which are within the boundary of Rout National Forest, except for listings in Segment 8 and 12c.							
COLCLY09	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute chronic			
Reviewable	Aq Life Cold 1 Recreation P Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340 ---	
		acute	chronic	Arsenic(T)	---	0.02	
		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr) TVS	
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---	
		pH	6.5 - 9.0	---	Chromium III	---	
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50 ---	
		E. Coli (per 100 mL)	---	205	Chromium VI	TVS TVS	
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	
		Boron	---	0.75	Lead	TVS TVS	
		Chloride	---	250	Lead(T)	50 ---	
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS	
		Cyanide	0.005	---	Mercury(T)	---	
		Nitrate	10	---	Mercury(T)	---	
		Nitrite	0.05	---	Molybdenum(T)	---	
		Phosphorus	---	0.11	Nickel	TVS TVS	
		Sulfate	---	WS	Nickel(T)	---	
		Sulfide	---	0.002	Selenium	TVS TVS	
					Silver	TVS TVS(tr)	
					Uranium	varies* varies*	
					Zinc	TVS TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

10. Mainstem of the East Fork of the Williams Fork River including all tributaries and wetlands, from the boundary of Routt National Forest to the confluence with the South Fork of the Williams Fork River.								
COLCLY10	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT				
					acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
					Inorganic (mg/L)			
					acute	chronic		
			Ammonia	TVS	TVS	Iron	---	WS
			Boron	---	0.75	Iron(T)	---	1000
			Chloride	---	250	Lead	TVS	TVS
			Chlorine	0.019	0.011	Lead(T)	50	---
			Cyanide	0.005	---	Manganese	TVS	TVS/WS
			Nitrate	10	---	Mercury(T)	---	0.01
			Nitrite	0.05	---	Molybdenum(T)	---	150
			Phosphorus	---	0.11	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS(tr)	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS/TVS(sc)	
11. Deleted.								
COLCLY11	Classifications	Physical and Biological			Metals (ug/L)			
Designation			DM	MWAT				
					acute	chronic		
Qualifiers:			acute	chronic				
Other:								
					Inorganic (mg/L)			
					acute	chronic		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

12a. Mainstem of the South Fork of the Williams Fork River and Beaver Creek, including all tributaries and wetlands, from the boundary of Routt National Forest to their mouths. Milk Creek, including all tributaries and wetlands, from the source to a point just below the confluence with Clear Creek. Morapos Creek, including all wetlands and tributaries, from the source to the confluence with the Williams Fork River.

COLCLY12A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
Expiration Date of 12/31/2021					Copper	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 37.5(3) for details.					acute	chronic	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

12b. Milk Creek, including all tributaries and wetlands, from a point just below the confluence with Clear Creek to Thornburgh (County Rd 15).

COLCLY12B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Other:		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III(T)	---	100
*Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium VI	TVS	TVS
		E. Coli (per 100 mL)	---	205	Copper	TVS	TVS
					Iron(T)	---	1000
					Inorganic (mg/L)		
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	250	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	10	---	Silver	TVS	TVS(tr)
		Nitrite	0.05	---	Uranium	varies*	varies*
		Phosphorus	---	0.11	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

12c. Mainstem of Beaver Creek, including all wetlands and tributaries, which are within the Routt National Forest.							
COLCLY12C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute			
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
Expiration Date of 12/31/2021		Inorganic (mg/L)			Copper	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		acute	chronic	Iron	---	WS	
*Uranium(chronic) = See 37.5(3) for details.		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

13a. Mainstem of the Williams Fork River from the confluence of the East Fork and South Fork to below the confluence with Morapos Creek.							
COLCLY13A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute			
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02-10 ^A	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

13b. Mainstem of the Williams Fork River from below the confluence of Morapos Creek to the confluence with the Yampa River.

COLCLY13B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E	acute	chronic		Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
		E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic		Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVSWS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	0.05	---	Molybdenum(T)	---	150
		Phosphorus	---	0.17	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

*Uranium(acute) = See 37.5(3) for details.
 *Uranium(chronic) = See 37.5(3) for details.

14. Deleted.

COLCLY14	Classifications	Physical and Biological			Metals (ug/L)		
Designation		DM	MWAT		acute	chronic	
		acute	chronic				
Qualifiers:		Inorganic (mg/L)					
Other:		acute	chronic				

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

15. Those portions of the Little Snake River which are in Colorado, from its first crossing of the Colorado/Wyoming border to a point immediately above the confluence with Powder Wash (Moffatt County).						
COLCLY15	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute chronic		
Reviewable		acute	chronic	Arsenic	340	---
		Temperature °C	CS-II	CS-II	Arsenic(T)	---
		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr) TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---
		pH	6.5 - 9.0	---	Chromium III	---
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50 ---
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS TVS
		Inorganic (mg/L)			Copper	TVS TVS
			acute	chronic	Iron	---
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS TVS
		Chloride	---	250	Lead(T)	50 ---
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	0.05	---	Nickel	TVS TVS
		Phosphorus	---	0.11	Nickel(T)	---
		Sulfate	---	WS	Selenium	TVS TVS
		Sulfide	---	0.002	Silver	TVS TVS(tr)
					Uranium	varies* varies*
					Zinc	TVS TVS/TVS(sc)
16. Mainstem of the Little Snake River from a point immediately above the confluence with Powder Wash to the confluence with the Yampa River.						
COLCLY16	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Warm 2 Recreation E Water Supply	DM	MWAT	acute chronic		
Reviewable		acute	chronic	Arsenic	340	---
		Temperature °C	WS-III	WS-III	Arsenic(T)	---
		D.O. (mg/L)	---	5.0	Cadmium	TVS TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0 ---
		chlorophyll a (mg/m ²)	---	150	Chromium III	---
		E. Coli (per 100 mL)	---	126	Chromium III(T)	50 ---
		Inorganic (mg/L)			Chromium VI	TVS TVS
			acute	chronic	Copper	TVS TVS
		Ammonia	TVS	TVS	Iron	---
		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS TVS
		Chlorine	0.019	0.011	Lead(T)	50 ---
		Cyanide	0.005	---	Manganese	TVS TVS/WS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	0.05	---	Molybdenum(T)	---
		Phosphorus	---	0.17	Nickel	TVS TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS TVS
					Silver	TVS TVS
					Uranium	varies* varies*
					Zinc	TVS TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

17a. All tributaries to the Little Snake River from its first crossing of the Colorado/Wyoming border to a point immediately below the confluence with Fourmile Creek, except for the listings in Segment 18.

COLCLY17A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation P	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other:		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	150	Chromium VI	TVS	TVS
		E. Coli (per 100 mL)	---	205	Copper	TVS	TVS
		Inorganic (mg/L)			Iron(T)	---	1000
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	0.05	---	Uranium	varies*	varies*
		Phosphorus	---	0.11	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

*Uranium(acute) = See 37.5(3) for details.
*Uranium(chronic) = See 37.5(3) for details.

17b. All tributaries to the Little Snake River from a point immediately below the confluence with Fourmile Creek to the confluence with the Yampa River, except for the listing in Segment 17c.

COLCLY17B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2 Recreation P	Temperature °C	WS-III	WS-III	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	100
Other:		D.O. (mg/L)	---	5.0	Beryllium(T)	---	100
		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)	---	205	Chromium III(T)	---	100
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	---	Manganese	TVS	TVS
		Chlorine	0.019	0.011	Manganese(T)	---	200
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	100	---	Molybdenum(T)	---	---
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.17	Selenium	TVS	TVS
		Sulfate	---	---	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

*Uranium(acute) = See 37.5(3) for details.
*Uranium(chronic) = See 37.5(3) for details.

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

17c. Scandinavian Gulch from the source to the confluence with the Little Snake River.						
COLCLY17C	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Warm 2 Recreation P	DM	MWAT	acute	chronic	
Reviewable		acute	chronic	Arsenic	340	---
Qualifiers: Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (mg/L)	---	5.0	Arsenic(T)	---	0.02-10 ^A
	pH	6.5 - 9.0	---	Cadmium	TVS	TVS
	chlorophyll a (mg/m ²)	---	150	Chromium III	TVS	TVS
	E. Coli (per 100 mL)	---	205	Chromium III(T)	---	100
	Inorganic (mg/L)			Chromium VI	TVS	TVS
	acute	chronic	Copper	TVS	TVS	
	Ammonia	TVS	TVS	Iron(T)	---	1000
	Boron	---	0.75	Lead	TVS	TVS
	Chloride	---	---	Manganese	TVS	TVS
	Chlorine	0.019	0.011	Mercury(T)	---	0.01
	Cyanide	0.005	---	Molybdenum(T)	---	150
	Nitrate	100	---	Nickel	TVS	TVS
	Nitrite	0.05	---	Selenium	TVS	TVS
	Phosphorus	---	0.17	Silver	TVS	TVS
	Sulfate	---	---	Uranium	varies*	varies*
	Sulfide	---	0.05	Zinc	TVS	TVS

18. Mainstem of Slater Creek, including all tributaries and wetlands, from the source to a point just below the confluence with Second Creek. The mainstems of Fourmile and Willow Creeks, including all tributaries and wetlands, from their sources to the boundary of the Routt National Forest.						
COLCLY18	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Cold 1 Recreation P Water Supply	DM	MWAT	acute	chronic	
Reviewable		acute	chronic	Arsenic	340	---
Qualifiers: Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02
	D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
	chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
	E. Coli (per 100 mL)	---	205	Chromium III(T)	50	---
	Inorganic (mg/L)			Chromium VI	TVS	TVS
	acute	chronic	Copper	TVS	TVS	
	Ammonia	TVS	TVS	Iron	---	WS
	Boron	---	0.75	Iron(T)	---	1000
	Chloride	---	250	Lead	TVS	TVS
	Chlorine	0.019	0.011	Lead(T)	50	---
	Cyanide	0.005	---	Manganese	TVS	TVS/WS
	Nitrate	10	---	Mercury(T)	---	0.01
	Nitrite	0.05	---	Molybdenum(T)	---	150
	Phosphorus	---	0.11	Nickel	TVS	TVS
	Sulfate	---	WS	Nickel(T)	---	100
	Sulfide	---	0.002	Selenium	TVS	TVS
				Silver	TVS	TVS(tr)
				Uranium	varies*	varies*
				Zinc	TVS	TVS/TVS(sc)

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

19a. Mainstem of the Green River within Colorado (Moffat County) from its entry at the Utah/Colorado border to a point just above the confluence with the Yampa River.								
COLCLY19A	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	0.02	
Water Supply		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS	
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS	
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)				Copper	TVS	TVS
			acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000	
		Boron	---	0.75	Lead	TVS	TVS	
		Chloride	---	250	Lead(T)	50	---	
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS	
		Cyanide	0.005	---	Mercury(T)	---	0.01	
		Nitrate	10	---	Molybdenum(T)	---	150	
		Nitrite	0.05	---	Nickel	TVS	TVS	
		Phosphorus	---	0.11	Nickel(T)	---	100	
		Sulfate	---	WS	Selenium	TVS	TVS	
		Sulfide	---	0.002	Silver	TVS	TVS(tr)	
					Uranium	varies*	varies*	
			Zinc	TVS	TVS			

19b. Mainstem of the Green River within Colorado (Moffat County) from a point just above the confluence with the Yampa River to its exit at the Utah/Colorado border.								
COLCLY19B	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	0.02	
Water Supply		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
Qualifiers:		chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS	
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---	
		Inorganic (mg/L)				Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS	
		Boron	---	0.75	Iron(T)	---	1000	
		Chloride	---	250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50	---	
		Cyanide	0.005	---	Manganese	TVS	TVS/WS	
		Nitrate	10	---	Mercury(T)	---	0.01	
		Nitrite	0.05	---	Molybdenum(T)	---	150	
		Phosphorus	---	0.17	Nickel	TVS	TVS	
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium	varies*	varies*	
			Zinc	TVS	TVS			

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

20. All tributaries to the Green River in Colorado, including all wetlands, except for the specific listings in Segments 21 and 22a - 22d. All tributaries to the Yampa River from a point immediately below the confluence with the Little Snake River to the confluence with the Green River, except for listings in segments 15 through 18.

COLCLY20	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2 Recreation E	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	100
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		D.O. (mg/L)	---	6.0	Beryllium(T)	---	100
		D.O. (spawning)	---	7.0	Cadmium	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	---	100
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
					acute	chronic	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Manganese(T)	---	200
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	100	---	Nickel	TVS	TVS
		Nitrite	0.05	---	Selenium	TVS	TVS
		Phosphorus	---	0.11	Silver	TVS	TVS
		Sulfate	---	---	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

21. Mainstem of Beaver Creek, including all tributaries and wetlands, from the source to the confluence with the Green River within Colorado.

COLCLY21	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation P Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
					acute	chronic	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

22c. Mainstem of Vermillion Creek from HWY 318 to the confluence with the Green River.

COLCLY22C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1 Recreation E	Temperature °C	WS-III	WS-III	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	---	100
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	0.05	---	Silver	TVS	TVS
		Phosphorus	---	0.17	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

22d. Conway Draw

COLCLY22D	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 2 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	0.02-10 ^A
Qualifiers:		D.O. (mg/L)	---	6.0	Beryllium(T)	---	4.0
Other:		D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
*Uranium(acute) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
*Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
		E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Manganese(T)	---	200
		Nitrite	0.05	---	Mercury(T)	---	0.01
		Phosphorus	---	0.11	Molybdenum(T)	---	150
		Sulfate	---	WS	Nickel	TVS	TVS
		Sulfide	---	0.002	Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

23. All lakes and reservoirs tributary to the Yampa River, from a point just below the confluence with Elkhead Creek to a point just below the confluence with the Little Snake River except for listings in segments 24-32. This segment includes Martin Cull Reservoir, and OVO Reservoir.

COLCLY23	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1 Recreation U	Temperature °C	WL	WL	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other:	*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
pH		6.5 - 9.0	---	---	Chromium III	TVS	TVS
chlorophyll a (ug/L)		---	---	20*	Chromium III(T)	---	100
E. Coli (per 100 mL)		---	---	126	Chromium VI	TVS	TVS
Inorganic (mg/L)				Copper	TVS	TVS	
		acute	chronic		Iron(T)	---	1000
Ammonia		TVS	TVS		Lead	TVS	TVS
Boron		---	0.75		Manganese	TVS	TVS
Chloride		---	---		Mercury(T)	---	0.01
Chlorine		0.019	0.011		Molybdenum(T)	---	150
Cyanide		0.005	---		Nickel	TVS	TVS
Nitrate		100	---		Selenium	TVS	TVS
Nitrite		0.05	---		Silver	TVS	TVS
Phosphorus		---	0.083*		Uranium	varies*	varies*
Sulfate		---	---		Zinc	TVS	TVS
Sulfide		---	0.002				

24. Freeman Reservoir and Aldrich Lakes.

COLCLY24	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E	Temperature °C	CL	CL	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other:	*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
D.O. (spawning)		---	---	7.0	Chromium III	TVS	TVS
pH		6.5 - 9.0	---	---	Chromium III(T)	---	100
chlorophyll a (ug/L)		---	---	8*	Chromium VI	TVS	TVS
E. Coli (per 100 mL)		---	---	126	Copper	TVS	TVS
Inorganic (mg/L)				Iron(T)	---	1000	
		acute	chronic		Lead	TVS	TVS
Ammonia		TVS	TVS		Manganese	TVS	TVS
Boron		---	0.75		Mercury(T)	---	0.01
Chloride		---	---		Molybdenum(T)	---	150
Chlorine		0.019	0.011		Nickel	TVS	TVS
Cyanide		0.005	---		Selenium	TVS	TVS
Nitrate		100	---		Silver	TVS	TVS(tr)
Nitrite		0.05	---		Uranium	varies*	varies*
Phosphorus		---	0.025*		Zinc	TVS	TVS
Sulfate		---	---				
Sulfide		---	0.002				

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

25. All lakes and reservoirs tributary to Fortification Creek from the source to the confluence of the North and South Forks. All lakes and reservoirs tributary to Little Cottonwood Creek from the source to the confluence with Fortification Creek, except for listings in segment 24. All lakes and reservoirs tributary to Little Bear Creek from the source to the confluence with the Dry Fork.

COLCLY25	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	8*	Chromium III(T)	50	---
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.025*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

26. All lakes and reservoirs tributary to Fortification Creek, including Ralph White Lake, except for listings in segments 24 and 25.

COLCLY26	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS(tr)	TVS
Other: *chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (ug/L)	---	20*	Chromium III(T)	---	100
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	0.05	---	Silver	TVS	TVS(tr)
		Phosphorus	---	0.083*	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

27. All lakes and reservoirs tributary to Milk Creek from Thornburgh (County Rd 15) to the confluence with the Yampa River, including Wilson Reservoir.

COLCLY27	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---	
	Recreation U		acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
Other:		chlorophyll a (ug/L)	---	20*	Chromium III	---	TVS	
*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---	
		Inorganic (mg/L)			Chromium VI	TVS	TVS	
			acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS	
		Boron	---	0.75	Iron(T)	---	1000	
		Chloride	---	250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50	---	
		Cyanide	0.005	---	Manganese	TVS	TVS/WS	
		Nitrate	10	---	Mercury(T)	---	0.01	
		Nitrite	0.05	---	Molybdenum(T)	---	150	
		Phosphorus	---	0.083*	Nickel	TVS	TVS	
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS	

28. All lakes and reservoirs tributary to the East Fork of the Williams Fork River, within the boundaries of the Flat Tops Wilderness Area.

COLCLY28	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS	
*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (ug/L)	---	8*	Chromium III(T)	50	---	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)			Copper	TVS	TVS	
			acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000	
		Boron	---	0.75	Lead	TVS	TVS	
		Chloride	---	250	Lead(T)	50	---	
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS	
		Cyanide	0.005	---	Mercury(T)	---	0.01	
		Nitrate	10	---	Molybdenum(T)	---	150	
		Nitrite	0.05	---	Nickel	TVS	TVS	
		Phosphorus	---	0.025*	Nickel(T)	---	100	
		Sulfate	---	WS	Selenium	TVS	TVS	
		Sulfide	---	0.002	Silver	TVS	TVS(tr)	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

29. All lakes and reservoirs tributary to the East and South Forks of the Williams Fork River, and lakes and reservoirs tributary to the mainstem of the Williams Fork River, from the source to the Highway 13/789 bridge at Hamilton, except for listings in segment 28.

COLCLY29	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CL	CL	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02
Other:	*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	8*	Chromium III(T)	50	---
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.025*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

30. All lakes and reservoirs tributary to Milk Creek from the source to Thornburgh (County Rd 15). All lakes and reservoirs tributary to Morapos Creek from the source to the confluence with the Williams Fork River.

COLCLY30	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation U	Temperature °C	CL	CL	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other:	*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (ug/L)	---	8*	Chromium VI	TVS	TVS
		E. Coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)			Iron(T)	---	1000
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	0.05	---	Uranium	varies*	varies*
		Phosphorus	---	0.025*	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

31. All lakes and reservoirs tributary to Slater Creek, from the source to a point just below the confluence with Second Creek, including Slater Creek Lake. All lakes and reservoirs tributary to Fourmile and Willow Creeks from their sources to the boundary of the Routt National Forest.

COLCLY31	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
	chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.	chlorophyll a (ug/L)	---	8	Chromium III(T)	50	---
	*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.	E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
	*Uranium(acute) = See 37.5(3) for details.				Copper	TVS	TVS
	*Uranium(chronic) = See 37.5(3) for details.				Inorganic (mg/L)		
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.025*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

32. All lakes and reservoirs tributary to the Yampa River from a point just below the confluence with the Little Snake River to the confluence with the Green River. All lakes and reservoirs tributary to the Green River in Colorado, including Hog Lake, except for listings in segment 33.

COLCLY32	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
	chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.	chlorophyll a (ug/L)	---	20	Chromium III(T)	---	100
	*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.	E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
	*Uranium(acute) = See 37.5(3) for details.				Inorganic (mg/L)		
	*Uranium(chronic) = See 37.5(3) for details.		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	---	Manganese	TVS	TVS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	100	---	Nickel	TVS	TVS
		Nitrite	0.05	---	Selenium	TVS	TVS
		Phosphorus	---	0.083*	Silver	TVS	TVS
		Sulfate	---	---	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Yampa/Green River

33. All lakes and reservoirs tributary to Beaver Creek from the source to the confluence with the Green River. All lakes and reservoirs tributary to Vermillion Creek from the Colorado/Wyoming border to a point just below the confluence with Talamantes Creek.

COLCLY33	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	8*	Chromium III(T)	50	---
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
						acute	chronic
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.025*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
 *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
 *Uranium(acute) = See 37.5(3) for details.
 *Uranium(chronic) = See 37.5(3) for details.

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS White River

1. All tributaries to the White River, including all wetlands, which are within the boundaries of the Flat Tops Wilderness Area.

COLCWH01	Classifications	Physical and Biological			Metals (ug/L)				
Designation		DM	MWAT		acute	chronic			
OW	Agriculture								
	Aq Life Cold 1	CS-I	CS-I	Arsenic	340	---			
	Recreation E	acute	chronic	Arsenic(T)	---	0.02			
	Water Supply			D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:				D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.				pH	6.5 - 9.0	---	Chromium III	---	TVS
				chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
				E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
							Copper	TVS	TVS
				Inorganic (mg/L)			Iron	---	WS
				acute	chronic		Iron(T)	---	1000
				Ammonia	TVS	TVS	Lead	TVS	TVS
				Boron	---	0.75	Lead(T)	50	---
				Chloride	---	250	Manganese	TVS	TVS/WS
				Chlorine	0.019	0.011	Mercury(T)	---	0.01
				Cyanide	0.005	---	Molybdenum(T)	---	150
				Nitrate	10	---	Nickel	TVS	TVS
				Nitrite	0.05	---	Nickel(T)	---	100
				Phosphorus	---	0.11	Selenium	TVS	TVS
				Sulfate	---	WS	Silver	TVS	TVS(tr)
			Sulfide	---	0.002	Uranium	varies*	varies*	
						Zinc	TVS	TVS/TVS(sc)	

2. Deleted.

COLCWH02	Classifications	Physical and Biological			Metals (ug/L)		
Designation		DM	MWAT		acute	chronic	
Qualifiers:					acute	chronic	
Other:							
				Inorganic (mg/L)			
				acute	chronic		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

3. Mainstem of the North Fork of the White River and mainstem of the White River from the Flat Tops Wilderness Area boundary to a point immediately above the confluence with Miller Creek.						
COLCWH03	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Cold 1 Recreation E Water Supply	acute	chronic			
Qualifiers:						
Other:	*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.					
	Temperature °C	CS-I	CS-I	Arsenic	340	---
	D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02
	D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
	chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
	E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---
				Chromium VI	TVS	TVS
				Copper	TVS	TVS
				Iron	---	WS
				Iron(T)	---	1000
				Lead	TVS	TVS
				Lead(T)	50	---
				Manganese	TVS	TVS/WS
				Mercury(T)	---	0.01
				Molybdenum(T)	---	150
				Nickel	TVS	TVS
				Nickel(T)	---	100
				Selenium	TVS	TVS
				Silver	TVS	TVS(tr)
				Uranium	varies*	varies*
				Zinc	TVS	TVS/TVS(sc)

4a. All tributaries to the North Fork White River, including all wetlands, from the Flat Tops Wilderness Area boundary to the confluence with the South Fork White River, except for listings in Segment 1 and 4b.						
COLCWH04A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Cold 1 Recreation E Water Supply	acute	chronic			
Qualifiers:						
Other:	Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.					
	Temperature °C	CS-I	CS-I	Arsenic	340	---
	D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02
	D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
	chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
	E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---
				Chromium VI	TVS	TVS
				Copper	TVS	TVS
				Iron	---	WS
				Iron(T)	---	1000
				Lead	TVS	TVS
				Lead(T)	50	---
				Manganese	TVS	TVS/WS
				Mercury(T)	---	0.01
				Molybdenum(T)	---	150
				Nickel	TVS	TVS
				Nickel(T)	---	100
				Selenium	TVS	TVS
				Silver	TVS	TVS(tr)
				Uranium	varies*	varies*
				Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS White River

4b. Lost Creek, including tributaries and wetlands, from the source to the confluence with the North Fork White River. Snell Creek, including all wetlands and tributaries, from the source to the confluence with the North Fork White River.

COLCWH04B	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT		acute	chronic
OW	Agriculture						
	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
						acute	chronic
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	0.05	---	Molybdenum(T)	---	150
		Phosphorus	---	0.11	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
	Sulfide	---	0.002	Selenium	TVS	TVS	
				Silver	TVS	TVS(tr)	
				Uranium	varies*	varies*	
				Zinc	TVS	TVS	

5. Deleted.

COLCWH05	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT		acute	chronic
Qualifiers:			acute	chronic			
Other:							
					Inorganic (mg/L)		
						acute	chronic

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

6. Mainstem of the South Fork White River, including all tributaries and wetlands, that is not within the boundary of the Flat Tops Wilderness to the confluence with the North Fork White River.						
COLCWH06	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-I	CS-I	acute	chronic
Qualifiers:		D.O. (mg/L)	---	6.0	Arsenic	340
Other:	*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (spawning)	---	7.0	Arsenic(T)	---
		pH	6.5 - 9.0	---	Cadmium	TVS(tr)
		chlorophyll a (mg/m ²)	---	150	Cadmium(T)	5.0
		E. Coli (per 100 mL)	---	126	Chromium III	---
					Chromium III(T)	50
					Chromium VI	TVS
					Copper	TVS
					Iron	---
					Iron(T)	---
					Lead	TVS
					Lead(T)	50
					Manganese	TVS
					Mercury(T)	---
					Molybdenum(T)	---
					Nickel	TVS
					Nickel(T)	---
					Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS
						TVS/TVS(sc)
7. Mainstem of the White River from a point immediately above the confluence with Miller Creek to a point immediately above the confluence with Piceance Creek.						
COLCWH07	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Cold 1 Recreation E Recreation P Water Supply	Temperature °C	CS-II	CS-II	acute	chronic
Qualifiers:		D.O. (mg/L)	---	6.0	Arsenic	340
Other:	Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *chlorophyll a (mg/m ²)(chronic) = applies only above the facilities listed at 37.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 37.5(4). *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (spawning)	---	7.0	Arsenic(T)	---
		pH	6.5 - 9.0	---	Cadmium	TVS(tr)
		chlorophyll a (mg/m ²)	---	150*	Cadmium(T)	5.0
		E. Coli (per 100 mL)	3/2 - 11/30	---	Chromium III	---
		E. Coli (per 100 mL)	12/1 - 3/1	---	Chromium III(T)	TVS
					Chromium VI	TVS
					Copper	TVS
					Iron	---
					Iron(T)	---
					Lead	TVS
					Lead(T)	50
					Manganese	TVS
					Mercury(T)	---
					Molybdenum(T)	---
					Nickel	TVS
					Nickel(T)	---
					Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS
						TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

8. All tributaries to the White River, including all wetlands, from the confluence of the North and South Forks to a point immediately above the confluence with Piceance Creek, which are within the boundaries of White River National Forest.

COLCWH08	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	0.05	---	Nickel(T)	---	100
		Phosphorus	---	0.11	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

9a. All tributaries to the White River, including all wetlands, from the confluence of the North and South Forks to a point immediately above the confluence with Flag Creek, which are not within the boundary of National Forest lands, except for listings in Segments 9c, 9d and 10b.

COLCWH09A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	0.05	---	Nickel(T)	---	100
		Phosphorus	---	0.11	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

9b. All tributaries to the White River, including wetlands, from a point immediately above the confluence with Flag Creek, to a point immediately above the confluence with Piceance Creek, which are not within the boundary of National Forest lands, except for listings in segments 9c and 9d.

COLCWH09B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute chronic			
Reviewable	Aq Life Cold 2 Recreation P Water Supply	acute	chronic	acute chronic			
		Temperature °C	CS-II	CS-II	Arsenic	340	---
		D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02-10 ^A
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
Other:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
		chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
		E. Coli (per 100 mL)	---	205	Chromium III(T)	50	---
					Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

*Uranium(acute) = See 37.5(3) for details.
*Uranium(chronic) = See 37.5(3) for details.

9c. Mainstems of Flag Creek, including all tributaries and wetlands, from the source to a point just below the confluence with the East Fork of Flag Creek.

COLCWH09C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute chronic			
Reviewable	Aq Life Cold 2 Recreation E Water Supply	acute	chronic	acute chronic			
		Temperature °C	CS-I	CS-I	Arsenic	340	---
		D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02-10 ^A
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
Other:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
		chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
		E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---
					Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

*Uranium(acute) = See 37.5(3) for details.
*Uranium(chronic) = See 37.5(3) for details.

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

9d. Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with the White River. Flag Creek, including all tributaries and wetlands, from a point just below the confluence with the East Fork of Flag Creek to the confluence with the White River.

COLCWH09D	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards Apply		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
Temporary Modification(s):		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid					Copper	TVS	TVS
Expiration Date of 12/31/2021					Inorganic (mg/L)		
			acute	chronic	Iron	---	WS
*Uranium(acute) = See 37.5(3) for details.		Ammonia	TVS	TVS	Iron(T)	---	1000
*Uranium(chronic) = See 37.5(3) for details.		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

10a. All lakes and reservoirs tributary to the White River, from the confluence of the North and South Forks of the White River to a point immediately above the confluence of the White River and Piceance Creek, except listings in Segments 11, 25 and 27.

COLCWH10A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.		chlorophyll a (ug/L)	---	8	Chromium III(T)	50	---
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.					Copper	TVS	TVS
*Uranium(chronic) = See 37.5(3) for details.					Inorganic (mg/L)		
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.025*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

10b. Mainstem of Big Beaver Creek, Miller Creek, and North Elk Creek, including their tributaries and wetlands, from their boundary with National Forest lands to their confluences with the White River. Mainstem of Coal Creek, including all tributaries and wetlands, from the source to the confluence with the White River.										
COLCWH10B	Classifications	Physical and Biological			Metals (ug/L)					
Designation	Agriculture	DM	MWAT	acute chronic						
Reviewable	Aq Life Cold 1 Recreation P Water Supply	acute	chronic	Temperature °C	CS-I	CS-I	Arsenic	340	---	
Qualifiers:		D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02	Cadmium	TVS(tr)	TVS
Other:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	Chromium III	---	TVS
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---	Chromium VI	TVS	TVS
*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS	Copper	TVS	TVS
		Inorganic (mg/L)					Iron	---	WS	
		acute	chronic			Iron(T)	---	1000		
		Ammonia	TVS	TVS	Lead	TVS	TVS	Lead(T)	50	---
		Boron	---	0.75	Manganese	TVS	TVS/WS	Mercury(T)	---	0.01
		Chloride	---	250	Molybdenum(T)	---	150	Nickel	TVS	TVS
		Chlorine	0.019	0.011	Nickel(T)	---	100	Selenium	TVS	TVS
		Cyanide	0.005	---	Silver	TVS	TVS(tr)	Sulfate	---	WS
		Nitrate	10	---	Sulfide	---	0.002	Uranium	varies*	varies*
		Nitrite	0.05	---	Zinc	TVS	TVS			
		Phosphorus	---	0.11						
		Sulfate	---	WS						
		Sulfide	---	0.002						
11. Rio Blanco Lake and Taylor Draw Reservoir (a.k.a. Kenney Reservoir).										
COLCWH11	Classifications	Physical and Biological			Metals (ug/L)					
Designation	Agriculture	DM	MWAT	acute chronic						
Reviewable	Aq Life Warm 1 Recreation E Water Supply DUWS*	acute	chronic	Temperature °C	WL	WL	Arsenic	340	---	
Qualifiers:		D.O. (mg/L)	---	5.0	Arsenic(T)	---	0.02	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	Chromium III	---	TVS
*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Classification: Kenney Reservoir = DUWS *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (ug/L)	---	20*	Chromium III(T)	50	---	Chromium VI	TVS	TVS
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	Copper	TVS	TVS
		Inorganic (mg/L)					Iron	---	WS	
		acute	chronic			Iron(T)	---	1000		
		Ammonia	TVS	TVS	Lead	TVS	TVS	Lead(T)	50	---
		Boron	---	0.75	Manganese	TVS	TVS/WS	Mercury(T)	---	0.01
		Chloride	---	250	Molybdenum(T)	---	150	Nickel	TVS	TVS
		Chlorine	0.019	0.011	Nickel(T)	---	100	Selenium	TVS	TVS
		Cyanide	0.005	---	Silver	TVS	TVS	Sulfate	---	WS
		Nitrate	10	---	Sulfide	---	0.002	Uranium	varies*	varies*
		Nitrite	0.05	---	Zinc	TVS	TVS			
		Phosphorus	---	0.083*						
		Sulfate	---	WS						
		Sulfide	---	0.002						

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS White River

12. Mainstem of the White River from a point immediately above the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek.								
COLCWH12	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1 Recreation E Water Supply	Temperature °C	WS-II	WS-II	Arsenic	340	---	
			acute	chronic	Arsenic(T)	---	0.02	
		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
Other:	Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	chlorophyll a (mg/m ²)	---	---	Chromium III	---	TVS	
		E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---	
			Inorganic (mg/L)		Chromium VI	TVS	TVS	
				acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS	
		Boron	---	0.75	Iron(T)	---	1000	
		Chloride	---	250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50	---	
		Cyanide	0.005	---	Manganese	TVS	TVS/WS	
		Nitrate	10	---	Mercury(T)	---	0.01	
		Nitrite	0.05	---	Molybdenum(T)	---	150	
		Phosphorus	---	---	Nickel	TVS	TVS	
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium	varies*	varies*	
					Zinc	TVS	TVS	

13a. All tributaries to the White River, including all wetlands, from a point immediately below the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek, except for listings in Segments 13b through 20.								
COLCWH13A	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
UP	Aq Life Warm 2 Recreation P	Temperature °C	WS-III	WS-III	Arsenic	340	---	
			acute	chronic	Arsenic(T)	---	100	
		D.O. (mg/L)	---	5.0	Beryllium(T)	---	100	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS	
Other:	*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	chlorophyll a (mg/m ²)	---	150	Chromium III	TVS	TVS	
		E. Coli (per 100 mL)	---	205	Chromium III(T)	---	100	
			Inorganic (mg/L)		Chromium VI	TVS	TVS	
				acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron(T)	---	1000	
		Boron	---	0.75	Lead	TVS	TVS	
		Chloride	---	---	Manganese	TVS	TVS	
		Chlorine	0.019	0.011	Manganese(T)	---	200	
		Cyanide	0.005	---	Mercury(T)	---	0.01	
		Nitrate	100	---	Molybdenum(T)	---	150	
		Nitrite	0.05	---	Nickel	TVS	TVS	
		Phosphorus	---	0.17	Selenium	TVS	TVS	
		Sulfate	---	---	Silver	TVS	TVS	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

13b. Mainstem of Yellow Creek including all wetlands from the source to immediately below the confluence with Barcus Creek. All tributaries to Yellow Creek from the source to the White River, including wetlands.

COLCWH13B Classifications		Physical and Biological		Metals (ug/L)		
Designation	Agriculture Aq Life Warm 2 Recreation P Water Supply	DM	MWAT	acute		chronic
Reviewable		WS-III	WS-III	Arsenic	340	---
Qualifiers:		Temperature °C	---	acute	chronic	
		D.O. (mg/L)	---	5.0	Arsenic(T)	---
Other:		pH	6.5 - 9.0	---	Cadmium	TVS
		chlorophyll a (mg/m ²)	---	150*	Cadmium(T)	5.0
*chlorophyll a (mg/m ²)(chronic) = applies only above the facilities listed at 37.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 37.5(4). *Selenium(chronic) = 5.7 ug/L for Corral Gulch. 6.0 ug/L for Greasewood Creek. 6.9 ug/L for Yellow Creek. 7.9 ug/L for Duck Creek. TVS for all other tributaries. See assessment locations at 37.6(4) *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium III	---
		Inorganic (mg/L)		Chromium III(T)	50	---
			acute	chronic	Chromium VI	TVS
		Ammonia	TVS	TVS	Copper	TVS
		Boron	---	5.0	Iron	---
		Chloride	---	250	Iron(T)	---
		Chlorine	0.019	0.011	Lead	TVS
		Cyanide	0.005	---	Lead(T)	50
		Nitrate	10	---	Manganese	TVS
		Nitrite	0.05	---	Mercury(T)	---
		Phosphorus	---	0.17*	Molybdenum(T)	---
		Sulfate	---	WS	Nickel	TVS
		Sulfide	---	0.002	Nickel(T)	---
					Selenium	TVS
					Silver	TVS
					Uranium	varies*
					Zinc	TVS

13c. Mainstem of Yellow Creek, including all wetlands from immediately below the confluence with Barcus Creek to the confluence with the White River.

COLCWH13C Classifications		Physical and Biological		Metals (ug/L)		
Designation	Agriculture Aq Life Warm 2 Recreation P	DM	MWAT	acute		chronic
Reviewable		WS-II	WS-II	Arsenic	340	---
Qualifiers:		Temperature °C	---	acute	chronic	
		D.O. (mg/L)	---	5.0	Arsenic(T)	---
Fish Ingestion Standards Apply		pH	6.5 - 9.0	---	Cadmium	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III	TVS
Other:		E. Coli (per 100 mL)	---	205	Chromium III(T)	---
		Inorganic (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	5.0	Lead	TVS
		Chloride	---	---	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	100	---	Nickel	TVS
		Nitrite	0.05	---	Selenium	TVS
		Phosphorus	---	0.17	Silver	TVS
		Sulfate	---	---	Uranium	varies*
		Sulfide	---	0.002	Zinc	TVS
						TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS White River

14b. Mainstem of Piceance Creek from a point just below the confluence with Hunter Creek to a point just below the confluence with Ryan Gulch.								
COLCWH14B	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---	
	Recreation P		acute	chronic	Arsenic(T)	---	7.6	
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS	
Other:		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS	
*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III(T)	---	100	
		chlorophyll a (mg/m ²)	---	150	Chromium VI	TVS	TVS	
		E. Coli (per 100 mL)	---	205	Copper	TVS	TVS	
		Inorganic (mg/L)				Iron(T)	---	1000
			acute	chronic		Lead	TVS	TVS
		Ammonia	TVS	TVS		Manganese	TVS	TVS
		Boron	---	0.75		Mercury(T)	---	0.01
		Chloride	---	---		Molybdenum(T)	---	150
		Chlorine	0.019	0.011		Nickel	TVS	TVS
		Cyanide	0.005	---		Selenium	TVS	TVS
		Nitrate	100	---		Silver	TVS	TVS(tr)
		Nitrite	0.05	---		Uranium	varies*	varies*
		Phosphorus	---	0.11		Zinc	TVS	TVS
		Sulfate	---	---				
		Sulfide	---	0.002				

15. Mainstem of Piceance Creek from a point just below the confluence with Ryan Gulch to the confluence with the White River. The Dry Fork of Piceance Creek, including all tributaries and wetlands, from a point just below the confluence with Little Reigan Gulch to the confluence with Piceance Creek, except for listings in Segment 18.								
COLCWH15	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---	
	Recreation P		acute	chronic	Arsenic(T)	---	7.6	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Fish Ingestion Standards Apply		pH	6.5 - 9.0	---	Chromium III	TVS	TVS	
Other:		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	---	100	
*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS	
		Inorganic (mg/L)				Copper	TVS	TVS
			acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS		Lead	TVS	TVS
		Boron	---	0.75		Manganese	TVS	TVS
		Chloride	---	250		Mercury(T)	---	0.01
		Chlorine	0.019	0.011		Molybdenum(T)	---	150
		Cyanide	0.005	---		Nickel	TVS	TVS
		Nitrate	100	---		Selenium	TVS	TVS
		Nitrite	0.05	---		Silver	TVS	TVS
		Phosphorus	---	0.11		Uranium	varies*	varies*
		Sulfate	---	---		Zinc	TVS	TVS
		Sulfide	---	0.002				

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS White River

16a. All tributaries to Piceance Creek, including all wetlands, from the source to a point immediately below the confluence with Dry Thirteenmile Creek.

COLCWH16A Classifications		Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVSWS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	0.05	---	Molybdenum(T)	---	150
		Phosphorus	---	0.11	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

16b. All tributaries to Piceance Creek, including all wetlands, from a point immediately below the confluence with Dry Thirteenmile Creek to the confluence with the White River, except for listings in Segments 15, 17, 18a, 18b, 19 and 20.

COLCWH16B Classifications		Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	---	100
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	250	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	0.05	---	Silver	TVS	TVS
		Phosphorus	---	0.11	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS White River

17. Stewart Gulch from the sources of the East, Middle, and West Forks to the confluence with Piceance Creek.							
COLCWH17	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Fish Ingestion Standards Apply		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III(T)	---	100
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	---	Chromium VI	TVS	TVS
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Copper	TVS	TVS
					Iron(T)	---	1000
		Inorganic (mg/L)			Lead	TVS	TVS
		acute	chronic		Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)	---	0.01
		Boron	---	0.75	Molybdenum(T)	---	150
		Chloride	---	---	Nickel	TVS	TVS
		Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005	---	Silver	TVS	TVS(tr)
		Nitrate	100	---	Uranium	varies*	varies*
		Nitrite	0.05	---	Zinc	TVS	TVS
		Phosphorus	---	0.11			
		Sulfate	---	---			
		Sulfide	---	0.002			

18a. Willow and Hunter Creeks, including all tributaries and wetlands, from their sources to their confluences with Piceance Creek.							
COLCWH18A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Other:		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III(T)	---	100
*Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium VI	TVS	TVS
		E. Coli (per 100 mL)	---	205	Copper	TVS	TVS
					Iron(T)	---	1000
		Inorganic (mg/L)			Lead	TVS	TVS
		acute	chronic		Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)	---	0.01
		Boron	---	0.75	Molybdenum(T)	---	150
		Chloride	---	---	Nickel	TVS	TVS
		Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005	---	Silver	TVS	TVS(tr)
		Nitrate	100	---	Uranium	varies*	varies*
		Nitrite	0.05	---	Zinc	TVS	TVS
		Phosphorus	---	0.11			
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

18b. Mainstem of the Dry Fork of Piceance Creek, including all tributaries and wetlands, from the source to a point just below the confluence with Little Reigan Gulch. Box D Gulch from its source to the confluence with the Dry Fork of Piceance Creek.

COLCWH18B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
			Uranium	varies*	varies*		
			Zinc	TVS	TVS		

19. Mainstem of Fawn Creek from the source to the confluence with Black Sulphur Creek.

COLCWH19	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	150	Chromium VI	TVS	TVS
		E. Coli (per 100 mL)	---	205	Copper	TVS	TVS
		Inorganic (mg/L)			Iron(T)	---	1000
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	0.05	---	Uranium	varies*	varies*
		Phosphorus	---	0.11	Zinc	TVS	TVS
		Sulfate	---	---			
Sulfide	---	0.002					

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

20. Mainstem of Black Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with Piceance Creek, except for the listing in Segment 19.						
COLCWH20	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Cold 1 Recreation P Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340 ---
			acute	chronic	Arsenic(T)	--- 0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr) TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---
Other:		pH	6.5 - 9.0	---	Chromium III	--- TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	---	Chromium III(T)	50 ---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	205	Chromium VI	TVS TVS
Expiration Date of 12/31/2021					Copper	TVS TVS
*Uranium(acute) = See 37.5(3) for details.					Inorganic (mg/L)	
*Uranium(chronic) = See 37.5(3) for details.					acute	chronic
		Ammonia	TVS	TVS	Iron(T)	--- 1000
		Boron	---	0.75	Lead	TVS TVS
		Chloride	---	250	Lead(T)	50 ---
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS
		Cyanide	0.005	---	Mercury(T)	--- 0.01
		Nitrate	10	---	Molybdenum(T)	--- 150
		Nitrite	0.05	---	Nickel	TVS TVS
		Phosphorus	---	0.11	Nickel(T)	--- 100
		Sulfate	---	WS	Selenium	TVS TVS
		Sulfide	---	0.002	Silver	TVS TVS(tr)
					Uranium	varies* varies*
					Zinc	TVS TVS

21. Mainstem of the White River from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border.						
COLCWH21	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Warm 1 Recreation E Water Supply	Temperature °C	WS-II	WS-II	Arsenic	340 ---
			acute	chronic	Arsenic(T)	--- 0.02
		D.O. (mg/L)	---	5.0	Cadmium	TVS TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0 ---
Other:		chlorophyll a (mg/m ²)	---	---	Chromium III	--- TVS
Temporary Modification(s):		E. Coli (per 100 mL)	---	126	Chromium III(T)	50 100
Arsenic(chronic) = hybrid					Inorganic (mg/L)	
Expiration Date of 12/31/2021					acute	chronic
*Uranium(acute) = See 37.5(3) for details.		Ammonia	TVS	TVS	Copper	TVS TVS
*Uranium(chronic) = See 37.5(3) for details.		Boron	---	0.75	Iron	--- WS
		Chloride	---	250	Iron(T)	--- 1000
		Chlorine	0.019	0.011	Lead	TVS TVS
		Cyanide	0.005	---	Lead(T)	50 ---
		Nitrate	10	---	Manganese	TVS TVS/WS
		Nitrite	0.05	---	Mercury(T)	--- 0.01
		Phosphorus	---	---	Molybdenum(T)	--- 150
		Sulfate	---	WS	Nickel	TVS TVS
		Sulfide	---	0.002	Nickel(T)	--- 100
					Selenium	TVS TVS
					Silver	TVS TVS
					Uranium	varies* varies*
					Zinc	TVS TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

22. All tributaries to the White River, including all wetlands, from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border, except for specific listings in Segment 23.

COLCWH22	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable	Aq Life Warm 2 Recreation P	Temperature °C	WS-III WS-III			Arsenic	340 ---	--- 100
Qualifiers:		D.O. (mg/L)	---	5.0		Beryllium(T)	---	100
Other:		pH	6.5 - 9.0	---		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)	---	150		Chromium III	TVS	TVS
		E. Coli (per 100 mL)	---	205		Chromium III(T)	---	100
		Inorganic (mg/L)				Chromium VI	TVS	TVS
		acute	chronic			Copper	TVS	TVS
		Ammonia	TVS	TVS		Iron(T)	---	1000
		Boron	---	0.75		Lead	TVS	TVS
		Chloride	---	---		Manganese	TVS	TVS
		Chlorine	0.019	0.011		Manganese(T)	---	200
		Cyanide	0.005	---		Mercury(T)	---	0.01
		Nitrate	100	---		Molybdenum(T)	---	150
		Nitrite	0.05	---		Nickel	TVS	TVS
		Phosphorus	---	0.17		Selenium	TVS	TVS
		Sulfate	---	---		Silver	TVS	TVS
		Sulfide	---	0.002		Uranium	varies*	varies*
						Zinc	TVS	TVS

*Uranium(acute) = See 37.5(3) for details.
*Uranium(chronic) = See 37.5(3) for details.

23. Mainstems of East Douglas Creek and West Douglas Creek, including all tributaries and wetlands, from their sources to their confluence.

COLCWH23	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-I CS-I			Arsenic	340 ---	--- 0.02
Qualifiers:		D.O. (mg/L)	---	6.0		Cadmium	TVS(tr)	TVS
Other:		D.O. (spawning)	---	7.0		Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---		Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	150		Chromium III(T)	50	---
		E. Coli (per 100 mL)	---	126		Chromium VI	TVS	TVS
		Inorganic (mg/L)				Copper	TVS	TVS
		acute	chronic			Iron	---	WS
		Ammonia	TVS	TVS		Iron(T)	---	1000
		Boron	---	0.75		Lead	TVS	TVS
		Chloride	---	250		Lead(T)	50	---
		Chlorine	0.019	0.011		Manganese	TVS	TVS/WS
		Cyanide	0.005	---		Mercury(T)	---	0.01
		Nitrate	10	---		Molybdenum(T)	---	150
		Nitrite	0.05	---		Nickel	TVS	TVS
		Phosphorus	---	0.11		Nickel(T)	---	100
		Sulfate	---	WS		Selenium	TVS	TVS
		Sulfide	---	0.002		Silver	TVS	TVS(tr)
						Uranium	varies*	varies*
						Zinc	TVS	TVS

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021
*Uranium(acute) = See 37.5(3) for details.
*Uranium(chronic) = See 37.5(3) for details.

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS White River

24. All lakes and reservoirs tributary to the White River, which are within the boundaries of the Flat Tops Wilderness Area, including Trappers Lake.

COLCWH24	Classifications	Physical and Biological			Metals (ug/L)		
Designation		DM	MWAT		acute	chronic	
OW	Agriculture						
	Aq Life Cold 1	CL	CL	Temperature °C	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
Water Supply				D.O. (mg/L)	TVS(tr)	TVS	
				D.O. (spawning)	5.0	---	
Qualifiers:				pH	---	TVS	
Other:				chlorophyll a (ug/L)	50	---	
*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.				E. Coli (per 100 mL)	TVS	TVS	
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.					Copper	TVS	
*Uranium(acute) = See 37.5(3) for details.					Iron	WS	
*Uranium(chronic) = See 37.5(3) for details.					Iron(T)	1000	
					Lead	TVS	
					Lead(T)	---	
					Manganese	TVS/WS	
					Mercury(T)	0.01	
					Molybdenum(T)	150	
					Nickel	TVS	
					Nickel(T)	100	
					Selenium	TVS	
					Silver	TVS(tr)	
					Uranium	varies*	
					Zinc	TVS	

25. Lake Avery (a.k.a Big Beaver Reservoir).

COLCWH25	Classifications	Physical and Biological			Metals (ug/L)		
Designation		DM	MWAT		acute	chronic	
Reviewable	Agriculture						
	Aq Life Cold 1	varies*	varies* ^B	Temperature °C	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
Water Supply				D.O. (mg/L)	TVS(tr)	TVS	
				D.O. (spawning)	5.0	---	
Qualifiers:				pH	---	TVS	
Other:				chlorophyll a (ug/L)	50	---	
*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.				E. Coli (per 100 mL)	TVS	TVS	
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.					Copper	TVS	
*Uranium(acute) = See 37.5(3) for details.					Iron	WS	
*Uranium(chronic) = See 37.5(3) for details.					Iron(T)	1000	
*Temperature =					Lead	TVS	
DM=CLL and MWAT=CLL from 1/1-3/31					Lead(T)	---	
DM=CLL and MWAT=20.7 from 4/1-12/31					Manganese	TVS/WS	
					Mercury(T)	0.01	
					Molybdenum(T)	150	
					Nickel	TVS	
					Nickel(T)	100	
					Selenium	TVS	
					Silver	TVS(tr)	
					Uranium	varies*	
					Zinc	TVS	

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

White River

26. All lakes and reservoirs tributary to the North and South Forks of the White River, from the Flat Tops Wilderness Area boundary to the confluence with the North and South Forks of the White River.

COLCWH26	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
	chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.	chlorophyll a (ug/L)	---	8	Chromium III(T)	50	---
	*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.	E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
	*Uranium(acute) = See 37.5(3) for details.				Copper	TVS	TVS
	*Uranium(chronic) = See 37.5(3) for details.				Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

27. All lakes and reservoirs tributary to the White River, from a point immediately above the confluence with Piceance Creek to the Colorado/Utah border, except for listings in segments 11 and 13d.

COLCWH27	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
	chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.	chlorophyll a (ug/L)	---	20	Chromium III(T)	---	100
	*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.	E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
	*Uranium(acute) = See 37.5(3) for details.				Copper	TVS	TVS
	*Uranium(chronic) = See 37.5(3) for details.				Iron(T)	---	1000
					Lead	TVS	TVS
					Manganese	TVS	TVS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

1. Mainstem of the Colorado River from the confluence with the Roaring Fork River to immediately below the confluence with Rifle Creek.					
COLCLC01	Classifications	Physical and Biological		Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	varies*	varies*	Arsenic 340
		acute	chronic	Arsenic(T)	0.02
		D.O. (mg/L)	---	6.0	Cadmium TVS(tr) TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T) 5.0 ---
Other:		pH	6.5 - 9.0	---	Chromium III ---
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	---	Chromium III(T) 50 ---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	126	Chromium VI TVS TVS
Expiration Date of 12/31/2021		Inorganic (mg/L)		Copper TVS TVS	TVS TVS
*Uranium(acute) = See 37.5(3) for details.				Iron ---	WS
*Uranium(chronic) = See 37.5(3) for details.				acute	chronic
*Temperature = See 37.6(4) for temperature standards.		Ammonia	TVS	TVS	Iron(T) ---
		Boron	---	0.75	Lead TVS TVS
		Chloride	---	250	Lead(T) 50 ---
		Chlorine	0.019	0.011	Manganese TVS TVS/WS
		Cyanide	0.005	---	Mercury(T) ---
		Nitrate	10	---	Mercury(T) ---
		Nitrite	0.05	---	Molybdenum(T) ---
		Phosphorus	---	---	Nickel TVS TVS
		Sulfate	---	WS	Nickel(T) ---
		Sulfide	---	0.002	100 Selenium TVS TVS
				Uranium	varies* varies*
				Zinc	TVS TVS
2a. Mainstem of the Colorado River from immediately below the confluence with Rifle Creek to immediately above the confluence of Rapid Creek.					
COLCLC02A	Classifications	Physical and Biological		Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic
Reviewable	Aq Life Warm 1 Recreation E Water Supply	Temperature °C	WS-II	WS-II	Arsenic 340
		acute	chronic	Arsenic(T)	0.02
		D.O. (mg/L)	---	5.0	Cadmium TVS TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T) 5.0 ---
Other:		chlorophyll a (mg/m ²)	---	---	Chromium III ---
Temporary Modification(s):		E. Coli (per 100 mL)	---	126	Chromium III(T) 50 ---
Arsenic(chronic) = hybrid		Inorganic (mg/L)		Chromium VI TVS TVS	TVS TVS
Expiration Date of 12/31/2021				acute	chronic
*Uranium(acute) = See 37.5(3) for details.		Ammonia	TVS	TVS	Copper TVS TVS
*Uranium(chronic) = See 37.5(3) for details.		Boron	---	0.75	Iron ---
		Chloride	---	250	Iron(T) ---
		Chlorine	0.019	0.011	1000 Lead TVS TVS
		Cyanide	0.005	---	Lead(T) 50 ---
		Nitrate	10	---	Manganese TVS TVS/WS
		Nitrite	0.05	---	Mercury(T) ---
		Phosphorus	---	---	Molybdenum(T) ---
		Sulfate	---	WS	Nickel TVS TVS
		Sulfide	---	0.002	Nickel(T) ---
				Selenium	TVS TVS
				Silver	TVS TVS
				Uranium	varies* varies*
				Zinc	TVS TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

2b. Mainstem of the Colorado River from a point immediately above the confluence with Rapid Creek to immediately above the confluence of the Gunnison River.							
COLCLC02B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
Water Supply		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (mg/m ²)	---	---	Chromium III	---	TVS
Other:		E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---
Temporary Modification(s):		Inorganic (mg/L)			Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid			acute	chronic	Copper	TVS	TVS
Expiration Date of 12/31/2021		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 37.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 37.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	0.05	---	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

3. Mainstem of the Colorado River from immediately above the confluence of the Gunnison River to the Colorado-Utah state line.							
COLCLC03	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	7.6
Water Supply		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Qualifiers:		chlorophyll a (mg/m ²)	---	---	Chromium III(T)	---	100
Other:		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Temporary Modification(s):		Inorganic (mg/L)			Copper	TVS	TVS
Arsenic(chronic) = hybrid			acute	chronic	Iron(T)	---	1000
Expiration Date of 12/31/2021		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		Boron	---	0.75	Manganese	TVS	TVS
*Uranium(chronic) = See 37.5(3) for details.		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	0.05	---	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

4a. All tributaries, including wetlands, to the Colorado River from the confluence with the Roaring Fork River to below the confluence with Parachute Creek except for listings in Segments 4b, 4c, 4d, 4e, 5, 6, 7a, 7b, 8, 9a, 9c, 10, 11a – c.

COLCLC04A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2 Recreation N Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:		D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02-10 ^A
Other:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		chlorophyll a (mg/m ²)	---	---	Chromium III	---	TVS
		E. Coli (per 100 mL)	---	630	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		Ammonia	acute	chronic	Copper	TVS	TVS
		Boron	TVS	TVS	Iron	---	WS
		Chloride	---	0.75	Iron(T)	---	1000
		Chlorine	---	250	Lead	TVS	TVS
		Cyanide	0.019	0.011	Lead(T)	50	---
		Nitrate	0.005	---	Manganese	TVS	TVS/WS
		Nitrite	10	---	Mercury(T)	---	0.01
		Phosphorus	0.05	---	Molybdenum(T)	---	150
		Sulfate	---	0.11	Nickel	TVS	TVS
		Sulfide	---	WS	Nickel(T)	---	100
			---	0.002	Selenium	TVS	TVS
			---		Silver	TVS	TVS
			---		Uranium	varies*	varies*
			---		Zinc	TVS	TVS

4b. South Canyon Hot Springs (39.552964, -107.414232).

COLCLC04B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Aq Life Warm 2		DM	MWAT		acute	chronic
Reviewable	Recreation E	D.O. (mg/L)	---	5.0	Arsenic	340	---
Qualifiers:		pH	6.5 - 9.0	---	Arsenic(T)	---	100
Other:		chlorophyll a (mg/m ²)	---	150	Cadmium	TVS	TVS
*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	126	Chromium III	TVS	TVS
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		Ammonia	acute	chronic	Copper	TVS	TVS
		Boron	TVS	TVS	Iron	---	1000
		Chloride	---	---	Lead	TVS	TVS
		Chlorine	---	---	Manganese	TVS	TVS
		Cyanide	0.019	0.011	Mercury(T)	---	0.01
		Nitrate	0.005	---	Molybdenum(T)	---	---
		Nitrite	---	---	Nickel	TVS	TVS
		Phosphorus	---	0.17	Selenium	TVS	TVS
		Sulfate	---	---	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	varies*	varies*
			---		Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

4c. The mainstem of South Canyon Creek from the South Canyon Hot Springs to the confluence with the Colorado River.							
COLCLC04C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-III	WS-III	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	150*	Chromium III	---	TVS
Temporary Modification(s):		E. Coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2021			acute	chronic	Copper	TVS	TVS
*chlorophyll a (mg/m ²)(chronic) = applies only above the facilities listed at 37.5(4).		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(acute) = See 37.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 37.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	0.05	---	Molybdenum(T)	---	150
		Phosphorus	---	0.17	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

4d. The mainstem of Dry Hollow Creek, including all tributaries and wetlands, from the source to the confluence with the Colorado River.							
COLCLC04D	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	0.05	---	Molybdenum(T)	---	150
		Phosphorus	---	0.11	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

4e. Mainstem of Dry Creek, including all tributaries and wetlands, from the source to immediately above the Last Chance Ditch.						
COLCLC04E	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
UP	Aq Life Cold 2 Recreation N	Temperature °C	CS-II	CS-II	Arsenic	340
			acute	chronic	Arsenic(T)	---
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	---	Chromium III(T)	---
Copper(ac/ch) = current conditions		E. Coli (per 100 mL)	---	630	Chromium VI	TVS
Expiration Date of 6/30/2021		Inorganic (mg/L)			Copper	TVS
			acute	chronic	Iron(T)	---
*Phosphorus(chronic) = applies only above the facilities listed at 37.5(4).		Ammonia	TVS	TVS	Lead	TVS
Cadmium(chronic) = e ^{0.7977} ln(hardness)-3.909(1.101672-(ln(hardness)*0.041838))		Boron	---	0.75	Manganese	TVS
*Iron(T)(chronic) = 3500(T) ug/L on unnamed tributary and 5900(T) ug/L on Dry Creek, see section 37.6(4)(c) for iron assessment locations.		Chloride	---	---	Mercury(T)	---
*Uranium(acute) = See 37.5(3) for details.		Chlorine	0.019	0.011	Molybdenum(T)	---
*Uranium(chronic) = See 37.5(3) for details.		Cyanide	0.005	---	Nickel	TVS
		Nitrate	100	---	Selenium	TVS
		Nitrite	0.05	---	Silver	TVS
		Phosphorus	---	0.11*	Uranium	varies*
		Sulfate	---	---	Zinc	TVS
		Sulfide	---	0.002		

4f. Mainstem of Dry Creek including all tributaries and wetlands from a point immediately above the Last Chance Ditch to the confluence with the Colorado River.						
COLCLC04F	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Cold 1 Recreation N	Temperature °C	CS-II	CS-II	Arsenic	340
			acute	chronic	Arsenic(T)	---
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	---	Chromium III(T)	---
Copper(ac/ch) = current conditions		E. Coli (per 100 mL)	---	630	Chromium VI	TVS
Expiration Date of 6/30/2021		Inorganic (mg/L)			Copper	TVS
			acute	chronic	Iron(T)	---
*Phosphorus(chronic) = applies only above the facilities listed at 37.5(4).		Ammonia	TVS	TVS	Lead	TVS
*Uranium(acute) = See 37.5(3) for details.		Boron	---	0.75	Manganese	TVS
*Uranium(chronic) = See 37.5(3) for details.		Chloride	---	---	Mercury(T)	---
		Chlorine	0.019	0.011	Molybdenum(T)	---
		Cyanide	0.005	---	Nickel	TVS
		Nitrate	100	---	Selenium	TVS
		Nitrite	0.05	---	Silver	TVS
		Phosphorus	---	0.11*	Uranium	varies*
		Sulfate	---	---	Zinc	TVS
		Sulfide	---	0.002		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

5. All tributaries to the Colorado River, including wetlands, which are within the boundaries of White River National Forest, except for listings in Segments 9a, 9c, and 12c.							
COLCLC05	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
Expiration Date of 12/31/2021					Copper	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 37.5(3) for details.						acute	chronic
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

6. Mainstem of Oasis Creek including all tributaries and wetlands from the boundary of White River National Forest to the confluence with the Colorado River.							
COLCLC06	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
						acute	chronic
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

7a. Mainstem of Mitchell, Canyon, Elk, Garfield, Beaver, and Cache Creeks, including all tributaries and wetlands, from the boundary of the White River National Forest to their confluences with the Colorado River.						
COLCLC07A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute chronic		
Reviewable		acute	chronic	Arsenic	340	---
Qualifiers: Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *chlorophyll a (mg/m ²)(chronic) = applies only above the facilities listed at 37.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 37.5(4). *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	Temperature °C	CS-I	CS-I	Arsenic(T)	---	0.02
	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
	pH	6.5 - 9.0	---	Chromium III	---	TVS
	chlorophyll a (mg/m ²)	---	150*	Chromium III(T)	50	---
	E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
	Inorganic (mg/L)			Copper	TVS	TVS
	acute	chronic	Iron	---	WS	
	Ammonia	TVS	TVS	Iron(T)	---	1000
	Boron	---	0.75	Lead	TVS	TVS
	Chloride	---	250	Lead(T)	50	---
	Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
	Cyanide	0.005	---	Mercury(T)	---	0.01
	Nitrate	10	---	Molybdenum(T)	---	150
	Nitrite	0.05	---	Nickel	TVS	TVS
Phosphorus	---	0.11*	Nickel(T)	---	100	
Sulfate	---	WS	Selenium	TVS	TVS	
Sulfide	---	0.002	Silver	TVS	TVS(tr)	
			Uranium	varies*	varies*	
			Zinc	TVS	TVS	

7b. Mainstem of Divide Creek, including all tributaries and wetlands, from the boundary of the White River National Forest to the confluence with the Colorado River.						
COLCLC07B	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute chronic		
Reviewable		acute	chronic	Arsenic	340	---
Qualifiers: Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	Temperature °C	CS-II	CS-II	Arsenic(T)	---	0.02
	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
	pH	6.5 - 9.0	---	Chromium III	---	TVS
	chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
	E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
	Inorganic (mg/L)			Copper	TVS	TVS
	acute	chronic	Iron	---	WS	
	Ammonia	TVS	TVS	Iron(T)	---	1000
	Boron	---	0.75	Lead	TVS	TVS
	Chloride	---	250	Lead(T)	50	---
	Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
	Cyanide	0.005	---	Mercury(T)	---	0.01
	Nitrate	10	---	Molybdenum(T)	---	150
	Nitrite	0.05	---	Nickel	TVS	TVS
Phosphorus	---	0.11	Nickel(T)	---	100	
Sulfate	---	WS	Selenium	TVS	TVS	
Sulfide	---	0.002	Silver	TVS	TVS(tr)	
			Uranium	varies*	varies*	
			Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

8. Mainstem of Northwater and Trapper Creeks, including all tributaries and wetlands, from their sources to the confluence with the East Middle Fork of Parachute Creek. East Middle Fork of Parachute Creek, including all tributaries and wetlands, from the source to the confluence with the Middle Fork of Parachute Creek.

COLCLC08	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT		acute	chronic
OW	Agriculture						
	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

9a. Middle Rifle Creek, including all tributaries and wetlands, from its source to the confluence with West Rifle Creek. East Rifle Creek, including all tributaries and wetlands, from the source to the boundary of the White River National Forest.

COLCLC09A	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT		acute	chronic
Reviewable	Agriculture						
	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

9b. All lakes and reservoirs tributary to the Colorado River from the confluence of the Colorado and the Roaring Fork River to a point immediately below the confluence of the Colorado River and Parachute Creek, and all lakes and reservoirs within the White River National Forest or the Grand Mesa National Forest, except for the listings in segment 20.

COLCLC09B	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS	
*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (ug/L)	---	8*	Chromium III(T)	50	---	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
			acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	0.05	---	Nickel(T)	---	100	
		Phosphorus	---	0.025*	Selenium	TVS	TVS	
		Sulfate	---	WS	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	

9c. Battlement Creek, including all tributaries and wetlands, from the source to the most downstream boundary of BLM lands.

COLCLC09C	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS	
*Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
			acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	0.05	---	Nickel(T)	---	100	
		Phosphorus	---	0.11	Selenium	TVS	TVS	
		Sulfate	---	WS	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

9d. Battlement Creek, including all tributaries and wetlands, from the most downstream boundary of BLM lands to the confluence with the Colorado River.							
COLCLC09D	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	0.05	---	Nickel(T)	---	100
		Phosphorus	---	0.11	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

10. West Rifle Creek, including all tributaries and wetlands, from the source to Rifle Gap Reservoir. East Rifle Creek, including all tributaries and wetlands, from the White River National Forest boundary to Rifle Gap Reservoir. Rifle Creek, including all tributaries and wetlands, from Rifle Gap Reservoir to the confluence with the Colorado River.							
COLCLC10	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2021					Copper	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 37.5(3) for details.		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

11a. Middle Fork Parachute Creek, including tributaries and wetlands, from the source to the confluence with East Fork Parachute Creek. West Fork Parachute Creek and East Fork Parachute Creek, including tributaries and wetlands, from the sources to their confluence into Parachute Creek (39.54898, -108.121829).

COLCLC11A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	0.05	---	Nickel(T)	---	100
		Phosphorus	---	0.11	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

11b. All tributaries to Parachute Creek on the east side of Parachute Creek from the confluence of the East and West Forks of Parachute Creek to the confluence with the Colorado River.

COLCLC11B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation N		acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Beryllium(T)	---	100
Other:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	---	Chromium III	TVS	TVS
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	630	Chromium III(T)	---	100
					Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Manganese(T)	---	200
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	100	---	Nickel	TVS	TVS
		Nitrite	0.05	---	Selenium	TVS	TVS
		Phosphorus	---	0.11	Silver	TVS	TVS
		Sulfate	---	---	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

11c. Mainstem of Parachute Creek from the confluence of the West and East Forks to the confluence with the Colorado River. All tributaries and wetlands to Parachute Creek on the west side of Parachute Creek from the confluence of the East and West Forks to the confluence with the Colorado River.

COLCLC11C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation P Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
Expiration Date of 12/31/2021					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
*Uranium(acute) = See 37.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
*Uranium(chronic) = See 37.5(3) for details.		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	0.05	---	Nickel(T)	---	100
		Phosphorus	---	0.11	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

12a. All tributaries to the Colorado River on the north side of the Colorado River from below Cottonwood Creek to the confluence with Parachute Creek except for listings in segments 9c and 9d.

COLCLC12A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2 Recreation N	Temperature °C	CS-I	CS-I	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m ²)	---	---	Chromium III(T)	---	100
*Uranium(acute) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	630	Chromium VI	TVS	TVS
*Uranium(chronic) = See 37.5(3) for details.					Copper	TVS	TVS
		Inorganic (mg/L)			Iron(T)	---	1000
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS
		Nitrite	0.05	---	Uranium	varies*	varies*
		Phosphorus	---	0.11	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

12b. All tributaries and wetlands to the Colorado River from a point immediately below the confluence of Parachute Creek to a point immediately below the confluence with Roan Creek, except for listings in segments 5, 12c, 14a, 14b and 14c.

COLCLC12B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

12c. Wallace Creek, including all tributaries and wetlands, from the source to the confluence with the Colorado River.

COLCLC12C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
*Uranium(chronic) = See 37.5(3) for details.		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

13a. All tributaries to the Colorado River including wetlands, from a point immediately below the confluence of Roan Creek to the Colorado/Utah border, except for listings in Segments 13b through 19.							
COLCLC13A	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT		acute chronic	
UP	Agriculture						
	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340 ---	
	Recreation P		acute	chronic	Arsenic(T)	--- 0.02-10 ^A	
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS TVS	
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0 ---	
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150	Chromium III	--- TVS	
		E. Coli (per 100 mL)	---	205	Chromium III(T)	50 ---	
		Inorganic (mg/L)				Chromium VI	TVS TVS
			acute	chronic	Copper	TVS TVS	
		Ammonia	TVS	TVS	Iron	--- WS	
		Boron	---	0.75	Iron(T)	--- 1000	
		Chloride	---	250	Lead	TVS TVS	
		Chlorine	0.019	0.011	Lead(T)	50 ---	
		Cyanide	0.005	---	Manganese	TVS TVSWS	
		Nitrate	10	---	Mercury(T)	--- 0.01	
		Nitrite	0.05	---	Molybdenum(T)	--- 150	
		Phosphorus	---	0.17	Nickel	TVS TVS	
		Sulfate	---	WS	Nickel(T)	--- 100	
		Sulfide	---	0.002	Selenium	TVS TVS	
					Silver	TVS TVS	
			Uranium	varies* varies*			
			Zinc	TVS TVS			
13b. All tributaries to the Colorado River, including wetlands, from the Government Highline Canal Diversion to a point immediately below Salt Creek, and downgradient from the Government Highline Canal, the Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and the northeast Colorado National Monument boundary.							
COLCLC13B	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT		acute chronic	
UP	Agriculture						
	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340 ---	
	Recreation E		acute	chronic	Arsenic(T)	--- 7.6	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS TVS	
Fish Ingestion Standards Apply		pH	6.5 - 9.0	---	Chromium III	TVS TVS	
Other: *chlorophyll a (mg/m ²)(chronic) = applies only above the facilities listed at 37.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 37.5(4). *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		chlorophyll a (mg/m ²)	---	150*	Chromium III(T)	--- 100	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS TVS	
		Inorganic (mg/L)				Copper	TVS TVS
			acute	chronic	Iron(T)	--- 1000	
		Ammonia	TVS	TVS	Lead	TVS TVS	
		Boron	---	0.75	Manganese	TVS TVS	
		Chloride	---	---	Mercury(T)	--- 0.01	
		Chlorine	0.019	0.011	Molybdenum(T)	--- 150	
		Cyanide	0.005	---	Nickel	TVS TVS	
		Nitrate	100	---	Selenium	TVS TVS	
		Nitrite	0.05	---	Silver	TVS TVS	
		Phosphorus	---	0.17*	Uranium	varies* varies*	
		Sulfate	---	---	Zinc	TVS TVS	
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS Lower Colorado River

13c. Walker Wildlife Area Ponds.							
COLCLC13C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1 Recreation E	Temperature °C	WL	WL	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other:	D.O. (mg/L)		---	5.0	Cadmium	TVS	TVS
	pH		6.5 - 9.0	---	Chromium III	TVS	TVS
	chlorophyll a (ug/L)		---	20*	Chromium III(T)	---	100
	E. Coli (per 100 mL)		---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
	Ammonia		TVS	TVS	Lead	TVS	TVS
	Boron		---	0.75	Manganese	TVS	TVS
	Chloride		---	---	Mercury(T)	---	0.01
	Chlorine		0.019	0.011	Molybdenum(T)	---	150
	Cyanide		0.005	---	Nickel	TVS	TVS
	Nitrate		100	---	Selenium	TVS	TVS
	Nitrite		0.05	---	Silver	TVS	TVS
	Phosphorus		---	0.083*	Uranium	varies*	varies*
	Sulfate		---	---	Zinc	TVS	TVS
	Sulfide		---	0.002			
13d. Deleted							
COLCLC13D	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT		acute	chronic
Qualifiers:			acute	chronic			
Other:		Inorganic (mg/L)					
			acute	chronic			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

13e. All tributaries to the Colorado River, from Lewis Wash to the West Salt Creek drainage, from an elevation of 5,200 feet to the Government Highline Canal, excluding the mainstems of Big Salt Wash, East Salt Creek and West Salt Creek.

COLCLC13E	Classifications	Physical and Biological			Metals (ug/L)		
Designation		DM	MWAT		acute	chronic	
UP	Agriculture						
	Aq Life Warm 2 Recreation P	Temperature °C	WS-III	WS-III	Arsenic(T)	---	100
		acute	chronic	Beryllium(T)	---	100	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium(T)	---	10
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	150	Chromium VI(T)	---	100
		E. Coli (per 100 mL)	---	205	Copper(T)	---	200
		Inorganic (mg/L)			Iron	---	---
			acute	chronic	Lead(T)	---	100
		Ammonia	---	---	Manganese(T)	---	200
		Boron	---	0.75	Mercury(T)	---	---
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	---	---	Nickel(T)	---	200
		Cyanide	0.2	---	Selenium(T)	---	20
		Nitrate	100	---	Silver	---	---
		Nitrite	10	---	Uranium	varies*	varies*
		Phosphorus	---	0.17	Zinc(T)	---	2000
		Sulfate	---	---			
		Sulfide	---	---			

13f. Asbury Creek and Sand Wash from their sources to their confluences with the Colorado River.

COLCLC13F	Classifications	Physical and Biological			Metals (ug/L)		
Designation		DM	MWAT		acute	chronic	
UP	Agriculture						
	Aq Life Warm 2 Recreation P Water Supply	Temperature °C	WS-III	WS-III	Arsenic	340	---
		acute	chronic	Arsenic(T)	---	0.02-10 ^A	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other: *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
		chlorophyll a (mg/m ²)	---	150	Chromium III	---	TVS
		E. Coli (per 100 mL)	---	205	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVSWS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	0.05	---	Molybdenum(T)	---	150
		Phosphorus	---	0.17	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.05	Selenium	TVS	TVS
				Silver	TVS	TVS	
				Uranium	varies*	varies*	
				Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

14a. Mainstem of Roan Creek, including all wetlands and tributaries, from its source to a point immediately above the confluence with Clear Creek, except for the listing in segment 14b. Clear Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Tom Creek.							
COLCLC14A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation P Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02
Other:		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
		E. Coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS
14b. Clear Creek, including all tributaries and wetlands, from a point immediately below the confluence with Tom Creek to the confluence with Roan Creek. Roan Creek, including all tributaries and wetlands, from a point immediately above the confluence with Clear Creek to a point immediately below the confluence with Kimball Creek.							
COLCLC14B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02
Other:		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

14c. Mainstem of Roan Creek, including all tributaries and wetlands, from a point immediately below the confluence with Kimball Creek to the confluence with the Colorado River.						
COLCLC14C	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Warm 1 Recreation E Water Supply	Temperature °C	WS-II	WS-II	Arsenic	340 ---
		acute	chronic	Arsenic(T)		--- 0.02
		D.O. (mg/L)	---	5.0	Cadmium	TVS TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0 ---
Other:		chlorophyll a (mg/m ²)	---	150	Chromium III	--- TVS
Temporary Modification(s):		E. Coli (per 100 mL)	---	126	Chromium III(T)	50 ---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS TVS
Expiration Date of 12/31/2021		acute	chronic	Copper		TVS TVS
*Uranium(acute) = See 37.5(3) for details.		Ammonia	TVS	TVS	Iron	--- WS
*Uranium(chronic) = See 37.5(3) for details.		Boron	---	0.75	Iron(T)	--- 1000
		Chloride	---	250	Lead	TVS TVS
		Chlorine	0.019	0.011	Lead(T)	50 ---
		Cyanide	0.005	---	Manganese	TVS TVS/WS
		Nitrate	10	---	Mercury(T)	--- 0.01
		Nitrite	0.05	---	Molybdenum(T)	--- 150
		Phosphorus	---	0.17	Nickel	TVS TVS
		Sulfate	---	WS	Nickel(T)	--- 100
		Sulfide	---	0.002	Selenium	TVS TVS
					Silver	TVS TVS
					Uranium	varies* varies*
					Zinc	TVS TVS

15a. Mainstem of Plateau Creek from its source to the inlet of Vega Reservoir. All tributaries and wetlands to Plateau Creek from its source to a point immediately above the confluence with Buzzard Creek. Kimball Creek, Grove Creek, Big Creek, Cottonwood Creek, Bull Creek, Spring Creek, Coon Creek, and Mesa Creek, including all wetlands and tributaries, from their sources to their confluences with Plateau Creek. The mainstem of Buzzard Creek, including all tributaries and wetlands, within the Grand Mesa National Forest.						
COLCLC15A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340 ---
		acute	chronic	Arsenic(T)		--- 0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS(tr) TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---
Other:		pH	6.5 - 9.0	---	Chromium III	--- TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	150*	Chromium III(T)	50 ---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	126	Chromium VI	TVS TVS
Expiration Date of 12/31/2021		Inorganic (mg/L)			Copper	TVS TVS
*chlorophyll a (mg/m ²)(chronic) = applies only above the facilities listed at 37.5(4).		acute	chronic	Iron		--- WS
*Phosphorus(chronic) = applies only above the facilities listed at 37.5(4).		Ammonia	TVS	TVS	Iron(T)	--- 1000
*Uranium(acute) = See 37.5(3) for details.		Boron	---	0.75	Lead	TVS TVS
*Uranium(chronic) = See 37.5(3) for details.		Chloride	---	250	Lead(T)	50 ---
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS
		Cyanide	0.005	---	Mercury(T)	--- 0.01
		Nitrate	10	---	Molybdenum(T)	--- 150
		Nitrite	0.05	---	Nickel	TVS TVS
		Phosphorus	---	0.11*	Nickel(T)	--- 100
		Sulfate	---	WS	Selenium	TVS TVS
		Sulfide	---	0.002	Silver	TVS TVS(tr)
					Uranium	varies* varies*
					Zinc	TVS TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

15b. All tributaries and wetlands to Buzzard Creek from the Grand Mesa National Forest boundary to the confluence with Plateau Creek.							
COLCLC15B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2021					Copper	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 37.5(3) for details.						acute	chronic
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

15c. Mainstem of Plateau Creek from the outlet of Vega Reservoir to a point immediately below the confluence with Buzzard Creek.							
COLCLC15C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr)	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	150*	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2021					Copper	TVS	TVS
*chlorophyll a (mg/m ²)(chronic) = applies only above the facilities listed at 37.5(4).					Inorganic (mg/L)		
*Phosphorus(chronic) = applies only above the facilities listed at 37.5(4).						acute	chronic
*Uranium(acute) = See 37.5(3) for details.		Ammonia	TVS	TVS	Iron(T)	---	1000
*Uranium(chronic) = See 37.5(3) for details.		Boron	---	0.75	Lead	TVS	TVS
*Temperature =		Chloride	---	250	Lead(T)	50	---
DM=15.7 and MWAT=11.2 from 10/1-10/31		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
DM=14.1 and MWAT=CS-II from 11/1-3/31		Cyanide	0.005	---	Mercury(T)	---	0.01
DM=27.3 and MWAT=21.6 from 4/1-9/30		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	0.05	---	Nickel	TVS	TVS
		Phosphorus	---	0.11*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

15d. Mainstem of Buzzard Creek from the Grand Mesa National Forest boundary to its confluence with Plateau Creek.						
COLCLC15D	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Cold 1 Recreation E Water Supply	varies*	varies*	340	---	---
Qualifiers:		acute	chronic	Arsenic(T)	---	0.02
Other:	Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details. *Temperature = DM=CS-II and MWAT=CS-II from 11/1-3/31 DM=25.1 and MWAT=18.9 from 4/1-10/31	---	6.0	Cadmium	TVS(tr)	TVS
		---	7.0	Cadmium(T)	5.0	---
		6.5 - 9.0	---	Chromium III	---	TVS
		---	150	Chromium III(T)	50	---
		---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)		Copper	TVS	TVS
		acute	chronic	Iron	---	WS
		TVS	TVS	Iron(T)	---	1000
		---	0.75	Lead	TVS	TVS
		---	250	Lead(T)	50	---
		0.019	0.011	Manganese	TVS	TVS/WS
		0.005	---	Mercury(T)	---	0.01
		10	---	Molybdenum(T)	---	150
		0.05	---	Nickel	TVS	TVS
		---	0.11	Nickel(T)	---	100
		---	WS	Selenium	TVS	TVS
		---	0.002	Silver	TVS	TVS(tr)
		---	0.002	Uranium	varies*	varies*
		---	0.002	Zinc	TVS	TVS
16. Plateau Creek including all tributaries and wetlands, from a point immediately below the confluence with Buzzard Creek, to the confluence with the Colorado River, excluding listings in segments 5, 15a and 21.						
COLCLC16	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute	chronic	
Reviewable	Aq Life Warm 1 Recreation E Water Supply	varies*	varies*	340	---	---
Qualifiers:		acute	chronic	Arsenic(T)	---	0.02
Other:	Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *chlorophyll a (mg/m ²)(chronic) = applies only above the facilities listed at 37.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 37.5(4). *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details. *Temperature = DM=WS-II and MWAT=WS-II from 12/1-2/29 DM=31 and MWAT=WS-II from 3/1-11/30	---	6.0	Cadmium	TVS	TVS
		---	7.0	Cadmium(T)	5.0	---
		6.5 - 9.0	---	Chromium III	---	TVS
		---	150*	Chromium III(T)	50	---
		---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)		Copper	TVS	TVS
		acute	chronic	Iron	---	WS
		TVS	TVS	Iron(T)	---	1000
		---	0.75	Lead	TVS	TVS
		---	250	Lead(T)	50	---
		0.019	0.011	Manganese	TVS	TVS/WS
		0.005	---	Mercury(T)	---	0.01
		10	---	Molybdenum(T)	---	150
		0.05	---	Nickel	TVS	TVS
		---	0.11*	Nickel(T)	---	100
		---	WS	Selenium	TVS	TVS
		---	0.002	Silver	TVS	TVS
		---	0.002	Uranium	varies*	varies*
		---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

17a. Rapid Creek, including all tributaries and wetlands, from its source to below the confluence with Cottonwood Creek (39.130512, -108.301028), including Kruzen Springs.							
COLCLC17A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation P Water Supply		DM	MWAT		acute	chronic
OW		Temperature °C		CS-II	CS-II	Arsenic	340
			acute	chronic	Arsenic(T)	---	0.02
	D.O. (mg/L)	---	6.0		Cadmium	TVS(tr)	TVS
Qualifiers:	D.O. (spawning)	---	7.0		Cadmium(T)	5.0	---
Other:	pH	6.5 - 9.0	---		Chromium III	---	TVS
Temporary Modification(s):	chlorophyll a (mg/m ²)	---	150		Chromium III(T)	50	---
Arsenic(chronic) = hybrid	E. Coli (per 100 mL)	---	205		Chromium VI	TVS	TVS
Expiration Date of 12/31/2021					Copper	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 37.5(3) for details.						acute	chronic
	Ammonia	TVS	TVS		Iron(T)	---	1000
	Boron	---	0.75		Lead	TVS	TVS
	Chloride	---	250		Lead(T)	50	---
	Chlorine	0.019	0.011		Manganese	TVS	TVS/WS
	Cyanide	0.005	---		Mercury(T)	---	0.01
	Nitrate	10	---		Molybdenum(T)	---	150
	Nitrite	0.05	---		Nickel	TVS	TVS
	Phosphorus	---	0.11		Nickel(T)	---	100
	Sulfate	---	WS		Selenium	TVS	TVS
	Sulfide	---	0.002		Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

17b. Rapid Creek, including all tributaries and wetlands, from below the confluence with Cottonwood Creek (39.130512, -108.301028) to the confluence with the Colorado River.							
COLCLC17B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation P Water Supply		DM	MWAT		acute	chronic
Reviewable		Temperature °C		CS-II	CS-II	Arsenic	340
			acute	chronic	Arsenic(T)	---	0.02
	D.O. (mg/L)	---	6.0		Cadmium	TVS(tr)	TVS
Qualifiers:	D.O. (spawning)	---	7.0		Cadmium(T)	5.0	---
Other:	pH	6.5 - 9.0	---		Chromium III	---	TVS
Temporary Modification(s):	chlorophyll a (mg/m ²)	---	150		Chromium III(T)	50	---
Arsenic(chronic) = hybrid	E. Coli (per 100 mL)	---	205		Chromium VI	TVS	TVS
Expiration Date of 12/31/2021					Copper	TVS	TVS
*Uranium(acute) = See 37.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 37.5(3) for details.						acute	chronic
	Ammonia	TVS	TVS		Iron(T)	---	1000
	Boron	---	0.75		Lead	TVS	TVS
	Chloride	---	250		Lead(T)	50	---
	Chlorine	0.019	0.011		Manganese	TVS	TVS/WS
	Cyanide	0.005	---		Mercury(T)	---	0.01
	Nitrate	10	---		Molybdenum(T)	---	150
	Nitrite	0.05	---		Nickel	TVS	TVS
	Phosphorus	---	0.11		Nickel(T)	---	100
	Sulfate	---	WS		Selenium	TVS	TVS
	Sulfide	---	0.002		Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

18. Mainstem of Little Dolores River, including all tributaries and wetlands, from its source to immediately below the confluence with Hay Press Creek.							
COLCLC18	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1 Recreation P Water Supply	Temperature °C	varies*	varies*	Arsenic	340 ---	
Qualifiers:		acute	chronic	Arsenic(T)	---	0.02	
Other:	Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2021 *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details. *Temperature = DM=13.9 and MWAT=CS-I from 10/1-4/30 DM=24.4 and MWAT=CS-I from 5/1-9/30	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr) TVS	
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---	
		pH	6.5 - 9.0	---	Chromium III	---	
		chlorophyll a (mg/m ²)	---	150	Chromium III(T)	50 ---	
		E. Coli (per 100 mL)	---	205	Chromium VI	TVS TVS	
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	
		Boron	---	0.75	Lead	TVS TVS	
		Chloride	---	250	Lead(T)	50 ---	
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS	
		Cyanide	0.005	---	Mercury(T)	---	
		Nitrate	10	---	Molybdenum(T)	---	
		Nitrite	0.05	---	Nickel	TVS TVS	
		Phosphorus	---	0.11	Nickel(T)	---	
		Sulfate	---	WS	Selenium	TVS TVS	
		Sulfide	---	0.002	Silver	TVS TVS(tr)	
					Uranium	varies* varies*	
					Zinc	TVS TVS	

19. All lakes and reservoirs tributary to the Colorado River from a point immediately below the confluence of the Colorado River and Parachute Creek to the Colorado-Utah border, except for listings in segments 9b, 13c, 20, and 21. This segment includes Highline Reservoir.							
COLCLC19	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 1 Recreation E	Temperature °C	WL	WL	Arsenic	340 ---	
Qualifiers:		acute	chronic	Arsenic(T)	---	7.6	
Other:	*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	D.O. (mg/L)	---	5.0	Cadmium	TVS TVS	
		pH	6.5 - 9.0	---	Chromium III	TVS TVS	
		chlorophyll a (ug/L)	---	20*	Chromium III(T)	---	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS TVS	
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS TVS	
		Boron	---	0.75	Manganese	TVS TVS	
		Chloride	---	---	Mercury(T)	---	
		Chlorine	0.019	0.011	Molybdenum(T)	---	
		Cyanide	0.005	---	Nickel	TVS TVS	
		Nitrate	100	---	Selenium	TVS TVS	
		Nitrite	0.05	---	Silver	TVS TVS	
		Phosphorus	---	0.083*	Uranium	varies* varies*	
		Sulfate	---	---	Zinc	TVS TVS	
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 37.6 for further details on applied standards.

REGULATION #37 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Colorado River

20. Rifle Gap Reservoir, Harvey Gap Reservoir, and Vega Reservoir.							
COLCLC20	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute chronic	
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies* ^B	Arsenic	340 ---	
	Recreation E		acute	chronic	Arsenic(T)	--- 0.02	
Qualifiers: Other: *chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details. *Temperature = DM and MWAT=CLL from 1/1-3/31 Vega Reservoir DM=CLL and MWAT=21.5 from 4/1-12/31 Rifle Gap Reservoir DM=CLL and MWAT=23 from 4/1-12/31 All others DM and MWAT=CLL from 4/1-12/31	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr) TVS	
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---	
		pH	6.5 - 9.0	---	Chromium III	--- TVS	
		chlorophyll a (ug/L)	---	8*	Chromium III(T)	50 ---	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS TVS	
					Copper	TVS TVS	
					Inorganic (mg/L)		
				acute	chronic	Iron	--- WS
		Ammonia	TVS	TVS	Iron(T)	--- 1000	
		Boron	---	0.75	Lead	TVS TVS	
		Chloride	---	250	Lead(T)	50 ---	
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS	
		Cyanide	0.005	---	Mercury(T)	--- 0.01	
		Nitrate	10	---	Molybdenum(T)	--- 150	
		Nitrite	0.05	---	Nickel	TVS TVS	
	Phosphorus	---	0.025*	Nickel(T)	--- 100		
	Sulfate	---	WS	Selenium	TVS TVS		
	Sulfide	---	0.002	Silver	TVS TVS(tr)		
				Uranium	varies* varies*		
				Zinc	TVS TVS		

21. All lakes and reservoirs tributary to Roan Creek from the source to a point just below the confluence with Clear Creek. All lakes and reservoirs tributary to Rapid Creek from the source to the confluence with the Colorado River. All lakes and reservoirs tributary to the Little Dolores River from the source to a point immediately below the confluence with Hay Press Creek. All lakes and reservoirs tributary to Plateau Creek and within the Grand Mesa National Forest.							
COLCLC21	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340 ---	
	Recreation U		acute	chronic	Arsenic(T)	--- 0.02	
Qualifiers: Other: *chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Classification: Jerry Creek Reservoir Number 1 and Number 2 = DUWS, Palisade Cabin Reservoir = DUWS *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Uranium(acute) = See 37.5(3) for details. *Uranium(chronic) = See 37.5(3) for details.	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS(tr) TVS	
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---	
		pH	6.5 - 9.0	---	Chromium III	--- TVS	
		chlorophyll a (ug/L)	---	8*	Chromium III(T)	50 ---	
		E. Coli (per 100 mL)	---	126	Chromium VI	TVS TVS	
					Copper	TVS TVS	
					Inorganic (mg/L)		
				acute	chronic	Iron	--- WS
		Ammonia	TVS	TVS	Iron(T)	--- 1000	
		Boron	---	0.75	Lead	TVS TVS	
		Chloride	---	250	Lead(T)	50 ---	
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS	
		Cyanide	0.005	---	Mercury(T)	--- 0.01	
		Nitrate	10	---	Molybdenum(T)	--- 150	
		Nitrite	0.05	---	Nickel	TVS TVS	
	Phosphorus	---	0.025*	Nickel(T)	--- 100		
	Sulfate	---	WS	Selenium	TVS TVS		
	Sulfide	---	0.002	Silver	TVS TVS(tr)		
				Uranium	varies* varies*		
				Zinc	TVS TVS		

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 37.6 for further details on applied standards.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS – FOOTNOTES

- (A) Whenever a range of standards is listed and referenced to this footnote, the first number in the range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.

- (B) Assessment of adequate refuge shall rely on the Cold Large Lake table value temperature criterion and applicable dissolved oxygen standard rather than the site-specific temperature standard.