

**COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT
WATER QUALITY CONTROL COMMISSION**

5 CCR 1002-35

**REGULATION NO. 35
CLASSIFICATIONS AND NUMERIC STANDARDS
FOR
GUNNISON AND LOWER DOLORES RIVER BASINS**

**APPENDIX 35-1
Stream Classifications and Water Quality Standards Tables**

Effective 06/14/2023

Abbreviations and Acronyms

Aq	=	Aquatic
°C	=	degrees Celsius
CL	=	cold lake temperature tier
CLL	=	cold large lake temperature tier
CS-I	=	cold stream temperature tier one
CS-II	=	cold stream temperature tier two
D.O.	=	dissolved oxygen
DM	=	daily maximum temperature
DUWS	=	direct use water supply
E. coli	=	<i>Escherichia coli</i>
EQ	=	existing quality
mg/L	=	milligrams per liter
mg/m ²	=	milligrams per square meter
mL	=	milliliter
MWAT	=	maximum weekly average temperature
OW	=	outstanding waters
sc	=	sculpin
SSE	=	site-specific equation
T	=	total recoverable
t	=	total
tr	=	trout
TVS	=	table value standard
µg/L	=	micrograms per liter
UP	=	use-protected
WS	=	water supply
WS-I	=	warm stream temperature tier one
WS-II	=	warm stream temperature tier two
WS-III	=	warm stream temperature tier three
WL	=	warm lake temperature tier

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

1. All tributaries and wetlands to the Gunnison River within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas.												
COGUUG01	Classifications	Physical and Biological			Metals (ug/L)							
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute chronic								
OW		acute	chronic	Temperature °C	CS-I	CS-I	Arsenic	340	---			
Qualifiers:					D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS		
					D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---		
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.					pH	6.5 - 9.0	---	Chromium III	---	TVS		
					chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---		
					E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS		
					Inorganic (mg/L)			Copper	TVS	TVS		
					acute	chronic				Iron	---	WS
					Ammonia	TVS	TVS	Iron(T)	---	1000		
					Boron	---	0.75	Lead	TVS	TVS		
					Chloride	---	250	Lead(T)	50	---		
					Chlorine	0.019	0.011	Manganese	TVS	TVS/WS		
					Cyanide	0.005	---	Mercury(T)	---	0.01		
					Nitrate	10	---	Molybdenum(T)	---	150		
					Nitrite	---	0.02	Nickel	TVS	TVS		
					Phosphorus	---	TVS	Nickel(T)	---	100		
					Sulfate	---	WS	Selenium	TVS	TVS		
					Sulfide	---	0.002	Silver	TVS	TVS(tr)		
						Uranium	varies*	varies*				
						Zinc	TVS	TVS				
2. All tributaries and wetlands from Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben Creek and Willow Creek and their tributaries.												
COGUUG02	Classifications	Physical and Biological			Metals (ug/L)							
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute chronic								
OW		acute	chronic	Temperature °C	CS-I	CS-I	Arsenic	340	---			
Qualifiers:					D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS		
					D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---		
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.					pH	6.5 - 9.0	---	Chromium III	---	TVS		
					chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---		
					E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS		
					Inorganic (mg/L)			Copper	TVS	TVS		
					acute	chronic				Iron	---	WS
					Ammonia	TVS	TVS	Iron(T)	---	1000		
					Boron	---	0.75	Lead	TVS	TVS		
					Chloride	---	250	Lead(T)	50	---		
					Chlorine	0.019	0.011	Manganese	TVS	TVS/WS		
					Cyanide	0.005	---	Mercury(T)	---	0.01		
					Nitrate	10	---	Molybdenum(T)	---	150		
					Nitrite	---	0.02	Nickel	TVS	TVS		
					Phosphorus	---	TVS	Nickel(T)	---	100		
					Sulfate	---	WS	Selenium	TVS	TVS		
					Sulfide	---	0.002	Silver	TVS	TVS(tr)		
						Uranium	varies*	varies*				
						Zinc	TVS	TVS				

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

3. Mainstem of the Taylor River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Illinois Creek, except for listings in Segment 1.								
COGUUG03	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)				Copper	TVS	TVS
			acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS		Iron(T)	---	1000
		Boron	---	0.75		Lead	TVS	TVS
		Chloride	---	250		Lead(T)	50	---
		Chlorine	0.019	0.011		Manganese	TVS	TVS/WS
		Cyanide	0.005	---		Mercury(T)	---	0.01
		Nitrate	10	---		Molybdenum(T)	---	150
		Nitrite	---	0.05		Nickel	TVS	TVS
		Phosphorus	---	TVS		Nickel(T)	---	100
		Sulfate	---	WS		Selenium	TVS	TVS
		Sulfide	---	0.002		Silver	TVS	TVS(tr)
				Uranium	varies*	varies*		
				Zinc	TVS	TVS		

4. Mainstem of the Taylor River, including all tributaries and wetlands, from a point immediately below the confluence with Illinois Creek to the confluence with the Gunnison River, except for listings in Segment 1.								
COGUUG04	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)				Copper	TVS	TVS
			acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS		Iron(T)	---	1000
		Boron	---	0.75		Lead	TVS	TVS
		Chloride	---	250		Lead(T)	50	---
		Chlorine	0.019	0.011		Manganese	TVS	TVS/WS
		Cyanide	0.005	---		Mercury(T)	---	0.01
		Nitrate	10	---		Molybdenum(T)	---	150
		Nitrite	---	0.05		Nickel	TVS	TVS
		Phosphorus	---	TVS		Nickel(T)	---	100
		Sulfate	---	WS		Selenium	TVS	TVS
		Sulfide	---	0.002		Silver	TVS	TVS(tr)
				Uranium	varies*	varies*		
				Zinc	TVS	TVS		

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

5a. Mainstem of the East River, including all tributaries and wetlands, from its source to a point immediately above the confluence with the Slate River, except for specific listings in Segment 1.									
COGUUG05A	Classifications	Physical and Biological			Metals (ug/L)				
Designation	Agriculture	DM	MWAT	acute chronic					
Reviewable	Aq Life Cold 1 Recreation E Water Supply	acute	chronic	Temperature °C	CS-I	CS-I	Arsenic	340	---
Qualifiers:		---	6.0	D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02
Other:	pH	6.5 - 9.0	---	D.O. (spawning)	---	7.0	Cadmium	TVS	TVS
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024	chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	---	Chromium III(T)	50	---
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	Copper	TVS	TVS
	Inorganic (mg/L)			Iron	---	WS	Iron(T)	---	1000
	acute	chronic	Ammonia	TVS	TVS	Lead	TVS	TVS	TVS
	---	0.75	Boron	---	250	Lead(T)	50	---	---
	---	250	Chloride	---	250	Manganese	TVS	TVS/WS	TVS/WS
	0.019	0.011	Chlorine	0.019	0.011	Mercury(T)	---	0.01	0.01
	0.005	---	Cyanide	0.005	---	Molybdenum(T)	---	150	150
	10	---	Nitrate	10	---	Nickel	TVS	TVS	TVS
	---	0.05	Nitrite	---	0.05	Nickel(T)	---	100	100
	---	TVS*	Phosphorus	---	TVS*	Selenium	TVS	TVS	TVS
	---	WS	Sulfate	---	WS	Silver	TVS	TVS	TVS(tr)
	---	0.002	Sulfide	---	0.002	Uranium	varies*	varies*	varies*
			Zinc	TVS	TVS	Zinc	TVS	TVS	TVS

5b. Mainstem of the East River from a point immediately above the Slate River to the confluence with the Gunnison River.									
COGUUG05B	Classifications	Physical and Biological			Metals (ug/L)				
Designation	Agriculture	DM	MWAT	acute chronic					
Reviewable	Aq Life Cold 1 Recreation E Water Supply	acute	chronic	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:		---	6.0	D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02
Other:	pH	6.5 - 9.0	---	D.O. (spawning)	---	7.0	Cadmium	TVS	TVS
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024	chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	---	Chromium III(T)	50	---
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	Copper	TVS	TVS
	Inorganic (mg/L)			Iron	---	WS	Iron(T)	---	1000
	acute	chronic	Ammonia	TVS	TVS	Lead	TVS	TVS	TVS
	---	0.75	Boron	---	250	Lead(T)	50	---	---
	---	250	Chloride	---	250	Manganese	TVS	TVS/WS	TVS/WS
	0.019	0.011	Chlorine	0.019	0.011	Mercury(T)	---	0.01	0.01
	0.005	---	Cyanide	0.005	---	Molybdenum(T)	---	150	150
	10	---	Nitrate	10	---	Nickel	TVS	TVS	TVS
	---	0.05	Nitrite	---	0.05	Nickel(T)	---	100	100
	---	---	Phosphorus	---	---	Selenium	TVS	TVS	TVS
	---	WS	Sulfate	---	WS	Silver	TVS	TVS	TVS(tr)
	---	0.002	Sulfide	---	0.002	Uranium	varies*	varies*	varies*
			Zinc	TVS	TVS	Zinc	TVS	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

6a. All tributaries and wetlands to the East River from a point immediately above its confluence with the Slate River to its confluence with the Gunnison River, except for listings in Segments 6b and 6c.

COGUUG06A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2 Recreation U	Temperature °C	CS-I	CS-I	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	100
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Manganese	TVS	TVS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

6b. Cement Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Horse Basin Creek.

COGUUG06B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
				Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

6c. Cement Creek, including all tributaries and wetlands, from a point immediately above the confluence with Horse Basin Creek to the confluence with the East River.						
COGUUG06C	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340
	Recreation E		acute	chronic	Arsenic(T)	---
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Other:		pH	6.5 - 9.0	---	Chromium III	---
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS
		Inorganic (mg/L)			Copper	TVS
			acute	chronic	Iron	---
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS
		Chloride	---	250	Lead(T)	50
		Chlorine	0.019	0.011	Manganese	TVS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	---	0.05	Nickel	TVS
		Phosphorus	---	TVS	Nickel(T)	---
		Sulfate	---	WS	Selenium	TVS
		Sulfide	---	0.002	Silver	TVS
					Uranium	varies*
					Zinc	TVS
7. Mainstem of the Slate River from its source to a point immediately above the confluence with Coal Creek.						
COGUUG07	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340
	Recreation E		acute	chronic	Arsenic(T)	---
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Other:		pH	6.5 - 9.0	---	Chromium III	---
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS
		Inorganic (mg/L)			Copper	TVS
			acute	chronic	Iron	---
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS
		Chloride	---	250	Lead(T)	50
		Chlorine	0.019	0.011	Manganese	TVS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	---	0.05	Nickel	TVS
		Phosphorus	---	TVS	Nickel(T)	---
		Sulfate	---	WS	Selenium	TVS
		Sulfide	---	0.002	Silver	TVS
					Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

8. Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.							
COGUUG08	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute chronic			
Reviewable	Aq Life Cold 1	Temperature °C	CS-I*	CS-I* ^C	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
Qualifiers: Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details. *Temperature = summer criteria apply from 6/1-10/15	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
					acute	chronic	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
	Phosphorus	---	---	Nickel(T)	---	100	
	Sulfate	---	WS	Selenium	TVS	TVS	
	Sulfide	---	0.002	Silver	TVS	TVS(tr)	
				Uranium	varies*	varies*	
				Zinc	TVS	TVS	

9. All tributaries and wetlands to the Slate River except for specific listings in Segments 1, 10a, 10b, 11, 12 and 13.							
COGUUG09	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute chronic			
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
Qualifiers: Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
					acute	chronic	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	210
		Nitrite	---	0.05	Nickel	TVS	TVS
	Phosphorus	---	TVS	Nickel(T)	---	100	
	Sulfate	---	WS	Selenium	TVS	TVS	
	Sulfide	---	0.002	Silver	TVS	TVS(tr)	
				Uranium	varies*	varies*	
				Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

10a. Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with the Slate River.							
COGUUG10A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
Reviewable	Aq Life Cold 1 Recreation E	acute	chronic	acute	chronic		
Qualifiers: Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		Temperature °C	CS-I	CS-I	Arsenic	340	---
					Arsenic(T)	---	7.6
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron(T)	---	1000
					Inorganic (mg/L)		
			acute	chronic	Lead	TVS	8.6
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	---	0.05	Uranium	varies*	varies*
		Phosphorus	---	TVS	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			
10b. Mainstem of Redwell Creek, including all tributaries and wetlands, from the source to the confluence with Oh-Be-Joyful Creek.							
COGUUG10B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
Reviewable	Aq Life Cold 1 Recreation E	acute	chronic	acute	chronic		
Qualifiers: Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		Temperature °C	CS-I	CS-I	Arsenic	340	---
					Arsenic(T)	---	7.6
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron(T)	---	1000
					Inorganic (mg/L)		
			acute	chronic	Lead	TVS	407
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	---	0.05	Uranium	varies*	varies*
		Phosphorus	---	TVS	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

11. Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone Mine discharge (38.867117, -107.023627). Elk Creek and its tributaries and wetlands from its source to its confluence with Coal Creek.							
COGUUG11	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	210
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS
12. Mainstem of Coal Creek, including all tributaries and wetlands, from a point immediately above the Keystone Mine discharge (38.867117, -107.023627) to the confluence with the Slate River, with the exception of Wildcat Creek.							
COGUUG12	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/191
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

15a. All tributaries and wetlands to the Gunnison River from its inception at the confluence of the East and Taylor Rivers to the County Road 32 road crossing near the inlet of Blue Mesa Reservoir except for the specific listings in Segments 1, 15b, 16a, 16b, 17 through 24, and 26.							
COGUUG15A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 2 Recreation U Water Supply		DM	MWAT		acute	chronic
Reviewable		acute	chronic	acute	chronic		
		Temperature °C	CS-II	CS-II	Arsenic	340	---
		D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02-10 ^A
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
					Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1950
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
15b. South Beaver Creek, including all tributaries and wetlands, from the source to the Saguache/Gunnison County line.							
COGUUG15B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation U Water Supply		DM	MWAT		acute	chronic
Reviewable		acute	chronic	acute	chronic		
		Temperature °C	CS-I	CS-I	Arsenic	340	---
		D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
					Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

16a. Mainstem of Ohio Creek, including all tributaries and wetlands, from the source to a point immediately below 7 Road, except for listings in Segment 1.							
COGUUG16A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT			
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
			Inorganic (mg/L)		Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS
16b. Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.							
COGUUG16B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT			
Reviewable	Aq Life Cold 1	Temperature °C	CS-I*	CS-I*	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Temperature = summer criteria apply from 4/16 - 11/15			Inorganic (mg/L)		Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

17a. West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek.						
COGUUG17A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340
	Recreation U		acute	chronic	Arsenic(T)	---
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Other:		pH	6.5 - 9.0	---	Chromium III	---
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS
		Inorganic (mg/L)			Copper	TVS
					Iron	---
					Iron(T)	---
		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Lead(T)	50
		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
		Phosphorus	---	TVS	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS
17b. Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a.						
COGUUG17B	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340
	Recreation U		acute	chronic	Arsenic(T)	---
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Other:		pH	6.5 - 9.0	---	Chromium III	---
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS
		Inorganic (mg/L)			Copper	TVS
					Iron	---
					Iron(T)	---
		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Lead(T)	50
		Chloride	---	250	Manganese	TVS
		Chlorine	0.019	0.011	Mercury(T)	---
		Cyanide	0.005	---	Molybdenum(T)	---
		Nitrate	10	---	Nickel	TVS
		Nitrite	---	0.05	Nickel(T)	---
		Phosphorus	---	TVS	Selenium	TVS
		Sulfate	---	WS	Silver	TVS
		Sulfide	---	0.002	Uranium	varies*
					Zinc	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

18a. Mainstem of Tomichi Creek and its wetlands from the source to the confluence with Porphyry Creek.							
COGUUG18A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 35.5(3) for details.						acute	chronic
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

18b. Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River.							
COGUUG18B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies* ^C	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 35.5(3) for details.						acute	chronic
*Temperature =		Ammonia	TVS	TVS	Iron(T)	---	1000
DM and MWAT=CS-II from 11/1-3/31		Boron	---	0.75	Lead	TVS	TVS
DM=CS-II and MWAT=18.9 from 4/1-10/31		Chloride	---	250	Lead(T)	50	---
See temperature assessment locations at 35.6(6).		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

19. All tributaries to Tomichi Creek, including wetlands, which are within the boundaries of the Gunnison National Forest, except for specific listings in Segments 20 through 24. Mainstems of Barret, Razor, and Quartz Creeks from their sources to their confluences with Tomichi Creek. Hot Springs Creek from its source to the inlet of Hot Springs Reservoir.							
COGUUG19	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation U Water Supply		DM	MWAT		acute	chronic
Reviewable		acute	chronic	Arsenic	340	---	
Qualifiers:	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

20. Mainstem of Indian Creek, including all tributaries and wetlands, from the source to the confluence with Marshall Creek.							
COGUUG20	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation E		DM	MWAT		acute	chronic
Reviewable		acute	chronic	Arsenic	340	---	
Qualifiers:	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
Other: *Uranium(acute) = lowest practical level *Uranium(chronic) = lowest practical level	pH	6.5 - 9.0	---	Chromium III(T)	---	100	
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)			Iron(T)	---	1000
		acute	chronic	Lead	TVS	TVS	
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	---	0.05	Uranium	LPL*	LPL*
		Phosphorus	---	TVS	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

21. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for listings in Segment 20.							
COGUUG21	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation U		acute	chronic	Arsenic(T)	---	0.02
Qualifiers: Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 Uranium(chronic) = current condition* Expiration Date of 12/31/2025 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details. *TempMod: Uranium = Mainstem of Marshall Creek from the confluence with Indian Creek to the confluence with Tomichi Creek. Adopted 6/12/2017.	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
			Inorganic (mg/L)		Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
	Sulfate	---	WS	Selenium	TVS	TVS	
	Sulfide	---	0.002	Silver	TVS	TVS(tr)	
				Uranium	varies*	varies*	
				Uranium(T)	---	16.8-30 ^A	
				Zinc	TVS	TVS	

22. Mainstem of Gold Creek from Browns Gulch to the confluence with Quartz Creek.							
COGUUG22	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
Qualifiers: Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
			Inorganic (mg/L)		Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
	Sulfate	---	WS	Selenium	TVS	TVS	
	Sulfide	---	0.002	Silver	TVS	TVS(tr)	
				Uranium	varies*	varies*	
				Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

23. Mainstem of Cochetopa Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with West Pass Creek with the exception of Segment 1.							
COGUUG23	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation U Water Supply		DM	MWAT		acute	chronic
Reviewable		Temperature °C	CS-I	CS-I	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02
Other:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
Sulfide	---	0.002	Silver	TVS	TVS(tr)		
			Uranium	varies*	varies*		
			Zinc	TVS	TVS		
24. Mainstem of Cochetopa Creek from a point immediately below the confluence with West Pass Creek to the confluence with Tomichi Creek.							
COGUUG24	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation U Water Supply		DM	MWAT		acute	chronic
Reviewable		Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02
Other:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
Sulfide	---	0.002	Silver	TVS	TVS(tr)		
			Uranium	varies*	varies*		
			Zinc	TVS	TVS		

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

25. The segments of the Gunnison River which interconnect Blue Mesa Reservoir, Morrow Point Reservoir, and Crystal Reservoir.						
COGUUG25	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340 ---
Qualifiers:		acute	chronic			
Other:		D.O. (mg/L)	---	6.0	Arsenic(T)	--- 0.02
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (spawning)	---	7.0	Cadmium	TVS TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0 ---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III	--- TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50 ---
		Inorganic (mg/L)			Chromium VI	TVS TVS
		Ammonia	acute	chronic	Copper	TVS TVS
		Boron	TVS	TVS	Iron	--- WS
		Chloride	---	0.75	Iron(T)	--- 1000
		Chlorine	---	250	Lead	TVS TVS
		Chlorine	0.019	0.011	Lead(T)	50 ---
		Cyanide	0.005	---	Manganese	TVS TVS/WS
		Nitrate	10	---	Mercury(T)	--- 0.01
		Nitrite	---	0.05	Molybdenum(T)	--- 150
		Phosphorus	---	---	Nickel	TVS TVS
		Sulfate	---	WS	Nickel(T)	--- 100
Sulfide	---	0.002	Selenium	TVS TVS		
				Silver	TVS TVS(tr)	
				Uranium	varies* varies*	
				Zinc	TVS TVS	
26. All tributaries, including wetlands, which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, or the segments of the Gunnison River that interconnect those reservoirs, except for specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32.						
COGUUG26	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT	acute chronic		
Reviewable	Aq Life Cold 1 Recreation U Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340 ---
Qualifiers:		acute	chronic			
Other:		D.O. (mg/L)	---	6.0	Arsenic(T)	--- 0.02
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (spawning)	---	7.0	Cadmium	TVS TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0 ---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III	--- TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50 ---
		Chromium VI	TVS	TVS	Chromium VI	TVS TVS
		Inorganic (mg/L)			Copper	TVS TVS
		Ammonia	acute	chronic	Iron	--- WS
		Boron	TVS	TVS	Iron(T)	--- 1000
		Chloride	---	0.75	Lead	TVS TVS
		Chlorine	---	250	Lead(T)	50 ---
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS
		Cyanide	0.005	---	Mercury(T)	--- 0.01
		Nitrate	10	---	Molybdenum(T)	--- 150
		Nitrite	---	0.05	Nickel	TVS TVS
		Phosphorus	---	TVS*	Nickel(T)	--- 100
Sulfate	---	WS	Selenium	TVS TVS		
Sulfide	---	0.002	Silver	TVS TVS(tr)		
				Uranium	varies* varies*	
				Zinc	TVS TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS Upper Gunnison River Basin

27. Deleted.					
COGUUG27	Classifications	Physical and Biological		Metals (ug/L)	
Designation		DM	MWAT	acute	chronic
Qualifiers:		acute	chronic		
Other:		Inorganic (mg/L)			
		acute	chronic		
28. Deleted.					
COGUUG28	Classifications	Physical and Biological		Metals (ug/L)	
		DM	MWAT	acute	chronic
Qualifiers:		acute	chronic		
Other:		Inorganic (mg/L)			
		acute	chronic		

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

COGUUG29A Classifications		Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).					Inorganic (mg/L)		
*Uranium(acute) = See 35.5(3) for details.					acute	chronic	
*Uranium(chronic) = See 35.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

29b. Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a.

COGUUG29B Classifications		Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.					Copper	TVS	TVS
					Inorganic (mg/L)		
					acute	chronic	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

34. All lakes and reservoirs tributary to the Taylor River and the East River, from their sources to their confluence at the inception of the Gunnison River, excluding the listings in Segments 33, 35 and 37. This segment includes Meridian Lake, Nicholson Lake, Peanut Lake, Glazer Reservoir (38.874441, -106.999868), Lake Grant, Lily Pond, Pothole Reservoirs 1 and 2, Texas Lake, Mirror Lake, and Spring Creek Reservoir.

COGUUG34	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS*	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
*Classification: DUWS applies to Glazer Reservoir.		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		Inorganic (mg/L)		Iron	---	WS	
		acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

35. All lakes and reservoirs tributary to Redwell Creek.

COGUUG35	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	7.6	
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III(T)	---	100
*Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)		Iron(T)	---	1000	
		acute	chronic	Lead	TVS	8	
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS
		Nitrite	---	0.05	Uranium	varies*	varies*
		Nitrogen	---	TVS	Zinc	TVS	TVS
		Phosphorus	---	TVS			
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

36. All lakes and reservoirs tributary to the Gunnison River from its inception at the confluence of the Taylor and East Rivers, to the inlet of Blue Mesa Reservoir, excluding the listings in Segment 33. This segment includes Kenny Moore Reservoir, Hot Springs Reservoir, Needle Creek Reservoir, Vouga Reservoir, Moss Lake, Dome Lakes, and McDonough Reservoirs 1 and 2.

COGUUG36	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Nitrogen	---	TVS	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

37. All lakes and reservoirs tributary to Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect them, excluding the listings in Segments 33 and 38. This segment includes Fish Creek Reservoirs 1 and 2, Hampton Lake, High Park Lake, Watson Lake, Butte Lake, Swanson Lake, Fitzpatrick Lake, Evergreen Lake (38.325447, -107.365786), Dry Lake, Devils Lake, Powderhorn Lakes, Soderquist Reservoir, Rainbow Lake, Cataract Lake, Castle Lakes, Crystal Lake, and Waterdog Lake.

COGUUG37	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS*	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
*Classification: DUWS applies to Evergreen Lake.		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Upper Gunnison River Basin

38. Lake San Cristobal, Taylor Park Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, and Silver Jack Reservoir.					
COGUUG38	Classifications	Physical and Biological		Metals (ug/L)	
Designation		DM	MWAT	acute	chronic
Reviewable	Agriculture				
	Aq Life Cold 1	varies*	varies*	Arsenic	340
	Recreation E			Arsenic(T)	---
	Water Supply				0.02
Qualifiers: Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Nitrogen(chronic) = applies only above the facilities listed at 35.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details. *Temperature = DM and MWAT=CLL from 1/1-3/31 Lake San Cristobal, Taylor Park Reservoir, Blue Mesa Reservoir DM=24.2 and MWAT=16.6 from 4/1-12/31 All others DM and MWAT=CLL from 4/1-12/31	D.O. (mg/L)	---	6.0	Cadmium	TVS
	D.O. (spawning)	---	7.0	Cadmium(T)	5.0
	pH	6.5 - 9.0	---	Chromium III	---
	chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50
	E. coli (per 100 mL)	---	126	Chromium VI	TVS
				Copper	TVS
				Iron	---
				Iron(T)	---
				Lead	TVS
				Lead(T)	50
				Manganese	TVS
				Mercury(T)	---
				Molybdenum(T)	---
				Nickel	TVS
				Nickel(T)	---
			Selenium	TVS	
			Silver	TVS	
			Uranium	varies*	
			Zinc	TVS	
				WS	
				1000	
				TVS	
				TVS/WS	
				0.01	
				150	
				TVS	
				100	
				TVS	
				TVS(tr)	
				varies*	
				varies*	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

North Fork of the Gunnison River Basin

1. All tributaries to North Fork of the Gunnison River, including all wetlands, within the West Elk or Raggeds Wilderness Areas.						
COGUNF01	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute chronic		
OW	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340 ---
		acute	chronic	Arsenic(T)	---	0.02
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS TVS
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024		pH	6.5 - 9.0	---	Chromium III	---
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50 ---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS TVS
		Inorganic (mg/L)			Copper	TVS TVS
		acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS TVS
		Chloride	---	250	Lead(T)	50 ---
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	---	0.05	Nickel	TVS TVS
		Phosphorus	---	TVS	Nickel(T)	---
		Sulfate	---	WS	Selenium	TVS TVS
		Sulfide	---	0.002	Silver	TVS TVS(tr)
					Uranium	varies* varies*
					Zinc	TVS TVS/TVS(sc)
2. Mainstem of North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the Black Bridge (41.75 Drive) above Paonia.						
COGUNF02	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute chronic		
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340 ---
		acute	chronic	Arsenic(T)	---	0.02
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS TVS
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0 ---
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024		pH	6.5 - 9.0	---	Chromium III	---
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50 ---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS TVS
		Inorganic (mg/L)			Copper	TVS TVS
		acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS TVS
		Chloride	---	250	Lead(T)	50 ---
		Chlorine	0.019	0.011	Manganese	TVS TVS/WS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	---	0.05	Nickel	TVS TVS
		Phosphorus	---	---	Nickel(T)	---
		Sulfate	---	WS	Selenium	TVS TVS
		Sulfide	---	0.002	Silver	TVS TVS(tr)
					Uranium	varies* varies*
					Zinc	TVS TVS/TVS(sc)

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

North Fork of the Gunnison River Basin

4b. Muddy Creek, including all tributaries and wetlands, from the national forest boundary to the confluence with Anthracite Creek, except for the specific listings in Segment 1.							
COGUNF04B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT			
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	0.02
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
*Uranium(acute) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS/TVS(sc)

4c. All tributaries and wetlands to Lake Irwin from their sources to the inlet of Lake Irwin.							
COGUNF04C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT			
Reviewable	Aq Life Cold 1 Recreation E	Temperature °C	CS-I	CS-I	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Chromium III	---	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).		pH	6.5 - 9.0	---	Chromium III(T)	50	---
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)			Iron(T)	---	1000
					Lead	TVS	TVS
					Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)	---	0.01
		Boron	---	0.75	Molybdenum(T)	---	150
		Chloride	---	250	Nickel	TVS	TVS
		Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005	---	Silver	TVS	TVS(tr)
		Nitrate	100	---	Uranium	varies*	varies*
		Nitrite	---	0.05	Zinc	TVS	TVS/TVS(sc)
		Phosphorus	---	TVS*			
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

North Fork of the Gunnison River Basin

5a. Mainstems of Hubbard Creek, Terror Creek, and Minnesota Creek, from the national forest boundary to their confluences with the North Fork of the Gunnison River; mainstem of Jay Creek from its source to its confluence with the North Fork of the Gunnison River.

COGUNF05A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS/TVS(sc)

5b. Mainstem of Roatcap Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Gunnison. Leroux Creek from the national forest boundary to its confluence with the North Fork of the Gunnison River.

COGUNF05B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

North Fork of the Gunnison River Basin

6a. All tributaries, including wetlands, to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 5a, 5b, 6b, and 6c.

COGUNF06A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2 Recreation P	Temperature °C	WS-II	WS-II	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	100
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
			Inorganic (mg/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.05	Silver	TVS	TVS
		Phosphorus	---	TVS	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

*Uranium(acute) = See 35.5(3) for details.
*Uranium(chronic) = See 35.5(3) for details.

6b. Mainstem of Bear Creek and Stevens Gulch, including all tributaries and wetlands. All tributaries and wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries. All tributaries and wetlands to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries. This segment excludes the listings in Segments 5a and 5b.

COGUNF06B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2 Recreation P Water Supply	Temperature °C	WS-III	WS-III	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	0.02
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Water + Fish Standards		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	205	Chromium III(T)	50	---
			Inorganic (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2024
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).
*Uranium(acute) = See 35.5(3) for details.
*Uranium(chronic) = See 35.5(3) for details.

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

North Fork of the Gunnison River Basin

6c. Thompson Creek from the Gunnison National Forest boundary to its confluence with the North Fork of the Gunnison River.							
COGUNF06C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	7.6
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	205	Chromium III(T)	---	100
*Uranium(chronic) = See 35.5(3) for details.		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

7. Paonia Reservoir and Overland Reservoir.							
COGUNF07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CLL	CLL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Nitrogen	---	TVS	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

North Fork of the Gunnison River Basin

8. All lakes and reservoirs that are tributary to the North Fork of the Gunnison River and within the West Elk or Raggeds Wilderness areas.

COGUNF08	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

9. All lakes and reservoirs tributary to Muddy Creek, Paonia Reservoir, or Anthracite Creek. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence with Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and within national forest boundaries, excluding the specific listing in Segments 7 and 8. This segment includes Island Lake, Aspen Leaf Reservoir, Floating Lake, Tomahawk Reservoir, Dollar Lake, Lost Lake, Lost Lake Slough, Lake Irwin, Terror Creek Reservoir, Minnesota Reservoir, Beaver Reservoir, Lone Cabin Reservoir, Todd Reservoir, Holy Terror Reservoir (aka Eagle River Reservoir), Goodenough Reservoir, Dogfish Reservoir, Hilltop Reservoir, Willow Reservoir, Doughty Reservoir, Reynolds Reservoir, Hanson Reservoir, Bailey Reservoir, Owens Reservoir, Gray Reservoir, and Patterson Reservoirs.

COGUNF09	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Nitrogen(chronic) = applies only above the facilities listed at 35.5(4).		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS*	Selenium	TVS	TVS
		Phosphorus	---	TVS*	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

North Fork of the Gunnison River Basin

10. All lakes and reservoirs tributary to Roatcap Creek and Jay Creek from their sources to their confluences with the North Fork of the Gunnison River. All lakes and reservoirs tributary to Hubbard Creek, Terror Creek, Minnesota Creek, or Leroux Creek, and are not within national forest boundaries.

COGUNF10	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
		Inorganic (mg/L)		Copper	TVS	TVS	
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Nitrogen	---	TVS	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

11. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 7, 9, and 10. This segment includes Roeber Reservoir.

COGUNF11	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Water + Fish Standards		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
Other:		E. coli (per 100 mL)	---	205	Chromium III(T)	50	---
*Uranium(acute) = See 35.5(3) for details.		Inorganic (mg/L)		Chromium VI	TVS	TVS	
*Uranium(chronic) = See 35.5(3) for details.		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Nitrogen	---	TVS	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

1. All tributaries to the Uncompahgre River, including all wetlands, which are within the Mt. Sheffels or Uncompahgre Wilderness Areas.							
COGUUN01	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply	DM	MWAT	acute	chronic		
OW		CS-I	CS-I	Arsenic	340	---	
Qualifiers:		acute	chronic	Arsenic(T)	---	0.02	
Other:		D.O. (mg/L)	---	6.0	Cadmium	TVS	
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	
		Boron	---	0.75	Lead	TVS	
		Chloride	---	250	Lead(T)	50	
		Chlorine	0.019	0.011	Manganese	TVS	
		Cyanide	0.005	---	Mercury(T)	---	
		Nitrate	10	---	Molybdenum(T)	---	
		Nitrite	---	0.05	Nickel	TVS	
		Phosphorus	---	TVS	Nickel(T)	---	
		Sulfate	---	WS	Selenium	TVS	
		Sulfide	---	0.002	Silver	TVS	
					Uranium	varies*	
					Zinc	TVS	
2. Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Red Mountain Creek.							
COGUUN02	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation P Water Supply	DM	MWAT	acute	chronic		
Reviewable		CS-I	CS-I	Arsenic	340	---	
Qualifiers:		acute	chronic	Arsenic(T)	---	0.02	
Other:		D.O. (mg/L)	---	6.0	Cadmium	TVS	
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	
		pH	6.5 - 9.0	---	Chromium III	---	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	
		E. coli (per 100 mL)	---	205	Chromium VI	TVS	
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	
		Boron	---	0.75	Lead	TVS	
		Chloride	---	250	Lead(T)	50	
		Chlorine	0.019	0.011	Manganese	TVS	
		Cyanide	0.005	---	Mercury(T)	---	
		Nitrate	10	---	Molybdenum(T)	---	
		Nitrite	---	0.05	Nickel	TVS	
		Phosphorus	---	TVS	Nickel(T)	---	
		Sulfate	---	WS	Selenium	TVS	
		Sulfide	---	0.002	Silver	TVS	
					Uranium	varies*	
					Zinc	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

3a. Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.							
COGUUN03A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 35.5(3) for details.			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	7438
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

3b. Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.							
COGUUN03B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I*	CS-I*	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).					Inorganic (mg/L)		
*Uranium(acute) = See 35.5(3) for details.			acute	chronic	Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.		Ammonia	TVS	TVS	Iron(T)	---	2971
*Temperature = summer criteria apply from 6/1-10/15		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

3c. Mainstem of the Uncompahgre River from a point immediately above the confluence with Dexter Creek to a point immediately below the confluence with Dallas Creek.							
COGUUN03C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
Reviewable	Aq Life Cold 1	acute	chronic	acute	chronic		
	Recreation E	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Water Supply				Arsenic(T)	---	0.02
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Temporary Modification(s):		pH	6.5 - 9.0	---	Chromium III	---	TVS
Arsenic(chronic) = hybrid		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Expiration Date of 12/31/2024		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).		Inorganic (mg/L)			Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.			acute	chronic	Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.		Ammonia	TVS	TVS	Iron(T)	---	1793
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

3d. Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.							
COGUUN03D	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
Reviewable	Aq Life Cold 1	acute	chronic	acute	chronic		
	Recreation E	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Water Supply				Arsenic(T)	---	0.02
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Temporary Modification(s):		pH	6.5 - 9.0	---	Chromium III	---	TVS
Arsenic(chronic) = hybrid		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Expiration Date of 12/31/2024		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).		Inorganic (mg/L)			Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.			acute	chronic	Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.		Ammonia	TVS	TVS	Iron(T)	---	2053
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

3e. Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the outlet of the South Canal near Uncompahgre.							
COGUUN03E	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
Reviewable	Aq Life Cold 1	CS-II*	CS-II* ^C	acute	chronic		
	Recreation E	acute	chronic	Arsenic	340	---	
	Water Supply	---	6.0	Arsenic(T)	---	0.02	
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details. *Temperature = summer criteria apply from 4/1-11/15		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
			Uranium	varies*	varies*		
			Zinc	TVS	TVS		

3f. Mainstem of the Uncompahgre River from a point immediately above the outlet of the South Canal to a point immediately above the Highway 90 bridge in Montrose.							
COGUUN03F	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
Reviewable	Aq Life Cold 1	CS-II	CS-II	acute	chronic		
	Recreation E	acute	chronic	Arsenic	340	---	
	Water Supply	---	6.0	Arsenic(T)	---	0.02	
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
			Uranium	varies*	varies*		
			Zinc	TVS	TVS		

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

4a. Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Gunnison Road.							
COGUUN04A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
Reviewable	Aq Life Warm 1	acute	chronic	acute	chronic		
	Recreation E	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Water Supply	D.O. (mg/L)	---	5.0	Arsenic(T)	---	0.02
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m ²)	---	TVS	Cadmium(T)	5.0	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III	---	TVS
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium III(T)	50	---
Expiration Date of 12/31/2024			acute	chronic	Chromium VI	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Ammonia	TVS	TVS	Copper	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		Boron	---	0.75	Iron	---	WS
		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	---	0.5	Mercury(T)	---	0.01
		Phosphorus	---	---	Molybdenum(T)	---	150
		Sulfate	---	WS	Nickel	TVS	TVS
		Sulfide	---	0.002	Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

4b. Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.							
COGUUN04B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
UP	Aq Life Warm 2	acute	chronic	acute	chronic		
	Recreation P	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Water Supply	D.O. (mg/L)	---	5.0	Arsenic(T)	---	0.02
Qualifiers:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m ²)	---	TVS	Cadmium(T)	5.0	---
Temporary Modification(s):		E. coli (per 100 mL)	---	205	Chromium III	---	TVS
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium III(T)	50	---
Expiration Date of 12/31/2024			acute	chronic	Chromium VI	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Ammonia	TVS	TVS	Copper	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		Boron	---	0.75	Iron	---	WS
		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	---	0.5	Mercury(T)	---	0.01
		Phosphorus	---	---	Molybdenum(T)	---	150
		Sulfate	---	WS	Nickel	TVS	TVS
		Sulfide	---	0.002	Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

4c. Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.							
COGUUN04C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1 Recreation E	Temperature °C	WS-II	WS-II	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1108
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.5	Silver	TVS	TVS
		Phosphorus	---	---	Uranium	varies*	varies*
		Sulfate	---	---	Zinc	TVS	TVS
		Sulfide	---	0.002			

5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.							
COGUUN05	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 2 Recreation E Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	0.02-10 ^A
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
*Uranium(acute) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

7. Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek.								
COGUUN07	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute chronic				
Reviewable	Aq Life Cold 2 Recreation P Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340	---	
		acute	chronic	Arsenic(T)			---	0.02-10 ^A
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS	
					Copper	TVS	TVS	
		Inorganic (mg/L)			Iron	---	WS	
		acute	chronic	Iron(T)			---	2338
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/655	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Phosphorus	---	TVS	Selenium	TVS	TVS	
		Sulfate	---	WS	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	
*Uranium(acute) = See 35.5(3) for details.								
*Uranium(chronic) = See 35.5(3) for details.								

8. Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River.								
COGUUN08	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute chronic				
Reviewable	Aq Life Cold 2 Recreation P Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340	---	
		acute	chronic	Arsenic(T)			---	0.02-10 ^A
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---	
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---	
		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS	
					Copper	---	5	
		Inorganic (mg/L)			Iron	---	WS	
		acute	chronic	Iron(T)			---	1000
		Ammonia	TVS	TVS	Lead	---	4	
		Boron	---	0.75	Lead(T)	50	---	
		Chloride	---	250	Manganese	TVS	TVS/WS	
		Chlorine	0.019	0.011	Mercury(T)	---	0.01	
		Cyanide	0.005	---	Molybdenum(T)	---	150	
		Nitrate	10	---	Nickel	TVS	TVS	
		Nitrite	---	0.05	Nickel(T)	---	100	
		Phosphorus	---	TVS	Selenium	TVS	TVS	
		Sulfate	---	WS	Silver	TVS	TVS(tr)	
		Sulfide	---	0.002	Uranium	varies*	varies*	
					Zinc	TVS	TVS	
*Uranium(acute) = See 35.5(3) for details.								
*Uranium(chronic) = See 35.5(3) for details.								

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

9. Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek. Mainstem of Sneffels Creek, including all tributaries and wetlands, from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek. Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.

COGUUN09	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 2 Recreation P	CS-I	CS-I				
Qualifiers:		acute	chronic				
Fish Ingestion Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	D.O. (mg/L)	---	6.0	Arsenic	340	---	
	D.O. (spawning)	---	7.0	Arsenic(T)	---	7.6	
	pH	6.5 - 9.0	---	Cadmium	TVS	TVS	
	chlorophyll a (mg/m ²)	---	TVS	Chromium III	TVS	TVS	
	E. coli (per 100 mL)	---	205	Chromium III(T)	---	100	
	Inorganic (mg/L)			Chromium VI	TVS	TVS	
					Copper	TVS	TVS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Manganese	TVS	TVS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

10a. All tributaries to the Uncompahgre River, including all wetlands, from a point immediately below the confluence with Dexter Creek to the South Canal near Uncompahgre, except for specific listings in Segments 1, 10b, and 11.

COGUUN10A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1 Recreation P Water Supply	CS-II	CS-II				
Qualifiers:		acute	chronic				
Other: Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	Temperature °C	CS-II	CS-II	Arsenic	340	---	
	D.O. (mg/L)	---	6.0	Arsenic(T)	---	0.02	
	D.O. (spawning)	---	7.0	Cadmium	TVS	TVS	
	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
	chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS	
	E. coli (per 100 mL)	---	205	Chromium III(T)	50	---	
	Inorganic (mg/L)			Chromium VI	TVS	TVS	
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
				Selenium	TVS	TVS	
				Silver	TVS	TVS(tr)	
				Uranium	varies*	varies*	
				Zinc	TVS	TVS/TVS(sc)	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

10b. Mainstem of Kettle Gulch from the road crossing at 38.101201, -107.75949 to the County Road 23 crossing.

COGUUN10B Classifications		Physical and Biological			Metals (ug/L)				
Designation	Agriculture	DM	MWAT	acute	chronic				
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---		
	Recreation P		acute	chronic	Arsenic(T)	---	7.6		
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS		
Other:		D.O. (spawning)	---	7.0	Chromium III	---	TVS		
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III(T)	50	---		
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS		
		E. coli (per 100 mL)	---	205	Copper	TVS	TVS		
					Inorganic (mg/L)				
					acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS		
		Boron	---	0.75	Mercury(T)	---	0.01		
		Chloride	---	250	Molybdenum(T)	---	150		
		Chlorine	0.019	0.011	Nickel	TVS	TVS		
		Cyanide	0.005	---	Selenium	TVS	TVS		
		Nitrate	100	---	Silver	TVS	TVS(tr)		
		Nitrite	---	0.05	Uranium	varies*	varies*		
		Phosphorus	---	TVS*	Zinc	TVS	TVS/TVS(sc)		
		Sulfate	---	---					
		Sulfide	---	0.002					

11. Mainstem of Coal Creek from the source to the Park Ditch. Mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River. Mainstem of Cow Creek from the Uncompahgre Wilderness Area boundary to a point immediately below the confluence with Nate Creek. All tributaries and wetlands to Cow Creek from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River. Mainstems of Billy Creek, Onion Creek and Beaton Creek from the source to the confluence with the Uncompahgre River. Mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek. Mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

COGUUN11 Classifications		Physical and Biological			Metals (ug/L)				
Designation	Agriculture	DM	MWAT	acute	chronic				
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---		
	Recreation P		acute	chronic	Arsenic(T)	---	0.02		
Water Supply		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS		
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---		
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS		
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---		
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS		
					Inorganic (mg/L)				
					acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000		
		Boron	---	0.75	Lead	TVS	TVS		
		Chloride	---	250	Lead(T)	50	---		
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS		
		Cyanide	0.005	---	Mercury(T)	---	0.01		
		Nitrate	10	---	Molybdenum(T)	---	150		
		Nitrite	---	0.05	Nickel	TVS	TVS		
		Phosphorus	---	TVS	Nickel(T)	---	100		
		Sulfate	---	WS	Selenium	TVS	TVS		
		Sulfide	---	0.002	Silver	TVS	TVS(tr)		
					Uranium	varies*	varies*		
					Zinc	TVS	TVS		

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

12. All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments 13, 14, 15a and 15b.

COGUUN12	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	TVS	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	205	Chromium III(T)	---	100
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2024			acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.		Boron	---	0.75	Iron(T)	---	1400
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

13a. Mainstem of East Fork Dry Creek and Pryor Creek from their sources to the national forest boundary; West Fork Dry Creek from its source to its confluence with East Fork Dry Creek; mainstem of West Fork Spring Creek and Middle Spring Creek from their sources to their confluence, and mainstem of Mexican Gulch from the source to the Section line dividing Section 19 and 30, T49N, R9W.

COGUUN13A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III(T)	---	100
*Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)			Iron(T)	---	1000
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	---	0.05	Uranium	varies*	varies*
		Phosphorus	---	TVS	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

13b. Mainstem of East Fork Dry Creek from the national forest boundary to its confluence with West Fork Dry Creek. Pryor Creek from the national forest boundary to its confluence with East Fork Dry Creek. Mainstem of Spring Creek from the source to a point immediately below the confluence with Devinnny Canyon.

COGUUN13B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron(T)	---	1000
		Inorganic (mg/L)			Lead	TVS	TVS
			acute	chronic	Manganese	TVS	TVS
		Ammonia	TVS	TVS	Mercury(T)	---	0.01
		Boron	---	0.75	Molybdenum(T)	---	150
		Chloride	---	---	Nickel	TVS	TVS
		Chlorine	0.019	0.011	Selenium	TVS	TVS
		Cyanide	0.005	---	Silver	TVS	TVS(tr)
		Nitrate	100	---	Uranium	varies*	varies*
		Nitrite	---	0.05	Zinc	TVS	TVS
		Phosphorus	---	TVS			
		Sulfate	---	---			
		Sulfide	---	0.002			

13c. Mainstem of Spring Creek from a point immediately below the confluence with Devinnny Canyon to Popular Road at the mouth of Spring Canyon.

COGUUN13C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

14. East and West Forks of Horsefly Creek, including all tributaries and wetlands, from their sources to a point immediately above their confluence. Happy Canyon Creek, including all tributaries and wetlands, from the source to the most downstream national forest boundary.

COGUUN14	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2 Recreation P	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	100
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	205	Copper	TVS	TVS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Manganese	TVS	TVS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

15a. Mainstem of Happy Canyon from a point immediately below the West Canal to the confluence with the Uncompahgre River; mainstem of Horsefly Creek from a point immediately below the confluence with Wildcat Canyon to the confluence with the Uncompahgre River.

COGUUN15A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1 Recreation P	Temperature °C	WS-II	WS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Manganese	TVS	TVS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

19. Ridgway Reservoir.								
COGUUN19	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT		acute	chronic		
Reviewable	Aq Life Cold 1 Recreation E	CLL	CLL	Temperature °C	Arsenic	340	---	
Qualifiers:		acute	chronic		Arsenic(T)	---	7.6	
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS	
Other:		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS	
		pH	6.5 - 9.0	---	Chromium III(T)	---	100	
		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS	
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS	
					Iron(T)	---	1000	
		Inorganic (mg/L)				Lead	TVS	TVS
		acute	chronic		Manganese	TVS	TVS	
		Ammonia	TVS	TVS	Mercury(T)	---	0.01	
		Boron	---	0.75	Molybdenum(T)	---	150	
		Chloride	---	---	Nickel	TVS	TVS	
		Chlorine	0.019	0.011	Selenium	TVS	TVS	
		Cyanide	0.005	---	Silver	TVS	TVS(tr)	
		Nitrate	100	---	Uranium	varies*	varies*	
		Nitrite	---	0.05	Zinc	TVS	TVS	
		Nitrogen	---	---				
		Phosphorus	---	---				
		Sulfate	---	---				
		Sulfide	---	0.002				
20. Sweitzer Lake (a.k.a. Garnet Mesa Reservoir).								
COGUUN20	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT		acute	chronic		
Reviewable	Aq Life Warm 1 Recreation E	WL	WL	Temperature °C	Arsenic	340	---	
Qualifiers:		acute	chronic		Arsenic(T)	---	7.6	
		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS	
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)				Copper	TVS	TVS
		acute	chronic		Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Manganese	TVS	TVS	
		Chloride	---	---	Mercury(T)	---	0.01	
		Chlorine	0.019	0.011	Molybdenum(T)	---	150	
		Cyanide	0.005	---	Nickel	TVS	TVS	
		Nitrate	100	---	Selenium	TVS	TVS	
		Nitrite	---	0.5	Silver	TVS	TVS	
		Nitrogen	---	TVS	Uranium	varies*	varies*	
		Phosphorus	---	TVS	Zinc	TVS	TVS	
		Sulfate	---	---				
		Sulfide	---	0.002				

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Uncompahgre River Basin

21. All lakes and reservoirs tributary to the Uncompahgre River from a point immediately below the South Canal near Uncompahgre to the confluence with the Gunnison River, excluding the listings in Segments 18, 20, and 22.

COGUUN21	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Fish Ingestion		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Manganese	TVS	TVS
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	100	---	Selenium	TVS	TVS
		Nitrite	---	0.05	Silver	TVS	TVS
		Nitrogen	---	TVS	Uranium	varies*	varies*
		Phosphorus	---	TVS	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

22. Fairview Reservoir.

COGUUN22	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	DUWS	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	TVS	TVS
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Nitrogen	---	TVS	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

1. Mainstem of the Gunnison River from the outlet of Crystal Reservoir to Highway 65 (38.772574, -108.002634).							
COGULG01	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
		acute	chronic		Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS/TVS(sc)
2. Mainstem of the Gunnison River from Highway 65 (38.772574, -108.002634) to the confluence with the Colorado River.							
COGULG02	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1 Recreation E Water Supply	Temperature °C	WS-II	WS-II	Arsenic	340	---
		acute	chronic		Arsenic(T)	---	0.02
		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic		Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	480	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

3a. All tributaries to the Gunnison River, including all wetlands, which are within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork Gunnison River sub-basin, Uncompahgre River sub-basins, and Segments 3b, 10, 11a, 11b, and 12.

COGULG03A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

3b. Mainstem of Big Dominguez Creek, Little Dominguez Creek, Escalante Creek, Potter Creek, and Roubideau Creek, including all tributaries and wetlands, within the boundaries of the Uncompahgre National Forest.

COGULG03B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3a, 3b, 4b, 4c, 5a, 5b, 5c, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

COGULG04A		Classifications		Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---		
	Recreation P	acute	chronic	Arsenic(T)	---	0.02-10 ^A			
Qualifiers: Other: *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS		
	pH	6.5 - 9.0	---	---	Cadmium(T)	5.0	---		
	chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS			
	E. coli (per 100 mL)	---	205	Chromium III(T)	50	---			
	Inorganic (mg/L)			Chromium VI	TVS	TVS			
	acute	chronic	Copper	TVS	TVS				
	Ammonia	TVS	TVS	Iron	---	WS			
	Boron	---	0.75	Iron(T)	---	1000			
	Chloride	---	250	Lead	TVS	TVS			
	Chlorine	0.019	0.011	Lead(T)	50	---			
	Cyanide	0.005	---	Manganese	TVS	TVS/WS			
	Nitrate	10	---	Mercury(T)	---	0.01			
	Nitrite	---	0.5	Molybdenum(T)	---	150			
	Phosphorus	---	TVS*	Nickel	TVS	TVS			
	Sulfate	---	WS	Nickel(T)	---	100			
	Sulfide	---	0.002	Selenium	TVS	TVS			
				Silver	TVS	TVS			
			Uranium	varies*	varies*				
			Zinc	TVS	TVS				

4b. All tributaries and wetlands to Reeder, Hollenbeck, and Juniata Reservoirs, and the mainstem of Kannah Creek below the point of diversion for public water supply (38.961321, -108.229830).

COGULG04B		Classifications		Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---		
	Recreation E	acute	chronic	Arsenic(T)	---	0.02-10 ^A			
Qualifiers: Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS		
	pH	6.5 - 9.0	---	---	Cadmium(T)	5.0	---		
	chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS			
	E. coli (per 100 mL)	---	126	Chromium III(T)	50	---			
	Inorganic (mg/L)			Chromium VI	TVS	TVS			
	acute	chronic	Copper	TVS	TVS				
	Ammonia	TVS	TVS	Iron	---	WS			
	Boron	---	0.75	Iron(T)	---	1000			
	Chloride	---	250	Lead	TVS	TVS			
	Chlorine	0.019	0.011	Lead(T)	50	---			
	Cyanide	0.005	---	Manganese	TVS	TVS/WS			
	Nitrate	10	---	Mercury(T)	---	0.01			
	Nitrite	---	0.5	Molybdenum(T)	---	150			
	Phosphorus	---	TVS	Nickel	TVS	TVS			
	Sulfate	---	WS	Nickel(T)	---	100			
	Sulfide	---	0.002	Selenium	TVS	TVS			
				Silver	TVS	TVS			
			Uranium	varies*	varies*				
			Zinc	TVS	TVS				

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

4c. Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River.							
COGULG04C	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

5a. Mainstem of North Fork Escalante Creek from the national forest boundary to the confluence with Escalante Creek.							
COGULG05A	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	TVS	varies*
					Uranium(T)	---	16.8-30 ^A
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

5b. Mainstem of Roubideau Creek from the national forest boundary to a point immediately above the confluence with Potter Creek. Mainstem of Monitor Creek from the national forest boundary to the confluence with Potter Creek. Mainstem of Potter Creek from immediately below Monitor Creek to the confluence with Roubideau Creek.							
COGULG05B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	TVS	varies*
					Uranium(T)	---	16.8-30 ^A
					Zinc	TVS	TVS
5c. All tributaries and wetlands to Roubideau Creek from the national forest boundary to a point immediately below the confluence with Potter Creek, excluding the portion of the mainstems of Potter Creek and Monitor Creek in Segment 5b. All tributaries and wetlands to Escalante Creek from the national forest boundary to the Delta/Montrose County line (38.668215, -108.328144), excluding listings in Segment 5a. All tributaries and wetlands to Little Dominguez Creek from the national forest boundary to the confluence with Big Dominguez Creek. All tributaries and wetlands to Big Dominguez Creek from the national forest boundary to the confluence with the Gunnison River.							
COGULG05C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02-10 ^A
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	205	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

6a. Mainstem of Escalante Creek from the national forest boundary to the Delta/Montrose County line (38.668215, -108.328144); mainstem of Little Dominguez from the national forest boundary to Big Dominguez Creek; mainstem of Big Dominguez from the national forest boundary to the Gunnison River.

COGULG06A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other: *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(chronic) = See 35.5(3) for details.		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron(T)	---	1000
					Inorganic (mg/L)		
					acute	chronic	
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	---	0.05	Uranium	TVS	varies*
		Phosphorus	---	TVS*	Uranium(T)	---	16.8-30 ^A
	Sulfate	---	---	Zinc	TVS	TVS	
	Sulfide	---	0.002				

6b. Mainstem of Roubideau Creek from Potter Creek to the Gunnison River. Mainstem of East Creek from the source to the Gunnison River.

COGULG06B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other: *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(chronic) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Inorganic (mg/L)		
					acute	chronic	
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	---	Lead	TVS	TVS
		Chlorine	0.019	0.011	Manganese	TVS	TVS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	100	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	---	Silver	TVS	TVS
		Sulfide	---	0.002	Uranium	TVS	varies*
				Uranium(T)	---	16.8-30 ^A	
				Zinc	TVS	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

6c. Mainstem of Escalante Creek from the Delta/Montrose County line (38.668215, -108.328144) to the Gunnison River.						
COGULG06C	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340
	Recreation E		acute	chronic	Arsenic(T)	---
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	---
		Inorganic (mg/L)			Chromium VI	TVS
			acute	chronic	Copper	TVS
		Ammonia	TVS	TVS	Iron	---
		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.05	Molybdenum(T)	---
		Phosphorus	---	TVS	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	TVS
					Uranium(T)	---
					Zinc	TVS
						TVS
*Uranium(chronic) = See 35.5(3) for details.						

7a. Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek.						
COGULG07A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Arsenic	340
	Recreation P		acute	chronic	Arsenic(T)	---
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0
Other:		pH	6.5 - 9.0	---	Chromium III	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50
		E. coli (per 100 mL)	---	205	Chromium VI	TVS
		Inorganic (mg/L)			Copper	TVS
			acute	chronic	Iron	---
		Ammonia	TVS	TVS	Iron(T)	---
		Boron	---	0.75	Lead	TVS
		Chloride	---	250	Lead(T)	50
		Chlorine	0.019	0.011	Manganese	TVS
		Cyanide	0.005	---	Mercury(T)	---
		Nitrate	10	---	Molybdenum(T)	---
		Nitrite	---	0.05	Nickel	TVS
		Phosphorus	---	TVS	Nickel(T)	---
		Sulfate	---	WS	Selenium	TVS
		Sulfide	---	0.002	Silver	TVS
					Uranium	varies*
					Zinc	TVS
						TVS
*Uranium(acute) = See 35.5(3) for details.						
*Uranium(chronic) = See 35.5(3) for details.						

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

7b. Mainstem of Surface Creek from the point of diversion of water supply (38.965216, -107.876031) to the confluence with Tongue Creek; mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River; mainstem of Youngs Creek from the national forest boundary to the confluence with Kiser Creek; mainstem of Kiser Creek from the national forest boundary to the confluence with Ward Creek.

COGULG07B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	205	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).		Inorganic (mg/L)			Iron	---	WS
*Uranium(acute) = See 35.5(3) for details.			acute	chronic	Iron(T)	---	1000
*Uranium(chronic) = See 35.5(3) for details.		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS/TVS(sc)

8a. Mainstem of Surface Creek, including all tributaries and wetlands, from the national forest boundary to the point of diversion for public water supply (38.965216, -107.876031).

COGULG08A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS/TVS(sc)

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

8b. Mainstem of Kannah Creek, including all tributaries and wetlands, from the national forest boundary to the point of diversion for public water supply (38.961321, -108.229830).							
COGULG08B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS/TVS(sc)

9. Fruitgrowers Reservoir.								
COGULG09	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic			
UP	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---	
	Recreation E	4/1 - 10/31	acute	chronic	Arsenic(T)	---	7.6	
	Recreation P	11/1 - 3/31	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS	
Fish Ingestion		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100	
Other:		E. coli (per 100 mL)	4/1 - 10/31	---	126	Chromium VI	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	11/1 - 3/31	---	205	Copper	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.					Iron(T)	---	1000	
		Inorganic (mg/L)			Lead	TVS	TVS	
		acute	chronic		Manganese	TVS	TVS	
		Ammonia	TVS	TVS	Mercury(T)	---	0.01	
		Boron	---	0.75	Molybdenum(T)	---	150	
		Chloride	---	---	Nickel	TVS	TVS	
		Chlorine	0.019	0.011	Selenium	TVS	TVS	
		Cyanide	0.005	---	Silver	TVS	TVS	
		Nitrate	100	---	Uranium	varies*	varies*	
		Nitrite	---	0.05	Zinc	TVS	TVS	
		Phosphorus	---	---				
		Sulfate	---	---				
		Sulfide	---	0.002				

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

10. Mainstem of the Smith Fork from the confluence of the North Smith Fork and South Smith Fork to the confluence with the Gunnison River.							
COGULG10	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS/TVS(sc)

11a. All tributaries to the Smith Fork, including all wetlands, which are within national forest boundaries except for specific listings in Segment 11b; Doug Creek from the source to the confluence with Muddy Creek.

11a. All tributaries to the Smith Fork, including all wetlands, which are within national forest boundaries except for specific listings in Segment 11b; Doug Creek from the source to the confluence with Muddy Creek.							
COGULG11A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

11b. All tributaries to the Smith Fork, including all wetlands, which are within the West Elk Wilderness Area.

COGULG11B		Physical and Biological			Metals (ug/L)		
Designation	Classifications	DM	MWAT		acute	chronic	
OW	Agriculture			Temperature °C			
	Aq Life Cold 1	CS-I	CS-I		Arsenic	340	
	Recreation E	acute	chronic		Arsenic(T)	---	
	Water Supply			D.O. (mg/L)		0.02	
				D.O. (spawning)		TVS	
Qualifiers:				pH	5.0	TVS	
Other:		6.5 - 9.0	---	chlorophyll a (mg/m ²)	---	TVS	
*Uranium(acute) = See 35.5(3) for details.				E. coli (per 100 mL)	---	126	
*Uranium(chronic) = See 35.5(3) for details.				Inorganic (mg/L)			
		acute	chronic		Iron	---	
				Ammonia	TVS	TVS	
				Boron	---	0.75	
				Chloride	---	250	
				Chlorine	0.019	0.011	
				Cyanide	0.005	---	
				Nitrate	10	---	
				Nitrite	---	0.05	
				Phosphorus	---	TVS	
				Sulfate	---	WS	
				Sulfide	---	0.002	
					Iron(T)	---	
					Lead	TVS	
					Lead(T)	50	
					Manganese	TVS	
					Mercury(T)	---	
					Molybdenum(T)	---	
					Nickel	TVS	
					Nickel(T)	---	
					Selenium	TVS	
					Silver	TVS	
					Uranium	varies*	
					Zinc	TVS	

12. All tributaries to the Smith Fork, including all wetlands, which are not within national forest boundaries, except for the specific listing in Segment 11a.

COGULG12		Physical and Biological			Metals (ug/L)		
Designation	Classifications	DM	MWAT		acute	chronic	
Reviewable	Agriculture			Temperature °C			
	Aq Life Warm 2	WS-III	WS-III		Arsenic	340	
	Recreation P	acute	chronic		Arsenic(T)	---	
	Water Supply			D.O. (mg/L)		0.02-10 ^A	
				pH	5.0	TVS	
Qualifiers:				chlorophyll a (mg/m ²)	---	TVS	
Other:				E. coli (per 100 mL)	---	205	
*Uranium(acute) = See 35.5(3) for details.				Inorganic (mg/L)			
*Uranium(chronic) = See 35.5(3) for details.		acute	chronic		Copper	TVS	
				Ammonia	TVS	TVS	
				Boron	---	0.75	
				Chloride	---	250	
				Chlorine	0.019	0.011	
				Cyanide	0.005	---	
				Nitrate	10	---	
				Nitrite	---	0.05	
				Phosphorus	---	TVS	
				Sulfate	---	WS	
				Sulfide	---	0.002	
					Iron	---	
					Iron(T)	---	
					Lead	TVS	
					Lead(T)	50	
					Manganese	TVS	
					Mercury(T)	---	
					Molybdenum(T)	---	
					Nickel	TVS	
					Nickel(T)	---	
					Selenium	TVS	
					Silver	TVS	
					Uranium	varies*	
					Zinc	TVS	

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

13. Crawford Reservoir.							
COGULG13	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	7.6
Qualifiers:	D.O. (mg/L)	---	5.0		Cadmium	TVS	TVS
Other:	pH	6.5 - 9.0	---		Chromium III	TVS	TVS
	chlorophyll a (ug/L)	---	TVS		Chromium III(T)	---	100
*Uranium(acute) = See 35.5(3) for details.	E. coli (per 100 mL)	---	126		Chromium VI	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron(T)	---	1000
	Ammonia	TVS	TVS		Lead	TVS	TVS
	Boron	---	0.75		Manganese	TVS	TVS
	Chloride	---	---		Mercury(T)	---	0.01
	Chlorine	0.019	0.011		Molybdenum(T)	---	150
	Cyanide	0.005	---		Nickel	TVS	TVS
	Nitrate	100	---		Selenium	TVS	TVS
	Nitrite	---	0.05		Silver	TVS	TVS
	Nitrogen	---	TVS		Uranium	varies*	varies*
	Phosphorus	---	TVS		Zinc	TVS	TVS
	Sulfate	---	---				
	Sulfide	---	0.002				

14. All lakes and reservoirs tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and within national forest boundaries, excluding listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and Segments 15, 17 and 18. This segment includes Trickle Reservoir, Hale Reservoir, Marcott Park Reservoir, Cherry Lane Reservoir, Cole Reservoirs, Cedar Mesa Reservoir, Kehmeier Reservoir, Weir and Johnson Reservoir, Bonita Reservoir, Blanche Park Reservoir, Vela Reservoir, Knox Reservoir, Military Park Reservoir, Eureka Park Reservoir, Carbonate Park Reservoirs, Prebble Reservoir, Youngs Creek Reservoirs, Kiser Reservoir, Donnelly Reservoir, Kiser Slough Reservoir, Baron Lake, Upper Eggleston Lake, Upper Hotel Lake, Hotel Lake, Arch Slough, Alexander Lake, Deep Ward Lake, Kennicott Slough Reservoir, Womack Reservoirs, Deep Slough Reservoir, Scotland Peak Reservoir, Boulder Lake Reservoir, Basin Reservoir 1, Clear Lake, Granby Reservoirs, Dugger Reservoir, Carson Lake, Crane Lake, Flowing Park, Blue Lake, Chambers Reservoir, Scales Lakes, Grand Mesa Reservoirs, Anderson Reservoirs, Bolen Reservoir, Bolen-Anderson-Jacobs Reservoir 2, Hollenbeck Reservoir 2, Cliff Lake Reservoir, Lee Reservoirs, Lone Pine Reservoirs, Bullfrog Reservoir, Twin Lake, Harry White Reservoirs, Beaver Dam Reservoir, and Fruita Reservoirs 1 and 2.

14. All lakes and reservoirs tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and within national forest boundaries, excluding listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and Segments 15, 17 and 18.							
COGULG14	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:	D.O. (spawning)	---	7.0		Cadmium(T)	5.0	---
Other:	pH	6.5-9.0	---		Chromium III	---	TVS
	chlorophyll a (ug/L)	---	TVS		Chromium III(T)	50	---
*Uranium(acute) = See 35.5(3) for details.	E. coli (per 100 mL)	---	126		Chromium VI	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic		Iron	---	WS
	Ammonia	TVS	TVS		Iron(T)	---	1000
	Boron	---	0.75		Lead	TVS	TVS
	Chloride	---	250		Lead(T)	50	---
	Chlorine	0.019	0.011		Manganese	TVS	TVS/WS
	Cyanide	0.005	---		Mercury(T)	---	0.01
	Nitrate	10	---		Molybdenum(T)	---	150
	Nitrite	---	0.05		Nickel	TVS	TVS
	Nitrogen	---	TVS		Nickel(T)	---	100
	Phosphorus	---	TVS		Selenium	TVS	TVS
	Sulfate	---	WS		Silver	TVS	TVS(tr)
	Sulfide	---	0.002		Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

15. Island Lake, Eggleston Lake, and Trickle Park Reservoir (aka Park Reservoir).							
COGULG15	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CLL	CLL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5-9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

16. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest boundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompahgre River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.							
COGULG16	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
	DUWS*	pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (ug/L)	---	DUWS	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Classification: DUWS applies to Hallenbeck Reservoir and Juniata Reservoir.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.					Copper	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.5	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

17. All lakes and reservoirs tributary to the Smith Fork, and within national forest boundaries excluding the listings in Segment 18. All lakes and reservoirs tributary to Doug Creek.							
COGULG17	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

18. All lakes and reservoirs tributary to the Smith Fork, and are within the West Elk Wilderness Area.							
COGULG18	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Gunnison Basin

19. All lakes and reservoirs tributary to the Smith Fork, which are not within national forest boundaries, excluding the listings in Segment 17. This segment includes Gould Reservoir.							
COGULG19	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---
	Recreation P		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	205	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.			Inorganic (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Nitrogen	---	TVS	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

1. All tributaries, including wetlands, to the San Miguel River that are within the boundaries of the Lizard Head or Mount Sneffels Wilderness Areas.						
COGUSM01	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT		acute	chronic
OW	Aq Life Cold 1	CS-I	CS-I	Temperature °C	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
Water Supply	Water Supply	---	6.0	D.O. (mg/L)	TVS	TVS
	D.O. (spawning)	---	7.0	D.O. (spawning)	5.0	---
Qualifiers:		6.5 - 9.0	---	pH	---	TVS
Other:		---	TVS	chlorophyll a (mg/m ²)	50	---
*Uranium(acute) = See 35.5(3) for details.		---	126	E. coli (per 100 mL)	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		Inorganic (mg/L)			TVS	TVS
Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide		acute	chronic	Iron	---	WS
		TVS	TVS	Iron(T)	---	1000
		---	0.75	Lead	TVS	TVS
		---	250	Lead(T)	50	---
		0.019	0.011	Manganese	TVS	TVS/WS
		0.005	---	Mercury(T)	---	0.01
		10	---	Molybdenum(T)	---	150
		---	0.05	Nickel	TVS	TVS
		---	TVS	Nickel(T)	---	100
		---	WS	Selenium	TVS	TVS
		---	0.002	Silver	TVS	TVS(tr)
		---	0.002	Uranium	varies*	varies*
		---	0.002	Zinc	TVS	TVS/TVS(sc)

2. All tributaries and wetlands to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for listings in Segments 1, 6a, 6b, 7a, 7b, and 8.						
COGUSM02	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	CS-I	CS-I	Temperature °C	340	---
	Recreation E	acute	chronic	Arsenic(T)	---	0.02
Water Supply	Water Supply	---	6.0	D.O. (mg/L)	TVS	TVS
	D.O. (spawning)	---	7.0	D.O. (spawning)	5.0	---
Qualifiers:		6.5 - 9.0	---	pH	---	TVS
Other:		---	TVS	chlorophyll a (mg/m ²)	50	---
Temporary Modification(s):		---	126	E. coli (per 100 mL)	TVS	TVS
Arsenic(chronic) = hybrid		Inorganic (mg/L)			TVS	TVS
Expiration Date of 12/31/2024		TVS	TVS	Iron	---	WS
*Uranium(acute) = See 35.5(3) for details.		---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 35.5(3) for details.		---	250	Lead	TVS	TVS
Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide		0.019	0.011	Lead(T)	50	---
		0.005	---	Manganese	TVS	TVS/WS
		10	---	Mercury(T)	---	0.01
		---	0.05	Molybdenum(T)	---	150
		---	TVS	Nickel	TVS	TVS
		---	WS	Nickel(T)	---	100
		---	0.002	Selenium	TVS	TVS
		---	0.002	Silver	TVS	TVS(tr)
		---	0.002	Uranium	varies*	varies*
		---	0.002	Zinc	TVS	TVS/TVS(sc)

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

3a. Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.										
COGUSM03A	Classifications	Physical and Biological			Metals (ug/L)					
Designation	Agriculture	DM	MWAT		acute	chronic				
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---			
	Recreation E		acute	chronic	Arsenic(T)	---	7.6			
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS			
Other:		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS			
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		pH	6.5 - 9.0	---	Chromium III(T)	---	100			
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS			
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS			
					Inorganic (mg/L)					
					acute	chronic	Iron(T)	---	1000	
					Ammonia	TVS	TVS	Lead	TVS	TVS
					Boron	---	0.75	Manganese	TVS	TVS
					Chloride	---	---	Mercury(T)	---	0.01
					Chlorine	0.019	0.011	Molybdenum(T)	---	150
					Cyanide	0.005	---	Nickel	TVS	TVS
					Nitrate	100	---	Nickel(T)	---	100
					Nitrite	---	0.05	Selenium	TVS	TVS
					Phosphorus	---	TVS	Silver	TVS	---
					Sulfate	---	---	Uranium	varies*	varies*
					Sulfide	---	0.002	Zinc	---	190
3b. Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.										
COGUSM03B	Classifications	Physical and Biological			Metals (ug/L)					
Designation	Agriculture	DM	MWAT		acute	chronic				
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Arsenic	340	---			
	Recreation E		acute	chronic	Arsenic(T)	---	0.02			
Water Supply		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS			
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---			
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS			
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---			
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details. *Temperature = DM=13.9 and MWAT=9 from 10/1-10/31 DM=13 and MWAT=9 from 11/1-3/31 DM=14 and MWAT=9 from 4/1-5/31 DM=21.7 and MWAT=17 from 6/1-9/30		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS			
					Inorganic (mg/L)					
					acute	chronic	Copper	---	TVS	
					Ammonia	TVS	TVS	Copper	---	---
					Boron	---	0.75	Iron	---	WS
					Chloride	---	250	Iron(T)	---	1000
					Chlorine	0.019	0.011	Lead	TVS	TVS
					Cyanide	0.005	---	Lead(T)	50	---
					Nitrate	10	---	Manganese	TVS	TVS/WS
					Nitrite	---	0.5	Mercury(T)	---	0.01
					Phosphorus	---	TVS*	Molybdenum(T)	---	150
					Sulfate	---	WS	Nickel	TVS	TVS
					Sulfide	---	0.002	Nickel(T)	---	100
								Selenium	TVS	TVS
								Silver	TVS	TVS(tr)
						Uranium	varies*	varies*		
						Zinc	---	190		

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

4a. Mainstem of the San Miguel River from a point immediately above the confluence of the South Fork of the San Miguel River to a point immediately below the CC ditch.							
COGUSM04A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
Reviewable	Aq Life Cold 1	CS-II	CS-II	acute	chronic		
	Recreation E	acute	chronic	Arsenic	340	---	
	Water Supply	---	6.0	Arsenic(T)	---	0.02	
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron	---	WS	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	---	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.							
*Uranium(chronic) = See 35.5(3) for details.							

4b. Mainstem of the San Miguel River from a point immediately below the CC ditch to a point immediately below the confluence of Naturita Creek.							
COGUSM04B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT				
Reviewable	Aq Life Warm 1	varies*	varies*	acute	chronic		
	Recreation E	acute	chronic	Arsenic	340	---	
	Water Supply	---	5.0	Arsenic(T)	---	0.02	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS
Temporary Modification(s):							
Arsenic(chronic) = hybrid							
Expiration Date of 12/31/2024							
*Uranium(acute) = See 35.5(3) for details.							
*Uranium(chronic) = See 35.5(3) for details.							
*Temperature =							
DM=13 and MWAT=9 from 11/1-2/29							
DM=30.9 and MWAT=23.3 from 3/1-10/31							

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

5a. Mainstem of the San Miguel River from a point immediately below the confluence of Naturita Creek to a point immediately below the confluence of Coal Canyon.						
COGUSM05A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340
	Recreation E		acute	chronic	Arsenic(T)	---
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	---
		Inorganic (mg/L)			Chromium VI	TVS
			acute	chronic	Copper	TVS
		Ammonia	TVS	TVS	Iron	---
		Boron	---	0.75	Iron(T)	---
		Chloride	---	250	Lead	TVS
		Chlorine	0.019	0.011	Lead(T)	50
		Cyanide	0.005	---	Manganese	TVS
		Nitrate	10	---	Mercury(T)	---
		Nitrite	---	0.5	Molybdenum(T)	---
		Phosphorus	---	---	Nickel	TVS
		Sulfate	---	WS	Nickel(T)	---
		Sulfide	---	0.002	Selenium	TVS
					Silver	TVS
					Uranium	TVS
					Uranium(T)	---
					Zinc	TVS
						varies*
						16.8-30 ^A
*Uranium(chronic) = See 35.5(3) for details.						

5b. Mainstem of the San Miguel River from a point immediately below the confluence of Coal Canyon to its confluence with the Dolores River.						
COGUSM05B	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340
	Recreation E		acute	chronic	Arsenic(T)	---
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS
		Inorganic (mg/L)			Copper	TVS
			acute	chronic	Iron(T)	---
		Ammonia	TVS	TVS	Lead	TVS
		Boron	---	0.75	Manganese	TVS
		Chloride	---	---	Mercury(T)	---
		Chlorine	0.019	0.011	Molybdenum(T)	---
		Cyanide	0.005	---	Nickel	TVS
		Nitrate	100	---	Selenium	TVS
		Nitrite	---	0.5	Silver	TVS
		Phosphorus	---	---	Uranium	TVS
		Sulfate	---	---	Uranium(T)	---
		Sulfide	---	0.002	Zinc	TVS
						varies*
						16.8-30 ^A
*Uranium(chronic) = See 35.5(3) for details.						

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS San Miguel River Basin

6a. Mainstem of Ingram Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River.						
COGUSM06A	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT			
Reviewable	Aq Life Cold 2 Recreation E	acute	chronic	arsenic	acute	chronic
Qualifiers:	D.O. (mg/L)	---	6.0	Arsenic	340	---
Other:	D.O. (spawning)	---	7.0	Arsenic(T)	---	100
*Uranium(acute) = See 35.5(3) for details.	pH	6.5 - 9.0	---	Chromium III	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.	chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
	E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
	Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron(T)	---	1000
	Ammonia	TVS	TVS	Lead	TVS	TVS
	Boron	---	0.75	Manganese	TVS	TVS
	Chloride	---	---	Mercury(T)	---	0.01
	Chlorine	0.019	0.011	Molybdenum(T)	---	150
	Cyanide	0.005	---	Nickel	TVS	TVS
	Nitrate	100	---	Selenium	TVS	TVS
	Nitrite	---	0.05	Silver	TVS	TVS
	Phosphorus	---	TVS	Uranium	varies*	varies*
	Sulfate	---	---	Zinc	---	190
	Sulfide	---	0.002			

6b. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River.						
COGUSM06B	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT			
Reviewable	Aq Life Cold 2 Recreation E	acute	chronic	arsenic	acute	chronic
Qualifiers:	D.O. (mg/L)	---	6.0	Arsenic	340	---
Other:	D.O. (spawning)	---	7.0	Arsenic(T)	---	100
*Uranium(acute) = See 35.5(3) for details.	pH	6.5 - 9.0	---	Chromium III	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.	chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
	E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
	Inorganic (mg/L)			Copper	TVS	TVS
		acute	chronic	Iron(T)	---	1000
	Ammonia	TVS	TVS	Lead	TVS	TVS
	Boron	---	0.75	Manganese	TVS	TVS
	Chloride	---	---	Mercury(T)	---	0.01
	Chlorine	0.019	0.011	Molybdenum(T)	---	150
	Cyanide	0.005	---	Nickel	TVS	TVS
	Nitrate	100	---	Selenium	TVS	TVS
	Nitrite	---	0.05	Silver	TVS	TVS
	Phosphorus	---	TVS	Uranium	varies*	varies*
	Sulfate	---	---	Zinc	---	190
	Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

7a. Mainstem of Howard Fork, including all tributaries and wetlands, from a point immediately below the confluence of Swamp Gulch to the confluence with the South Fork of the San Miguel River, except for listings in Segment 7b.

COGUSM07A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Inorganic (mg/L)			Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

7b. Mainstem of Waterfall Creek, including all tributaries and wetlands, from the source to the confluence with Howard Fork.

COGUSM07B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
*Uranium(acute) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

8. Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.							
COGUSM08	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).					Inorganic (mg/L)		
*Uranium(acute) = See 35.5(3) for details.						Iron	---
*Uranium(chronic) = See 35.5(3) for details.						Iron(T)	---
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/80
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS*	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

9a. All tributaries to the San Miguel River, including all wetlands, from a point immediately below the confluence of Leopard Creek to the Dolores River that are within the boundaries of the Uncompahgre National Forest, except for listings in Segments 9b and 10a.							
COGUSM09A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024					Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.					Inorganic (mg/L)		
*Uranium(chronic) = See 35.5(3) for details.						Iron	---
						Iron(T)	---
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS San Miguel River Basin

9b. All tributaries and wetlands to Tabeguache Creek that are within the boundaries of the Uncompahgre National Forest.							
COGUSM09B	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT			
					acute	chronic	
OW	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-I	CS-I	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
					Iron	---	WS
					acute	chronic	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

*Uranium(acute) = See 35.5(3) for details.
*Uranium(chronic) = See 35.5(3) for details.

10a. Mainstem of Tabeguache Creek from its source to the Uncompahgre National Forest boundary.							
COGUSM10A	Classifications	Physical and Biological			Metals (ug/L)		
Designation			DM	MWAT			
					acute	chronic	
OW	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
			acute	chronic	Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Inorganic (mg/L)		
					Iron	---	WS
					acute	chronic	
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/75
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS

*Uranium(acute) = See 35.5(3) for details.
*Uranium(chronic) = See 35.5(3) for details.

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

10b. Mainstem of Naturita Creek from the point it exits the Uncompahgre National Forest at the most downstream boundary to the confluence with the San Miguel River.							
COGUSM10B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2024			acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/75
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

10c. Mainstem of Tabeguache Creek from the point it exits the Uncompahgre National Forest to the confluence with the San Miguel River.							
COGUSM10C	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Chromium VI	TVS	TVS
Expiration Date of 12/31/2024			acute	chronic	Copper	TVS	TVS
*Uranium(acute) = See 35.5(3) for details.		Ammonia	TVS	TVS	Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/75
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

11a. All tributaries to Miramonte Reservoir and West Naturita Creek from their sources to the Uncompahgre National Forest Boundary below Miramonte Reservoir. The mainstems of Beaver and Horsefly Creeks from the Uncompahgre National Forest boundary to their confluences with the San Miguel River.

COGUSM11A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron(T)	---	1000
					Inorganic (mg/L)		
					acute	chronic	
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	---	0.05	Uranium	varies*	varies*
		Phosphorus	---	TVS	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

11b. Mainstem of Saltado Creek from the Uncompahgre National Forest boundary to the confluence with the San Miguel River.

COGUSM11B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E	Temperature °C	CS-I	CS-I	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other: *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron(T)	---	1000
					Inorganic (mg/L)		
					acute	chronic	
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	---	0.05	Uranium	varies*	varies*
		Phosphorus	---	TVS	Zinc	TVS	TVS
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

12a. All tributaries and wetlands to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. This segment excludes the listings in Segments 9a, 11a, 11b, 12b, and 12c.

COGUSM12A	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Water + Fish Standards		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Temporary Modification(s):		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid		Inorganic (mg/L)			Copper	TVS	TVS
Expiration Date of 12/31/2024			acute	chronic	Iron	---	WS
*Uranium(chronic) = See 35.5(3) for details.		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Phosphorus	---	TVS	Nickel(T)	---	100
		Sulfate	---	WS	Selenium	TVS	TVS
		Sulfide	---	0.002	Silver	TVS	TVS(tr)
					Uranium	TVS	varies*
					Uranium(T)	---	16.8-30 ^A
					Zinc	TVS	TVS

12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9a, 9b, 10a, 10b, 10c, 11a, 12a, 12c, and 12d. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

COGUSM12B	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
Qualifiers:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Water + Fish Standards		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Other:		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
Temporary Modification(s):		Inorganic (mg/L)			Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid			acute	chronic	Copper	TVS	TVS
Expiration Date of 12/31/2024		Ammonia	TVS	TVS	Iron	---	WS
*Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).		Boron	---	0.75	Iron(T)	---	1000
*Uranium(chronic) = See 35.5(3) for details.		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS*	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	TVS	varies*
					Uranium(T)	---	16.8-30 ^A
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

12c. Mainstem of Calamity Draw from Lincoln Street in Nucla (38.264075, -108.555087) to the confluence with the San Miguel River.								
COGUSM12C	Classifications	Physical and Biological			Metals (ug/L)			
Designation	Agriculture	DM	MWAT		acute	chronic		
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	7.6	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Fish Ingestion		pH	6.5 - 9.0	---	Chromium III	---	TVS	
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---	
Discharger Specific Variance(s): Ammonia(ac/ch) = See Section 35.6(4) for details on the variance for the Town of Nucla. Expiration Date of 12/31/2026 *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). *Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)				Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Manganese	TVS	TVS	
		Chloride	---	250	Mercury(T)	---	0.01	
		Chlorine	0.019	0.011	Molybdenum(T)	---	150	
		Cyanide	0.005	---	Nickel	TVS	TVS	
		Nitrate	100	---	Selenium	TVS	TVS	
		Nitrite	---	0.05	Silver	TVS	TVS	
		Phosphorus	---	TVS*	Uranium	TVS	varies*	
		Sulfate	---	---	Uranium(T)	---	16.8-30 ^A	
		Sulfide	---	0.002	Zinc	TVS	TVS	
		12d. All tributaries and wetlands to Tabeguache Creek from the point it exits the Uncompahgre National Forest to the confluence with the San Miguel River.						
		COGUSM12D	Classifications	Physical and Biological			Metals (ug/L)	
Designation	Agriculture	DM	MWAT		acute	chronic		
OW	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	0.02	
Qualifiers:	Water + Fish Standards	D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---	
Other:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS	
*Uranium(chronic) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---	
		Inorganic (mg/L)				Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron	---	WS	
		Boron	---	0.75	Iron(T)	---	1000	
		Chloride	---	250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50	---	
		Cyanide	0.005	---	Manganese	TVS	TVS/WS	
		Nitrate	10	---	Mercury(T)	---	0.01	
		Nitrite	---	0.05	Molybdenum(T)	---	150	
		Phosphorus	---	TVS	Nickel	TVS	TVS	
		Sulfate	---	WS	Nickel(T)	---	100	
		Sulfide	---	0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium	TVS	varies*	
			Uranium(T)	---	16.8-30 ^A			
			Zinc	TVS	TVS			

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS San Miguel River Basin

13. All lakes and reservoirs tributary to the San Miguel River that are within the boundaries of the Lizard Head or Mount Sneffels Wilderness Areas.							
COGUSM13	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
Water Supply		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

14. All lakes and reservoirs tributary to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for the specific listings in Segments 13, 15, 16, 17 and 20. This segment includes Lake Hope, Cushman Lake, Alta Lakes, Blue Lake, Mud Lake, and Woods Lake.							
COGUSM14	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
Water Supply		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other:		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
*Uranium(acute) = See 35.5(3) for details.		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.					Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

17. All lakes and reservoirs tributary to the Howard Fork from a point immediately below the confluence of Swamp Gulch to the confluence with the South Fork of the San Miguel River.							
COGUSM17	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E	Temperature °C	CL	CL	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	7.6
Other:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Chromium III	TVS	TVS
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)			Iron(T)	---	1000
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS	TVS
		Cyanide	0.005	---	Selenium	TVS	TVS
		Nitrate	100	---	Silver	TVS	TVS(tr)
		Nitrite	---	0.05	Uranium	varies*	varies*
		Nitrogen	---	TVS	Zinc	TVS	TVS
		Phosphorus	---	TVS			
		Sulfate	---	---			
		Sulfide	---	0.002			
18. All lakes and reservoirs tributary to the San Miguel River from a point immediately below the confluence of Leopard Creek to the confluence with the Dolores River, and that are within Uncompahgre National Forest boundaries. This segment includes Hoffman Reservoir, Paxton Reservoir, and Hotchkiss Reservoir.							
COGUSM18	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CL	CL	Arsenic	340	---
Qualifiers:			acute	chronic	Arsenic(T)	---	0.02
Other:		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
		Inorganic (mg/L)			Copper	TVS	TVS
			acute	chronic	Iron	---	WS
		Ammonia	TVS	TVS	Iron(T)	---	1000
		Boron	---	0.75	Lead	TVS	TVS
		Chloride	---	250	Lead(T)	50	---
		Chlorine	0.019	0.011	Manganese	TVS	TVS/WS
		Cyanide	0.005	---	Mercury(T)	---	0.01
		Nitrate	10	---	Molybdenum(T)	---	150
		Nitrite	---	0.05	Nickel	TVS	TVS
		Nitrogen	---	TVS	Nickel(T)	---	100
		Phosphorus	---	TVS	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

San Miguel River Basin

19. All lakes and reservoirs tributary to the San Miguel River from a point immediately below the confluence of Leopard Creek to the Dolores River, and not within Uncompahgre National Forest boundaries, excluding the listings in Segment 20. This segment includes Point Reservoir, Palmers Lake, Williams Reservoir, Town Reservoir, and Lilylands Reservoir.

COGUSM19	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS*	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS
Other: *Classification: DUWS applies to Town Reservoir. *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

20. Trout Lake, Gurley Reservoir, Cone Reservoir, and Miramonte Reservoir.

COGUSM20	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CLL	CLL	Arsenic	340	---
	Recreation E		acute	chronic	Arsenic(T)	---	0.02
	Water Supply	D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
	DUWS*	D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Qualifiers:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Other: *Classification: DUWS applies to Gurley Reservoir. *Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	DUWS	Chromium III(T)	50	---
		chlorophyll a (ug/L)	---	TVS	Chromium VI	TVS	TVS
		E. coli (per 100 mL)	---	126	Copper	TVS	TVS
		Inorganic (mg/L)			Iron	---	WS
			acute	chronic	Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Nitrogen	---	TVS	Selenium	TVS	TVS
		Phosphorus	---	TVS	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	varies*	varies*
		Sulfide	---	0.002	Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Dolores River Basin

1a. Mainstem of the Dolores River from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to a point immediately above the confluence with Big Canyon Creek near Dove Creek.

COGULD01A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	varies*	varies*	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024		Inorganic (mg/L)			Copper	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.					Iron	---	WS
*Temperature =					Iron(T)	---	1000
DM and MWAT=CS-II from 11/1-3/22					Lead	TVS	TVS
DM=26.6 and MWAT=23.8 from 3/23-10/31		Ammonia	TVS	TVS	Lead(T)	50	---
		Boron	---	0.75	Manganese	TVS	TVS/WS
		Chloride	---	250	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	10	---	Nickel(T)	---	100
		Nitrite	---	0.05	Selenium	TVS	TVS
		Phosphorus	---	---	Silver	TVS	TVS(tr)
		Sulfate	---	WS	Uranium	TVS	varies*
		Sulfide	---	0.002	Uranium(T)	---	16.8-30 ^A
					Zinc	TVS	TVS

1b. Mainstem of the Dolores River from a point immediately above the confluence with Big Canyon Creek near Dove Creek to a point immediately above the Highway 141 road crossing near Slick Rock.

COGULD01B	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1	varies*	varies*	Arsenic	340	---	
	Recreation E	acute	chronic	Arsenic(T)	---	0.02	
	Water Supply	---	6.0	Cadmium	TVS	TVS	
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
Temporary Modification(s):		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	50	---
Arsenic(chronic) = hybrid		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
Expiration Date of 12/31/2024		Inorganic (mg/L)			Copper	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.					Iron	---	WS
*Temperature =					Iron(T)	---	1000
DM=CS-II and MWAT=9.1 from 11/1-3/22		Ammonia	TVS	TVS	Lead	TVS	TVS
DM= 27.6 and MWAT=24.7 from 3/23-10/31		Boron	---	0.75	Lead(T)	50	---
		Chloride	---	250	Manganese	TVS	TVS/WS
		Chlorine	0.019	0.011	Mercury(T)	---	0.01
		Cyanide	0.005	---	Molybdenum(T)	---	150
		Nitrate	10	---	Nickel	TVS	TVS
		Nitrite	---	0.05	Nickel(T)	---	100
		Phosphorus	---	---	Selenium	TVS	TVS
		Sulfate	---	WS	Silver	TVS	TVS(tr)
		Sulfide	---	0.002	Uranium	TVS	varies*
					Uranium(T)	---	16.8-30 ^A
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Dolores River Basin

2. Mainstem of the Dolores River from the Highway 141 road crossing near Slick Rock to the Colorado/Utah border.							
COGULD02	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 1 Recreation E Water Supply	Temperature °C	WS-II	WS-II	Arsenic	340	---
		acute	chronic		Arsenic(T)	---	0.02
		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Other:	Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024 *Uranium(chronic) = See 35.5(3) for details.	E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic		Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	---	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	TVS	varies*
					Uranium(T)	---	16.8-30 ^A
					Zinc	TVS	TVS
3a. All tributaries to the Dolores River, including all wetlands, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, except for specific listings in Segments 3b, 3c, 4, 5, and 6.							
COGULD03A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture	DM	MWAT		acute	chronic	
UP	Aq Life Warm 2 Recreation E Water Supply	Temperature °C	WS-II	WS-II	Arsenic	340	---
		acute	chronic		Arsenic(T)	---	0.02-10 ^A
		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS
		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
Qualifiers:		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
Other:	*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.	E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
		acute	chronic		Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.5	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	varies*	varies*
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Dolores River Basin

3b. All tributaries to the Dolores River, including wetlands, that are within national forest boundaries, from the bridge at Bradfield Ranch (Forest Route 505, near the Montezuma/Dolores County Line) to the Colorado/Utah border, excluding the small area of Uncompahgre National Forest within the Disappointment Valley and the listings in Segments 3c and 5. Disappointment Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Morrison Creek.

COGULD03B	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Cold 1 Recreation E	Temperature °C	CS-I CS-I	Arsenic	340	---	
		acute	chronic	Arsenic(T)	---	7.6	
Qualifiers:		D.O. (mg/L)	---	6.0	Cadmium	TVS TVS	
Other:		D.O. (spawning)	---	7.0	Chromium III	TVS TVS	
		pH	6.5 - 9.0	---	Chromium III(T)	---	100
		chlorophyll a (mg/m ²)	---	TVS	Chromium VI	TVS TVS	
		E. coli (per 100 mL)	---	126	Copper	TVS TVS	
		Inorganic (mg/L)			Iron(T)	---	1000
		acute	chronic		Lead	TVS TVS	
		Ammonia	TVS	TVS	Manganese	TVS TVS	
		Boron	---	0.75	Mercury(T)	---	0.01
		Chloride	---	---	Molybdenum(T)	---	150
		Chlorine	0.019	0.011	Nickel	TVS TVS	
		Cyanide	0.005	---	Selenium	TVS TVS	
		Nitrate	100	---	Silver	TVS TVS(tr)	
		Nitrite	---	0.05	Uranium	TVS TVS	
		Phosphorus	---	TVS	Zinc	TVS TVS/TVS(sc)	
		Sulfate	---	---			
		Sulfide	---	0.002			

3c. Mainstem of Salt Creek, including all tributaries and wetlands, from the source within the Sinbad Valley to the confluence with the Dolores River.

COGULD03C	Classifications	Physical and Biological		Metals (ug/L)			
Designation	Agriculture	DM	MWAT	acute	chronic		
Reviewable	Aq Life Warm 2 Recreation E	Temperature °C	WS-III WS-III	Arsenic	340	---	
		acute	chronic	Arsenic(T)	---	100	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS TVS	
Other:		pH	6.5 - 9.0	---	Chromium III	TVS TVS	
		chlorophyll a (mg/m ²)	---	TVS	Chromium III(T)	---	100
		E. coli (per 100 mL)	---	126	Chromium VI	TVS TVS	
		Inorganic (mg/L)			Copper	TVS TVS	
		acute	chronic		Iron(T)	---	1000
		Ammonia	TVS	TVS	Lead	TVS TVS	
		Boron	---	0.75	Manganese	TVS TVS	
		Chloride	---	---	Mercury(T)	---	0.01
		Chlorine	0.019	0.011	Molybdenum(T)	---	150
		Cyanide	0.005	---	Nickel	TVS TVS	
		Nitrate	100	---	Selenium	TVS	6.6
		Nitrite	---	0.5	Silver	TVS TVS	
		Phosphorus	---	TVS	Uranium	TVS	varies*
		Sulfate	---	---	Uranium(T)	---	16.8-30 ^A
		Sulfide	---	0.002	Zinc	TVS TVS	

*Uranium(chronic) = See 35.5(3) for details.

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Dolores River Basin

4. Mainstem of West Paradox Creek from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. Mainstem of Blue Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.							
COGULD04	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1 Recreation E Water Supply	Temperature °C	WS-II	WS-II	Arsenic	340	---
Qualifiers:		D.O. (mg/L)	acute	chronic	Arsenic(T)	---	0.02
Other:		pH	6.5 - 9.0	---	Cadmium	TVS	TVS
*Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Cadmium(T)	5.0	---
		E. coli (per 100 mL)	---	126	Chromium III	---	TVS
		Inorganic (mg/L)			Chromium III(T)	50	---
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron	---	0.75	Iron	---	WS
		Chloride	---	250	Iron(T)	---	1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005	---	Lead(T)	50	---
		Nitrate	10	---	Manganese	TVS	TVS/WS
		Nitrite	---	0.5	Mercury(T)	---	0.01
		Phosphorus	---	TVS	Molybdenum(T)	---	150
		Sulfate	---	WS	Nickel	TVS	TVS
		Sulfide	---	0.002	Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	TVS	varies*
					Uranium(T)	---	16.8-30 ^A
					Zinc	TVS	TVS
5. Mainstem of West Creek from the source to the confluence with the Dolores River. Roc Creek including all tributaries and wetlands from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. La Sal Creek, including all tributaries and wetlands, from the Utah/Colorado border to the confluence with the Dolores River. Mesa Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.							
COGULD05	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E Water Supply	Temperature °C	CS-II	CS-II	Arsenic	340	---
Qualifiers:		D.O. (mg/L)	acute	chronic	Arsenic(T)	---	0.02
Other:		D.O. (spawning)	---	7.0	Cadmium	TVS	TVS
Temporary Modification(s): Arsenic(chronic) = hybrid Expiration Date of 12/31/2024		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
*Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron	---	WS
		Boron	---	0.75	Iron(T)	---	1000
		Chloride	---	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	---
		Cyanide	0.005	---	Manganese	TVS	TVS/WS
		Nitrate	10	---	Mercury(T)	---	0.01
		Nitrite	---	0.05	Molybdenum(T)	---	150
		Phosphorus	---	TVS	Nickel	TVS	TVS
		Sulfate	---	WS	Nickel(T)	---	100
		Sulfide	---	0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	TVS	varies*
					Uranium(T)	---	16.8-30 ^A
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Dolores River Basin

6. North Fork of West Creek, including all tributaries and wetlands, from the source to the confluence with West Creek. Granite Creek, including all tributaries and wetlands, from the source the Colorado/Utah border.							
COGULD06	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply		DM	MWAT		acute	chronic
Reviewable		acute	chronic	Arsenic	340	---	
		Temperature °C	CS-I	CS-I	Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Beryllium(T)	---	100
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS	TVS
Other:		pH	6.5 - 9.0	---	Cadmium(T)	5.0	---
		chlorophyll a (mg/m ²)	---	TVS	Chromium III	---	TVS
		E. coli (per 100 mL)	---	126	Chromium III(T)	50	---
					Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS
		Inorganic (mg/L)					
			acute	chronic			
		Ammonia	TVS	TVS			
		Boron	---	0.75			
		Chloride	---	250			
		Chlorine	0.019	0.011			
		Cyanide	0.005	---			
		Nitrate	10	---			
		Nitrite	---	0.05			
		Phosphorus	---	TVS			
		Sulfate	---	WS			
		Sulfide	---	0.002			
7. All lakes and reservoirs tributary to the Dolores River, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, and within national forest boundaries. This segment includes Long Park Reservoir, Cabin Reservoir, Beef Trail Reservoir, Dry Lake, Glade Lake, Glade Point Reservoir, Arrowhead Lake, Buckeye Reservoir, Black Pine Reservoir, Casto Reservoir, and Big Creek Reservoir.							
COGULD07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture Aq Life Cold 1 Recreation E Water Supply		DM	MWAT		acute	chronic
Reviewable		acute	chronic	Arsenic	340	---	
		Temperature °C	CL	CL	Arsenic(T)	---	0.02
		D.O. (mg/L)	---	6.0	Cadmium	TVS	TVS
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium(T)	5.0	---
Other:		pH	6.5 - 9.0	---	Chromium III	---	TVS
		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	50	---
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS
					Copper	TVS	TVS
					Iron	---	WS
					Iron(T)	---	1000
					Lead	TVS	TVS
					Lead(T)	50	---
					Manganese	TVS	TVS/WS
					Mercury(T)	---	0.01
					Molybdenum(T)	---	150
					Nickel	TVS	TVS
					Nickel(T)	---	100
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium	varies*	varies*
					Zinc	TVS	TVS
		Inorganic (mg/L)					
			acute	chronic			
		Ammonia	TVS	TVS			
		Boron	---	0.75			
		Chloride	---	250			
		Chlorine	0.019	0.011			
		Cyanide	0.005	---			
		Nitrate	10	---			
		Nitrite	---	0.05			
		Nitrogen	---	TVS			
		Phosphorus	---	TVS			
		Sulfate	---	WS			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 35.6 for further details on applied standards.

REGULATION #35 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Lower Dolores River Basin

8. All lakes and reservoirs tributary to the Dolores River, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, and not within national forest boundaries.

COGULD08	Classifications	Physical and Biological			Metals (ug/L)			
Designation			DM	MWAT		acute	chronic	
UP	Agriculture							
	Aq Life Warm 2	Temperature °C	WL	WL	Arsenic	340	---	
	Recreation E		acute	chronic	Arsenic(T)	---	100	
Qualifiers:		D.O. (mg/L)	---	5.0	Cadmium	TVS	TVS	
Other:		pH	6.5 - 9.0	---	Chromium III	TVS	TVS	
*Uranium(acute) = See 35.5(3) for details. *Uranium(chronic) = See 35.5(3) for details.		chlorophyll a (ug/L)	---	TVS	Chromium III(T)	---	100	
		E. coli (per 100 mL)	---	126	Chromium VI	TVS	TVS	
		Inorganic (mg/L)				Copper	TVS	TVS
			acute	chronic	Iron(T)	---	1000	
		Ammonia	TVS	TVS	Lead	TVS	TVS	
		Boron	---	0.75	Manganese	TVS	TVS	
		Chloride	---	---	Mercury(T)	---	0.01	
		Chlorine	0.019	0.011	Molybdenum(T)	---	150	
		Cyanide	0.005	---	Nickel	TVS	TVS	
		Nitrate	100	---	Selenium	TVS	TVS	
		Nitrite	---	0.5	Silver	TVS	TVS	
		Nitrogen	---	TVS	Uranium	varies*	varies*	
		Phosphorus	---	TVS	Zinc	TVS	TVS	
		Sulfate	---	---				
		Sulfide	---	0.002				

All metals are dissolved unless otherwise noted.
 T = total recoverable
 t = total
 tr = trout
 sc = sculpin

D.O. = dissolved oxygen
 DM = daily maximum
 MWAT = maximum weekly average temperature
 See 35.6 for further details on applied standards.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS – FOOTNOTES

- (A) Whenever a range of standards is listed and referenced to this footnote, the first number in the range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.
- (B) Reserved.
- (C) For certain site-specific temperature standards, the temperature excursions listed in Table I - Footnote 5(c) of 31.16 do not apply. Assessment of ambient-based temperature standards should be conducted in a way that represents similar conditions to those under which the criteria were developed (i.e., air, low flow, and warming event excursions should not apply). Similarly, where site-specific adjustments to the winter shoulder season have been adopted, the winter shoulder season excursion does not apply.