

Democracy Suite[®] EMS Election Data Translator User Guide

Version: 5.17-CO::4

May 2, 2023

Table of Contents

Chapter 1: Introduction	1
1.1 Document Use	1
1.2 Relevant Disclaimers	1
1.3 User Guide Organization and Use	1
1.4 Getting to Know Election Data Translator	1
Chapter 2: Basic Steps	3
2.1 Configuring EMS Application Server Settings	3
2.2 Opening an Election Project	4
2.3 Closing Election Project	4
2.4 Help	4
2.5 Updating the Import File Format	5
Chapter 3: Exporting Data	9
3.1 Creating Election Definition Exports	9
3.2 Exporting Data for Translation Activities	10
Chapter 4: Importing Data	13
4.1 Importing Data into Template Election Definition Project Database	13
4.1.1 Case 1: Importing when Election Project already contains data	13
4.1.2 Case 2: Importing when Election Project does not contain data	14
4.2 Importing Only Translation Data	16
4.3 Importing Only Tabulator Data	19
4.4 Validation of Input Data	21
Chapter 5: Mapping External Data	23
5.1 GEMS Import Format Mapping	23
5.2 WinEDS Import Format Mapping	26
5.3 NYS Import Format Data Mapper	32
5.4 Post Data Mapping	36
Appendix A: Input File Reference	39
A.1 Ballot Style Parameters	39
A.1.1 Version (TRN)	39
A.1.2 District Types	40
A.1.3 Districts	40

A.1.4 Precincts (TAB)	41
A.1.5 Parties (TRN)	43
A.1.6 Party Display (TRN)	44
A.1.7 Languages (TRN)	45
A.1.8 Election (TRN)	46
A.1.9 Elector Display	47
A.1.10 Elector Groups	48
A.1.11 Ballot Groups	48
A.1.12 Contests	49
A.1.13 Contest Display (TRN)	54
A.1.14 Choices (TRN)	55
A.1.15 Choice Display (TRN)	57
A.1.16 Choice Group Display (TRN)	58
A.1.17 Lines	59
A.1.18 Line Display (TRN)	60
A.1.19 Contest Headings	61
A.1.20 Contest Heading Display (TRN)	62
A.1.21 Image Resources	62
A.1.22 Contest Rotation	63
A.1.23 Custom Position	64
A.1.24 District Rotation	65
A.1.25 Ballot Type	65
A.1.26 BallotTypeContest	66
A.1.27 BallotTypePrecincts	66
A.1.28 Activation Codes	67
A.1.29 Polling Locations (TAB)	67
A.1.30 Tabulators (TAB)	68
A.1.31 Counting Group (TAB)	69
A.1.32 Programming Group (TAB)	70
Revision History	71
List of Figures	72
List of Tables	74

CHAPTER 1: INTRODUCTION

1.1 Document Use

This document is intended for use with the Democracy Suite® 5.17 platform.

1.2 Relevant Disclaimers

This document may make reference to certain Democracy Suite functionalities that are not part of the current 5.17-CO campaign and should be disregarded throughout the document.

For a full list of relevant disclaimers, please see the “Relevant Disclaimers” section in the *2.02 - Democracy Suite® System Overview* document.

1.3 User Guide Organization and Use

This document provides a wide variety of information about the Election Data Translator application, including background information on problem domain and procedures for executing functions in the application, images, and illustrations/diagrams.

Topics are grouped according to the intended functionality flow when processing election results. Most topics have sub-topics. These sub-topics are then further broken down into logical units.

1.4 Getting to Know Election Data Translator

Election Data Translator's main function is to import data into template election project database and prepare project definition data for your election.

Election Data Translator uses Microsoft Excel spreadsheets .xlsx (Excel 2007, Excel 2010 or newer) with a strong defined structure. If you use a version of an Excel file which supports .xlsx (Excel 2007, Excel 2010 or newer), then you are required to save the exported .xml file in .xlsx format before you import it into template database. The Excel files can be prepared in the following ways:

1. Manually inputting the data into Excel.
2. Exporting and modifying data from an existing EMS project through the use of the Election Data Translator's 'Export Mode'.
3. Exporting data from another management system that follows the Election Data Translator format.
4. Converting data from well known external formats, into an import file format (using Election Data Translator).

The Election Data Translator application extracts data from a source Excel file, transforms it, and combines it with base election information that is stored in the connected EMS template election project database. At the end of this process, data is imported into the EMS template election project database. Following this, the election project is ready for further processing in Election Event Designer.

In addition to this, the application also has the capability, via the 'Import Mapper' feature to convert well known election definition formats (usually from other systems/vendors) into the base import excel file format, ready to be imported into the EMS election database.

CHAPTER 2: BASIC STEPS

2.1 Configuring EMS Application Server Settings

When launching EDT for the first time, you must set the Application Server Settings (see Figure 2-2). These setting parameters ensure that your project will be saved to the correct EMS Database Server. In doing so, the Election Management System creates a project folder for each Election Project on the Network Access Storage server. This folder operates as a file repository for all of the files you produce.




Figure 2-1: EMS Application Server Settings

To Set your Application Server Settings:

1. Click the **Administration** drop-down menu, and select **EMS Application Server Settings**.
The *Application Server Settings* dialog appears
2. Within the Network Settings dialog:
 - a. Type in the name of the EMS Application Server.
 - b. In the EMS Application Server Name field, enter **emsapplicationserver**.
 - c. To confirm that the entered parameters are correct, click **Test**. If the parameters have been entered correctly, click 'OK' to save the entered data.
 - d. If the connection fails, check that the parameters were entered correctly.

If the connection continues to fail, ensure that the EMS Application server host is online and contact DVS technical support.

2.2 Opening an Election Project

The application needs to know which election database project it needs to work with in order to import or export the necessary data.

1. Double click the EMS Election Data Translator icon to start the application. The main application window appears.
2. Click File and select Open Project menu item.
3. Depending on whether Network Settings were configured previously for the application, two scenarios are possible after clicking the Open Project menu item:
4. Case 1 - The Network settings have not been configured previously: The Network Settings dialog appears. Follow the instructions described in section Configuring Election Data Translator of this document (Configuration) in order to configure the network settings in EMS Election Data Translator. After network settings are properly configured, click OK in the Network Settings dialog, and the Open Project dialog appears.
5. Case 2 - The Network settings have already been configured: The Open Project dialog appears.
6. Select the desired election project from the list of available projects and click OK. The Login dialog appears.
7. Log in as an EMS User by entering your username and password credentials. Please note that password field is case-sensitive.
8. After successfully logging in and opening the election project, the name of the project is displayed in the title of the main application form. Each action performed in the application is logged and displayed in the Status area in the main form.

NOTE: It is not required to restart the application after every import and/or export process is completed. The application allows the user to perform multiple subsequent import and/or export actions into/ from various election projects.

2.3 Closing Election Project

To exit application, expand the File item from the main menu and click Exit.

2.4 Help

In the **Help** item in the main menu there are two options: **Help Documentation** and **About**.

1. To open Democracy Suite EMS Election Data Translator User Guide, click the **Help** item from the main menu and click **Help Documentation**.

- To open the Democracy Suite EMS Election Data Translator application version information, click the **Help** item from the main menu and click **About**.

2.5 Updating the Import File Format

The Election Data Translator application has the ability to update the import file format with the Update Excel File Format feature. In case the format of the file to be imported into the EMS election project is out of date, the user is able update the structure of the file, and proceed with importing the data. The Update Excel File Format feature contains the following actions:

- **Add missing worksheets.** If the import file is missing one or more required worksheets, the Update Excel File Format feature will update the file by including the missing worksheet(s). The newly added worksheets will contain all the necessary columns according to the worksheet structure defined for the latest version of the EMS system. The order of the columns inside the newly added worksheets and the order of worksheets inside the updated Excel file follows the order defined in the latest version of the EMS input file structure specification. After the file is updated, all columns and fields in the new worksheets will be empty except the ones where default values are defined.
- **Add missing columns into the existing worksheet.** If one or more columns is missing from an existing worksheet of an import file, the Update Excel File Format feature will update the file by including the missing column(s). After updating the required worksheets, all cells inside the newly added columns will contain a pre-defined default value. If a default value does not exist for certain fields, those cells will remain empty. The order of the columns inside the updated worksheets will follow the order defined in the latest version of EMS input file structure specification.
- **Delete invalid columns.** If a worksheet contains any columns which are obsolete or invalid, those columns will be removed.

In order to update the structure of an input Excel file, perform the following:

- Click **File/Update** Excel File Format in main application menu. The **File Selection** dialog appears (see Figure 2-2).




Figure 2-2: File Selection dialog

2. Click **Browse** (in the top right corner of the dialog) and navigate to the excel file which you want to update.
3. Click **Next** at the bottom of the **File Selection** dialog to continue the Update Excel File structure action.
4. The **Save As** dialog appears. Enter a name for the updated Excel file, browse to the location where the updated copy of the import Excel file should be saved and click **Save**. The updated version of import Excel file will be saved at the specified location.
5. The **Save As** dialog will close. The following message will appear in the **Status** part of the main application form.
6. The updated version of the selected import file has been saved to [Path of the Location].

NOTE: Before importing the updated import file, the user must populate the newly added worksheets and columns.

7. If the selected file is not up-to-date, messages will be displayed indicating what updates have been performed to the file. For example, see Figure 2-3, for messages indicating newly added worksheets and columns.




Figure 2-3: EMS Election Data Translator main screen

- Open the updated Excel file and check which worksheets were updated. The worksheets where the structure has been updated are colored orange, while newly added worksheets are colored yellow. For example, see Figure 2-4 - in this example the 'Parties' worksheet was added while the 'Precincts', 'Ballot Groups', and 'Contests' worksheets were updated).

	A	B	C	D	E	F	G	H	I	J	K
1	Id	Name									
2	1	Default									
3											
4											

Figure 2-4: Updated Excel file

- Newly added columns in the updated file are colored green (see Figure 2-5). Columns that have been renamed are colored blue. If a default value is defined for the newly added column, all cells in this column will be populated with this default value.

	A	B	C	D	E	F	G	H
1	Id	Name	Type	Parent	Combinat	Abbreviat	Descriptio	Externalid
2	1	President	Presidential		President	Pres		Pres
3	2	State	State		State			STATE
4	3	Federal	Federal		Federal			FED
5	4	Congress	Congressional Distri	Congress	50			CON50
6	5	Congress	Congressional Distri	Congress	51			CON51
7	6	Congress	Congressional Distri	Congress	49			CON49
8	7	State Seni	State Senate		State Senate	36		10
9	8	State Seni	State Senate		State Senate	37		9
10	9	State Seni	State Senate		State Senate	39		7
11	10	State Seni	State Senate		State Senate	38		11
12	11	State Seni	State Senate		State Senate	35		8
13	12	Assembly	Assembly		Assembly	75		ASM75
14	13	Assembly	Assembly		Assembly	77		ASM77
15	14	Assembly	Assembly		Assembly	76		ASM76
16	15	Assembly	Assembly		Assembly	66		ASM66
17	16	Assembly	Assembly		Assembly	74		ASM74
18	17	Board of E	Equalization		Board of Equalization	3		17
19	18	Court	Court		Court			18
20	19	County	County		County			19
21	20	Lemon Gr	City		Lemon Grove			22
22	21	Chula Vist	City		Chula Vista			21
23	22	Unincorpc	City		Unincorporated			20
24	23	Porter Vis	Utility		Porter Vista Utility			23
25								
26								
27								
28								
29								
30								
31								

Figure 2-5: Updated Excel file

- Each update of the import file will result in the update of the 'Version' worksheet. This worksheet tracks changes to the structure of the import file and contains two columns: Number and Creation Date. These columns track the version of the EMS Election Data Translator application which updated the file, and the exact time the file was updated. (see Figure 2-6).



	A	B
1	Number	Creation Date
2	4.0.70.0	8/8/2014 5:05:35 PM
3	4.0.70.0	8/8/2014 5:13 PM
4		
5		

Figure 2-6: Updated Excel file

NOTE: The EMS Election Data Translator application cannot update input files which contain only translation data.

CHAPTER 3: EXPORTING DATA

3.1 Creating Election Definition Exports

The Election Data Translator application provides the capability to export election definition data from the EMS election project database, into an XML schema which is equivalent to the input file format.

This capability may be useful when wanting to provide an election definition to another system, or to adjust definition data outside of the Election Event Designer application, directly in the raw input format. One of the additional benefits of this feature is to allow for election definition data to be translated outside of the system which is explained in section Exporting Data for Translation Activities.

The following section outlines the export process.

1. When starting the application, the user will be presented with a dialog asking to select the 'Importer mode', as seen in Figure 3-1. To begin, select Export data from database to excel file and click Done.




Figure 3-1: Select the importer mode dialog

The Export Data dialog, as seen in Figure 3-1, will appear. Select the All information option if you wish to export all possible election information from the project.

NOTE: If you only require to export content for translation activities, please skip immediately to Section Exporting Data for Translation Activities and follow the remaining steps there.

2. Click **Browse** beside the **Target folder path** field, and navigate to the location where the exported data should be saved.
3. In the **Result File Name** field, enter the file name for the exported data.
4. Click **Export**.

5. The **Success** dialog (see Figure 3-2) will appear indicating a successful export. Click **OK** to finish.




Figure 3-2: Export Data dialog

3.2 Exporting Data for Translation Activities

Aside from having the capability to export election definition data, the Election Data Translator application provides the capability to export only translations per language from the EMS election project database, into an Excel spreadsheet which is equivalent to the input file format.

This option allows the election definition data to be translated outside of the system, by exporting only the elements which require translations in other languages for that specific election project.

The following sections outline the export process.

When starting the application, the user will be presented with a dialog asking to select the 'Importer mode', as seen in Figure 3-3.

1. To begin, select **Export data from election project** to Excel file and click **Done**.




Figure 3-3: Select the importer mode dialog

2. The **Export Data** dialog, as seen in Figure 3-4, will appear.




Figure 3-4: Export Data dialog

3. Select the **Only translations per language** option if you wish to export all possible election information from the project.
4. Click **Browse** beside the **Target folder path** field, and navigate to the location where the exported data should be saved.
5. In the **Result File Name** field, enter the file name for the exported data.
6. Click **Export**.
7. When the **Language Selection** screen appears (see Figure 3-5) choose all the languages you want to export - you can select them manually (one-by-one) or you can Select All by clicking the 'All' radio button.

NOTE: The purpose of the specific translation is listed next to the language profile, i.e. what operating mode the translation is for - Ballot Content, Screen Content, Print Content and Base/Audio content.

Example: “Spanish - Ballot Content” - the Spanish language translation for the content on a regular paper ballot.




Figure 3-5: Language Selection

8. The **Success** dialog (see Figure 3-6) will appear indicating a successful export. Click OK to finish.




Figure 3-6: Export Data Success dialog

CHAPTER 4: IMPORTING DATA

The Election Data Translator application provides the capability to bulk import election definition data into the EMS election project database, from an Excel input file format.

Before proceeding, you must first create a template election project in the Election Event Designer application, and this project must be in the 'Election Project Definition' project phase. Follow the steps outlined in the Democracy Suite EMS Election Event Designer User Guide to set up basic information in your election project, such as:

- Election Type
- Ballot Style
- Language Profile
- Default Elector Group
- Default Elector Group Combination
- Templates related to headers, contests, and (optionally) candidates

The following sections outline the import process

4.1 Importing Data into Template Election Definition Project Database

1. When starting the application, the user will be presented with a dialog asking to select the 'Importer mode', as seen in Figure 4-1. To begin, select Import data to template election project and click Done.
2. There are two possible use cases, depending on whether the template election project already contains election data:

4.1.1 Case 1: Importing when Election Project already contains data

In this case, an Information dialog appears as seen in Figure 4-3, informing the user that the project already contains data.

The user can:

- Either, click Continue to proceed with the import process. The process will delete existing election data before the import inserts new data from the input file. Following that, the File Selection dialog appears as seen in figure 5.3. Skip ahead to Section 4.1.2 , Case 2: Importing when Election Project does not contain data.

- Or, click Exit, to cancel the import process. In that case, a Question message box will appear with the following text: Are you sure you want to cancel import? Clicking the Yes option will cancel the import process. Clicking No will return the user to the previously shown information dialog stating that the project already contains data.

4.1.2 Case 2: Importing when Election Project does not contain data

This section assumes that there is either no election definition data in the election project, or that the user has chosen to delete existing data and replace with a new data set.

1. The File Selection dialog appears.
2. Click Browse in the top-right corner and navigate to, and select the input file containing the data you wish to import. Click Open.
3. At this point, users have possibility to record all future steps during the import data process into a file (so called import pattern, with .ptrn extension), by selecting Create new import pattern, or to import already existing import pattern file by selecting Use the existing import pattern option. The purpose of the import patterns is to make quicker and easier for user the import of large number of election project files with the same settings of Ballot Types, Language Assignments and Language Font Selections.
4. Choose the Project Type from the drop down menu and click Next. The application will validate the consistency of the data contained in the Excel file. When validation is complete, the process will begin. NOTE: For more information related to validating the consistency of the data inside the Excel file see section 5.4 (Validation of Input Data).
5. The import data process will continue. The Ballot Types dialog appears.




Figure 4-1: Export Data dialog

6. The user will be prompted to either ignore or use explicit ballot types. Selecting Ignore Explicit Ballot Types will allow the EMS Election Event Designer application to automatically generate the ballot type based on the election content. Note that Use Explicit Ballot Types should only be selected if the user manually programmed the ballot type into the input file.
7. Click Done.
The Language Assignment dialog displays.
8. Assign language(s) from the 'Language' list on the right-hand side of the dialog to the existing Language Profiles in the election project (as displayed in the list on the left-hand side, by clicking the <-<- button. Remove languages from language profiles by clicking the ->-> button. User can also press the Auto button to automatically assign languages by name.
9. Click Done. The Language Font Selector dialog appears. Select your desired font and font size. Note that if your project contains more than one language, you will have the option to select font and font size for each language in your project.
10. Click Done. The import process will commence. All actions that are part of the process will be logged and displayed in the Status area of the main application form. At the end of the import process the user will receive a notification that the import process has finished (A message with the text: Finished will be displayed at the bottom of the Status field).
11. Close the application. You can now continue with modifying the election definition or styling the ballots in the EMS Election Event Designer application.

4.2 Importing Only Translation Data

This feature is normally used for importing translated election definition objects. The translations can be supplied from outside of the Election Management System and can be imported back into the project once they are complete. See section Exporting Data (Exporting Data for Translation Activities) for more info and steps related to providing the data set containing the basic objects which require translations.

NOTE: For importing only translation data into the election project, the user may use either the full input file format, containing all the worksheets (usually created by using the 'All information types' option during the export process), or an input file which contains only the worksheets required for importing translation data into the election project (usually created by using the 'Only translations per Language' option during the export process). No other forms of the input file may be used.

Worksheets which are used in this mode of the import are identified by a TRN next to their name in the Appendix A - Input File Reference.

1. When starting the application, the user will be presented with a dialog asking to select the Importer mode. To begin, select Import only translation data to election project and click Done (see Figure 4-2).




Figure 4-2: Select the importer mode dialog

2. The File Selection dialog appears.
3. Click Browse in the top-right corner and navigate to, and select the input file containing the translation data you wish to import. Click Open.

4. Select your Project Type from the drop down menu at the bottom of the File Selection dialog, and click Next. The application will validate the consistency of the data from the Excel file. When validation is complete, the process will begin (see Figure 4-3).




Figure 4-3: File Selection dialog

5. The Language Assignment dialog appears (see Figure 4-4).
6. Assign language(s) from the 'Language' list on the right-hand side of the dialog to the existing Language Profiles in the election project as displayed in the list on the left-hand side, by clicking the left arrows button. Remove languages from language profiles by clicking the right arrows button. User can also press the Auto button to automatically assign languages by name.
7. Click **Done**.




Figure 4-4: Language Assignment dialog

8. The Language Font Selector dialog appears (see Figure 4-5). Select your desired font and font size. The dialog also allows you to define the default margins that will be applied to the proposition text (the values are in points).
9. Note that if your project contains more than one language, you will have the option to select font and font size for each language in your project.
10. Click Done.




Figure 4-5: Language Font Selector

11. The import process will commence. All actions that are part of the process will be logged and displayed in the Status area of the main application form. At the end of the import process the user will receive a notification that the import process has finished (A message with the text: Finished will be displayed at the bottom of the Status field, see Figure 4-6)

12. Close the application. You can now continue with modifying the election definition, or styling the ballots in the EMS Election Event Designer application.



Figure 4-6: Import Finished successfully

4.3 Importing Only Tabulator Data

This feature is normally used for importing tabulator related objects. The tabulator definitions can be supplied from outside of the Election Management System, and can be imported back into the project once they are complete.

NOTE: For importing only tabulator data into the election project, the user may use the full input file format, containing all the worksheets (usually created by using the ‘All information types’ option during the export process), the only sheets that will be used during import however are identified by a ‘TAB’ next to their name in the Appendix A - Input File Reference (see page 37) of this document.

1. When starting the application, the user will be presented with a dialog (see Figure 4-7) asking to select the Importer mode. To begin, select Import only tabulator data to election project and click Done.




Figure 4-7: Select the importer mode dialog

2. An Information dialog will appear (see Figure 4-8) informing the user that the project already contains data. The user can:
 - Either, click Continue to proceed with the import process. The process will delete existing election data before the import inserts new data from the input file.
 - Or, click Exit, to cancel the import process. In that case, a Question message box will appear with the following text: Are you sure you want to cancel import? Clicking the Yes option will cancel the import process. Clicking No will return the user to the previously shown information dialog stating that the project already contains data.




Figure 4-8: Select the importer mode dialog

3. The File Selection dialog appears.
4. Click Browse in the top-right corner and navigate to, and select the input file containing the translation data you wish to import. Click Open.
5. Select your Project Type from the drop down menu at the bottom of the File Selection dialog (see Figure 4-9), and click Next. The application will validate the consistency of the data from the Excel file. When validation is complete, the process will begin.




Figure 4-9: File Selection dialog

NOTE: For more information related to validating the consistency of the data inside the Excel file see section Validation of Input Data.

6. The import process will commence. All actions that are part of the process will be logged and displayed in the Status area of the main application form. At the end of the import process the user will receive a notification that the import process has finished (A message with the text: Finished will be displayed at the bottom of the Status field, see Figure 4-10)
7. Close the application. You can now continue using EMS Election Event Designer application.




Figure 4-10: Import Finished successfully

4.4 Validation of Input Data

Before the application begins to import the data from the input file, it must validate the content within it, to ensure consistency of the election definition before it is imported into the election project database.

If the validation process finds that the content of a particular column or worksheet in the file does not match the validation criteria (as per input file specification), the application will report an error and will prevent the data from being imported into the election project database. All errors must be manually resolved by the user, directly in the input file, before retrying to import the data.

The validations, which are executed before the data import, are listed below:

- **Allow empty value:** This type of validation checks whether an empty value is allowed for a given column. If it is not allowed and a cell inside the given column contains an empty value, the application will report an error at the end of the validation process. The following text is displayed in the Status area of the main window if the Allow Empty Value validation error occurs:
If the 'Allow Empty Value' validation error occurs, The following text is displayed in the Status area of the main window:
“The worksheet Worksheet name contains one or more empty values in the column Column Name.”
- **Unique value:** This type validation checks whether a column contains non-unique values. If the 'Unique Value' validation error occurs, The following text is displayed in the Status area of the main window:
“The worksheet Worksheet name contains non-unique values in the column Column Name.”
- **Referenced Table:** This type of validation checks whether values in each cell of a column referencing a column in another worksheet exist in the specified column of the referenced table (The references are specified in an XML specification of the input file). If the 'Referenced Table' validation error occurs, the following text is displayed in the Status area of the main window:
“The worksheet name worksheet contains a value, in the column name column, row number of the row.” “This value does not exist in the referenced Referenced worksheet name worksheet, in the referenced column name column.”

CHAPTER 5: MAPPING EXTERNAL DATA

The application has the ability to cover well-known and well-defined data formats from other election systems, into a standard native Election Data Translator input file format. The data can then be imported into the election project database by the regular import method (see section Importing Data into Template Election Definition Project Database).

Currently supported formats include:

- GEMS Import Format 1.x (currently handles versions 1.3 and 1.5)
- WinEDS Format
- NYS Import Format Data Mapper

5.1 GEMS Import Format Mapping

1. In the File menu of the application, select the Map External Format menu item (see Figure 5-1).




Figure 5-1: Map External Format

- 2. The Data Mapper Selection dialog will appear, please select the GEMS data mapper and click OK (see Figure 5-2).



Figure 5-2: Data Mapper Selection

- 3. A file selection dialog will appear that will allow the user to select the GEMS import format text file. After pressing Open button the mapping process will start (see Figure 5-3).




Figure 5-3: File Selection dialog

- The user will then be presented with the Select Tabulator Type(s) dialog that allows the user to select one or more tabulator types. For each selected tabulator type a single tabulator of that type will be created per voting location and linked to the appropriate precincts (see Figure 5-4).




Figure 5-4: Select Tabulator Type

- If the source data set is for a primary the Select Primary Type dialog will appear that allows the user to choose whether the primary is open or closed (see Figure 5-5).




Figure 5-5: Select Primary Type

- If no issues occur during the data conversion, the Save As dialog will appear where the user can choose the location where the produced input file will be stored. By default the file name will be the same as the source file but with the '.xlsx' file extension (see Figure 5-6).




Figure 5-6: Save As dialog

5.2 WinEDS Import Format Mapping

- In the File menu of the application, select the Map External Format menu item (see Figure 5-7).




Figure 5-7: Map External Format

2. The Data Mapper Selection dialog will appear, please select the WinEDS data mapper and click OK (Figure 5-8).




Figure 5-8: Data Mapper Selection

3. A folder selection dialog will appear (see Figure 5-9) that will allow the user to select a folder containing the WinEDS XML files. After pressing the Open button the mapping process will start.




Figure 5-9: Browse for Folder

4. The user will first be presented with the Ballot Content Languages dialog (see Figure 5-10). This dialog lists the languages defined in the WinEDS XML. In the dialog the user can select in which way ballot content language profiles will be created in the EDT sheet. By selecting Single language used on ballots option the mapper will create one ballot content language per WinEDS language, and by selecting the Multiple languages used on ballots

option the user can create his/her own set of ballot content languages by entering the name of the language and pressing Add button. User can correct mistakes by selecting the incorrect language from the list and press the Delete button.




Figure 5-10: Ballot Content Languages

- 5. After languages have been defined the user will be presented with the Other Settings dialog (see Figure 5-11) that allows the user to define the number of ballot markers to be used for regular contests and propositions. Also the user can choose whether the EDT sheet should contain a single counting group, or whether the counting groups should be created based on WinEDS data.




Figure 5-11: Other Settings dialog

- The Ballot Groups dialog will appear (see Figure 5-12) afterwards and this will list all of the Ballot Types defined in the WinEDS XML files. The user must first create the required amount of Ballot groups on the right hand side of the dialog, by entering the name of a ballot group and pressing Add button. Any mistakes can be corrected by selecting the incorrect ballot group and pressing Delete button.




Figure 5-12: Ballot Groups

- 7. Each ballot type listed on the left hand side of the screen must be assigned to the appropriate ballot group created on the right hand side of the screen. The user can assign a ballot group to a ballot type, by selecting one or more ballot types on the left side, and selecting a single ballot group on the right side and press the Link button in between. Incorrect assignments can also be corrected by using the Unlink button (see Figure 5-13).




Figure 5-13: Ballot Groups

8. If no issues occur during the data conversion, the Save As dialog will appear (see Figure 5-14) where the user can choose the location where the produced input file will be stored. By default the file name will be “WinEDS output_output.xlsx”.




Figure 5-14: Save As dialog

5.3 NYS Import Format Data Mapper

1. Double click the **Icon**, to start the application (see Figure 5-15).




Figure 5-15: File Selection

2. Click **Browse** and navigate to the working folder that contains the import files.
3. Select the *working folder*, and click **OK**.

All required fields are automatically filled in (see Figure 5-16).




Figure 5-16: File Selection Filled in

4. In the project type combo box, select the type of election that the data is being imported.
5. Leave the **Bulk insert into DB** as the selected value for the export type.
6. Click the **Next** button.
7. In the login form, select the Election project where you wish to import the data, and click **Open** (see Figure 5-17).




Figure 5-17: Login Form

8. The Administrative screen opens (see Figure 5-18), with two tabs:
- General
 - View 1
- a. In the **General** tab, for all **CT Subs** districts select the parent divisions:
- Town
 - City
 - County




Figure 5-18: General Tab

- b. In the **View 1** tab (see Figure 5-19), a list of all districts and their parent districts appears.




Figure 5-19: View 1 Tab

9. Click **Next**.

The *Language Assignment* screen appears (see Figure 5-20).

10. Assign the appropriate language profiles using the arrow buttons.




Figure 5-20: Language Assessment Screen

11. Click **Done**.

The import process should then complete successfully, and the confirmation message will appear.

5.4 Post Data Mapping

- After conversion the application will show various information in the form of info messages, warnings, and/ or errors (see Figure 5-21). This information is useful for the user to determine whether the resulting EDT sheet requires additional manual modifications to ensure that the EDT sheet can be imported into EMS. The same messages are also stored in a log file (see Figure 5-22) that is created each time an import format is mapped.




Figure 5-21: Status screen




Figure 5-22: Log File screen

- The resulting spreadsheet itself will also contain annotations using coloring of tabs, rows, columns and/or cells that indicate missing information or issues that the user should be aware of (see Figure 5-23 and Figure 5-24).




Figure 5-23: Spreadsheet

	B	C	D	E
1	Name	Parent	Abbreviat	Descriptiv
2	District Type 1	Generic place holder name		1
3	District Type 2			1
4				
5				

Figure 5-24: Worksheet

- After successfully mapping an import format and making manual modifications if necessary the EDT sheet can be imported. See chapter Importing Data for more details.

APPENDIX A: INPUT FILE REFERENCE

The Election Data Translator input file is comprised of worksheets (tabs), each containing specific information relating to the election import. This file can be exported from a pre-existing election database, adjusted or updated, and re-imported back into Election Event Designer for election programming.

This appendix lists all worksheets and their modifiable content.

NOTE: Worksheets which are used in the ‘Translations Only’ mode of the import are identified as Worksheet Name (TRN) - ‘TRN’ denotes a worksheet used in the import/export of translations. Worksheets which are used in the ‘Tabulators Only’ mode of the import are identified as Worksheet Name (TAB) - ‘TAB’ denotes a worksheet used in the import of tabulators.

A.1 Ballot Style Parameters

Version		
Attribute	Type	Description
Starting Ballot ID	String	The Starting Ballot ID to be used.
Voting Box Type	String	Box or Oval

This Version worksheet, in Table A-1, contains information about the Excel version. (This information is not part of the import process)

Table A-1: Ballot Style Parameters Worksheet

A.1.1 Version (TRN)

The Version worksheet, Table A-2, contains information about the Excel version. (This information is not part of import process).

Version		
Attribute	Type	Description
Number	Integer	The version of the input file.
Creation Date	Data (Time)	Refers to the date of creation of this version of the input file.

Table A-2: Version Worksheet

A.1.2 District Types

The District Types worksheet, Table A-3, lists all district types for the election except the top-level district type that is part of the template database itself.

District Types		
Attribute	Type	Description
Id	Integer	Uniquely identifies the district type.
Name	String	Name of the district type. Name must be unique.
Parent	String	Refers to the parent district type of the current district type. If left empty, the parent district type will be the default district type. Optional
Abbreviation	String	Abbreviation of the district type. Optional
Description	String	Description of the district type. Optional
Level	Integer	This number helps to group district types together. Default level is 1.
External Id	String	The External Id. Optional
Force Split	Boolean	Indicates if ballots should be generated in such a way that they do not cross any district boundary, even if ballot content between two districts is equivalent.
IsMainFor-Reporting	Boolean	Indicates if district names of this district type will be included on result tape printed on the tabulator.

Table A-3: District Types Worksheet

A.1.3 Districts

The Districts worksheet, Table A-4, contains a list of all districts for the election, except the top-level district that is part of the template database itself.

Districts		
Attribute	Type	Description
Id	Integer	Uniquely identifies the district.
Name	String	Name of the district - does not have to be unique.

Table A-4: District Worksheet

Districts		
Attribute	Type	Description
Type	String	Specifies the district type for this district. (see A.1.2 “District Types”)
Parent	String	Refers to the parent district of the current district. If left empty, the parent district will be the default district. Optional
Combination	String	This string determines how other worksheets refer to a district (precinct and contest), as the name of the district is not necessarily unique. The combination field should be unique and is typically populated consisting of parent district and district name combined into a single unique string.
Abbreviation	String	Abbreviation of the district. Optional
Description	String	Description of the district. Optional
External Id	String	External ID of the district. Optional.
External Id 2	String	Second/Additional External ID of the district. Optional.
External Id 3	String	Third/Additional External ID of the district. Optional.

Table A-4: District Worksheet (Continued)

A.1.4 Precincts (TAB)

The Precincts worksheet, Table A-5, lists all precincts in the election.

Precincts Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies each precinct.
Name	String	Name of the precinct.
Parent Id	String	Id of the parent precinct. Optional.
Eligible Voters	Integer	Number of eligible voters in the precinct.
Abbreviation	String	Abbreviation of the precinct. Optional.
Description	String	Description of the precinct. Optional.

Table A-5: Columns for the Precincts Worksheet

Precincts Columns		
Attribute	Type	Description
Key-in ID	Integer	This is used to indicate the poll matrix value and/or the central scanning Key in value for the precinct. Optional.
External Id	String	External ID of the precinct, for example, the identifier of the precinct in an external system. Optional.
External Id 2	String	Second/Additional External ID of the district. Optional.
External Id 3	String	Third/Additional External ID of the district. Optional.
EC-[NAME]	String	The column title [NAME] section refers to the name of the elector group; the cell values contain the elector count for that elector group in this precinct (portion). Optional
DT-[NAME]	String	District type NAME column. The user can make references to districts of a specific type (See A.1.3 “Districts”) by adding columns with a “DT-” prefix and the name of the district type (See A.1.2 “District Types”). The column can then contain name references to districts of that particular type to indicate that this precinct (portion) falls within that district. Optional.
TAB-*	String	Tabulator references columns. The user can indicate that a precinct is handled by a tabulator, by filling in the name of the tabulator in this column. Since a single precinct can be handled by many tabulators, the user can add as many columns as required as long as they have the prefix “TAB-” and are uniquely named. Optional.
LP-*	String	Refers to the language name. Optional.

Table A-5: Columns for the Precincts Worksheet (Continued)

A.1.5 Parties (TRN)

The Parties worksheet, Table A-6, defines all the political parties in the election.

Parties Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the political party.
Name	String	Name of the party (has to be unique).
Abbreviation	String	Abbreviation of the party.
Description	String	Description of the party. Optional.
Image Resource	String	Refers to the party logo file that must be placed in the same directory as the spreadsheet. Optional.
Composite	Boolean	Indicates that party is composite. Optional.
Independent	Boolean	Indicates that party is for independent candidates. Optional.
External Id	String	External ID of the parties Optional.
External Id 2	String	Second/Additional External ID of the district. Optional.
External Id 3	String	Third/Additional External ID of the district. Optional.
LINE-[*]	String	Line references columns. The user can indicate that a political party should be placed in certain line(s) by adding a reference to the name of an existing line (See Section A.1.17 Lines). Since a party can be assigned to multiple lines, the user can add as many columns as required as long as they have the prefix LINE- and are uniquely named. Optional.
PARTY-[*]	String	Party references columns. The user can define political parties associated to composite party. Each composite party needs to have at least two associated political parties. Furthermore, each composite party needs to have unique combination of associated parties. Since a composite party have more associated parties, the user can add as many columns as required as long as they have the prefix PARTY- and are uniquely named. Required only for composite parties.

Table A-6: Columns for the Parties Worksheet

A.1.6 Party Display (TRN)

The Party Display worksheet, Table A-7, contains all styling-related information for political parties.

Party Display Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the party item.
Party Name	String	Refers to the party (See A.1.5 “Parties”).
Language	String	Refers to the language name (See A.1.7 “Languages”).
Purpose	Enumeration: Audio, Ballot Content, Screen Content, or Print Content	Refers to the Audio, Ballot Content, Screen Content, or Print Content party display purpose.
Appearance	Enumeration: Name, Rtf, Unit	For ballot type content or object name, rtf text, units and templates, ballot text for audio content appearance.
Rtf text	String	Text to be added to RTF of the political party.
Audio File	String	Represents full audio file path (including extension) or relative path based on imported excel file for party name. Optional.
Political Party Template	String	Refers to the Political Party template name
NumOfTU	Integer	The Number of Textual Units. Default value is (0).
TU-[*]	String	Textual unit. The user can add as many columns as required. The columns must be uniquely named and prefixed by TU-.

Table A-7: Columns for the Party Display Worksheet

A.1.7 Languages (TRN)

The “Languages” worksheet, Table A-8, lists all languages that are referred to in the display worksheets (See A.1.12 “Contest Display”, A.1.14 “Choice Display”, A.1.6 “Party Display”, A.1.15 “Choice Group Display”). These languages can be mapped to actual ballot content language profiles defined in the database in any way the user requires.

Languages Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the language
Name	String	Name of the language. Must be unique.
Purpose	Enumeration: Audio, Ballot Content, Screen Content, or Print Content	Refers to the Audio, Ballot Content, Screen Content, or Print Content party display purpose.

Table A-8: Columns for the Languages

A.1.8 Election (TRN)

The Election worksheet, Table A-9, is not imported into the database, but is strictly intended to document for which jurisdiction and election the sheet contains data.

Election Columns		
Attribute	Type	Description
Description	String	Describes the election. Optional
Jurisdiction	String	The name of the jurisdiction. If value is empty the jurisdiction name will not be updated after import is finished. Optional
Date	Date	The date of the election. The value in this field must be entered in the valid date format (i.e. 2/6/2017 12:00:00 AM). If value is empty the election project date will not be updated after import is finished. Optional
Type	Enumeration: Closed Primary, General Election, Open Primary	The type of the election. Enumeration: Closed Primary, General Election, Open Primary. If value is empty the election project type will not be updated after import is finished. Optional
Audio Ballot Type	Enumeration: None, Full Audio Ballot	Audio Ballot Type, Enumeration: None, Full Audio Ballot. The audio ballot type of the election. If value is empty the audio ballot type will not be updated after import is finished. Optional

Table A-9: Columns for the Election Worksheet

A.1.9 Elector Display

The elector display worksheet, Table A-10, contains all the styling-related information for political electors.

Party Display Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the party item.
Language	String	Refers to the language name (See A.1.7 “Languages”).
Purpose	Enumeration: Audio, Ballot Content, Screen Content, or Print Content	Refers to the Audio, Ballot Content, Screen Content, or Print Content party display purpose.
Appearance	Enumeration: Name, Rtf, Unit	For ballot type content or object name, rtf text, units and templates, ballot text for audio content appearance.
Rtf text	String	Text to be added to RTF of the political party.
Audio File	String	Represents full audio file path (including extension) or relative path based on imported excel file for party name. Optional.
Political Party Template	String	Refers to the Political Party template name
NumOfTU	Integer	The Number of Textual Units. Default value is (0).
TU-[*]	String	Textual unit. The user can add as many columns as required. The columns must be uniquely named and prefixed by TU-.

Table A-10: Columns for Elector Display Worksheet

A.1.10 Elector Groups

The Elector Groups worksheet, Table A-11, contains all the elector groups for the election.

Elector Groups Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the elector group.
Name	String	Name of the elector group.
Abbreviation	String	Abbreviation of the elector group. Optional.
Description	String	The description of the elector group.
ExternalId	String	The external ID. Optional.
Party	String	Refers to the party name that this elector group represents. If value is entered, this elector group is considered partisan (See Section A.1.5 “Parties”).
IsTop	Integer	0 - non default and 1 - default elector group.
ApplyCross overRule	Integer	Value (0) will ignore crossover rule. Value (1) will apply crossover rule.
Column Index	String	Force drawing in same column all the contests that belong to the same electoral group. Value can be 1,2,3,4 and the default value None.

Table A-11: Columns for the Elector Groups Worksheet

A.1.11 Ballot Groups

The Ballot Groups worksheet, Table A-12, contains all ballot groups in the election (in EMS, this maps to Elector Group Combination). Keep in mind that the user might have to manually delete the Default elector group combination from the template project before importing.

Ballot Groups Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the ballot group.
Name	String	Name of the ballot group.
External Id	String	External ID of the ballot group. Optional.

Table A-12: Columns for the Ballot Groups Worksheet

Ballot Groups Columns		
Attribute	Type	Description
Ignore Rotation	Boolean	If it is set to 1, then rotation will be ignored. If it is set to 0, rotations will be applied. Default value is 0
Abbr	String	Abbreviation of the ballot groups. Optional.
Consolidate	Boolean	0 - do not force consolidation for ballots created for this group; 1 – consolidate ballots created for this group
EG-[*]	String	Refers to an elector group. Since multiple elector groups can belong to any ballot group, the user can add as many columns as required. The columns must be uniquely named and prefixed by EG.

Table A-12: Columns for the Ballot Groups Worksheet (Continued)

A.1.12 Contests

The Contests worksheet, Table A-13, lists all the contests in the election.

Contests Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the contest.
Name	String	Name of the contest, has to be unique.
District	String	Name of the district that this contest applies to (See A.1.3 “Districts”), empty cell means that the district will be the default district. Optional.
District Type	String	Name of the district type, helps to filter the drop-down list for District column, empty cell means that the type will be the default district type. Optional.
Description	String	Describes the contest. If Type is “Measure” this field will be interpreted as the question text. Optional.

Table A-13: Columns for the Contests Worksheet

Contests Columns		
Attribute	Type	Description
Row	Integer	In ballot styles supporting CF200 (e.g. Canadian styles) it is important to fixate row position for a contest so it appears on same location on any ballot. This sets the row discriminator in EMS. Optional.
External Id	String	External Id of the contest. Optional
Rendering Type	Enumeration: Normal, Reduced, Cascade	Defines how proposition or measure will be rendered on ballot
Office	String	If this field is populated, the contest will be assigned to an office of the same name. If left blank, the importer will create one office per contest.
Vote For	Integer	Number of positions for this office/contest.
Override Vote For	Integer	Value (0) ignores override, value (1) applies value for override and use contest Vote For.
Office Vote For	Integer	Number of positions for this office.
Writeins	Integer	Number of write-ins for this contest. Optional.
Override Writeins	Integer	Value (0) ignores override. Value (1) applies value for override and use contest vote for (see Write-in value).
Office Writeins	Integer	Number of write-ins for the office level. Optional.
Ballot Markers	Integer	Number of markers for this contest. Optional.
Override Ballot Markers	Integer	Value (0) ignores override. Value (1) applies value for override.
Office Ballot Markers	Integer	Number of markers for this office. Optional.

Table A-13: Columns for the Contests Worksheet (Continued)

Contests Columns		
Attribute	Type	Description
Paper Index	Integer	The paper index (starting at 1) for this single contest. Optional.
Override Paper Index	Integer	Value (0) ignores override. Value (1) applies value for override. Optional.
Office Paper Index	Integer	The paper index (starting at 1) for this office. Optional.
Type	Enumeration: Candidacy, Measure, Straight Party, Instructional, Off Ballot	Refers to type of contest. Optional.
Major	Boolean	1 - The office will be marked as “major”.
Term Length	Integer	Indicates the term length for this office. Optional.
Acclamation Type	Enumeration: None, Remove Empty, Remove Acclaimed	Indicates the acclamation behaviour for this office (See A.1.5 “Parties”). Optional.
Voting System	Enumeration: FPTP, Preferential	Indicates what method of tabulation is used.
Number of office ranks	Integer	The number of office ranks for this office.
Number of contest ranks	Integer	The number of ranks for this contest.
Office Page	Enumera- tion: None, Front and Back	The ballot artwork page position.

Table A-13: Columns for the Contests Worksheet (Continued)

Contests Columns		
Attribute	Type	Description
Office Column	Integer	The office column position. Allowed values are 1,2,3,4,5.
Office Contest Span	Integer	The office column span. Allowed values are 1,2,3,4,5.
Office Candidate Span	Integer	The office column span for candidate. Allowed values are 1,2,3,4,5.
Office Contest Position	Enumeration: None, New Column, New Side	The contest relative position.
Contest Page	Enumeration: None, Front and Back	The ballot artwork page position.
Contest Column	Integer	The contest column position. Allowed values are 1,2,3,4,5.
Contest Span	Enumeration 1,2,3,4,5	The contest span. Contest span is number of candidate units occupied by contest.
Candidate Column Span	Enumeration 1,2,3,4,5	The number of columns occupied by candidate box.
Contest Position	Enumeration: None, Default, New Column, New Side	The contest position configuration for this office/contest. Optional.
Screen Placement	String	Specifies how contests are displayed on the ICX screen in terms of page breaks. Possible values: Default, New Screen or Single.
Screen Column Span	Integer	The number of candidate columns on the ICX screen that contest will span across. Allowed values are 1,2,3,4,5,6.

Table A-13: Columns for the Contests Worksheet (Continued)

Contests Columns		
Attribute	Type	Description
Screen Candidate Column Span	Integer	The number of columns that candidates will span within single contest on the ICX screen. Allowed values are 1,2,3,4,5,6.
Disable Rotation	Boolean	If it is false rotation will be allowed. If it is true, contest will not be rotated.
Writein Line Count	Integer	Indicates the number of write-in lines to render for this contest. Optional
Cannot be duplicated	Boolean	If set to true, Contest cannot be duplicated in Provisional mode of Conditional Voting. Optional
Disabled	Boolean	If set to true, Contest will not be tallied. Optional
Reporting Order	Integer	Defines order of contests in reports.
External Id 2	String	Second/Additional External ID of the contest. Optional.
External Id 3	String	Third/Additional External ID of the contest. Optional.
EG-[*]	String	Refers to an elector group linked to this contest (See A.1.9 “Elector Groups”). Since multiple elector groups can belong to any contest, the user can add as many columns as required. The columns must be uniquely named and prefixed by E-.
SP-[*]	String	Contest is connected with Straight Party contest. Optional
CH-[*]	String	Refers to a contest heading linked to this contest. Since contest headings can belong to any contest, the user can add as many columns as required. The columns must be uniquely named and prefixed by CH-. Optional

Table A-13: Columns for the Contests Worksheet (Continued)

A.1.13 Contest Display (TRN)

The Contest Display worksheet, Table A-14, contains all styling-related information for contests.

Contest Display Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies this contest display item.
Name	String	Refers to the contest name (See A.1.11 “Contests”).
Language	String	Refers to a language name (See A.1.7 “Languages”).
Purpose	Enumeration: Audio, Ballot Content, Screen Content, or Print Content	Refers to the Audio, Ballot Content, Screen Content, or Print Content purpose.
Contest Template	String	Refers to the name of a Contest Header template that must exist in the database that the information is being imported into. Optional.
Choice Template	String	Refers to the name of a Choice template that must exist in the database that the information is being imported into. Optional.
Choice Group Template	String	Refers to the name of a Choice Group template that must exist in the database that the information is being imported into. Optional.
Review Title Template	String	Refers to the name of a Review Title template that must exist in the database that the information is being imported into. Optional.
Proposition Appearance	String	Refers to the type of the proposition appearance.
Proposition RTF Text	String	Refers to the proposition RTF text.
Appearance	Enumeration: object name, rtf text, Units	For ballot type content or object name, rtf text, units and templates, ballot text for audio content appearance.

Table A-14: Columns for the Contest Display Worksheet

Contest Display Columns		
Attribute	Type	Description
RTF Text	String	Refers to the RTF text of audio ballot content (RTF appearance type).
Audio File	String	Represents full audio file path (including extension) or relative path based on imported excel file for contest title. Optional.
Proposition Audio File	String	Represents full audio file path (including extension) or relative path based on imported excel file for proposition title. Optional.
Review Title Audio File	String	Represents full audio file path (including extension) or relative path based on imported excel file for review title. Optional.
NumOfTU	Integer	The Number of Textual Units. Default value is (0).
TU-[*]	String	Textual unit. The user can add as many columns as required. The columns must be uniquely named and prefixed by TU-.

Table A-14: Columns for the Contest Display Worksheet (Continued)

A.1.14 Choices (TRN)

The Choices worksheet, Table A-15, defines all candidates/choices in the election.

Choices Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the choice.
Name	String	Names the choice, has to be unique within the contest.
Contest	String	Refers to the contest (See Section A.1.12 “Contests”).
Choice Group	String	A name for the choice group for this choice. Optional.

Table A-15: Columns for the Choices Worksheet

Choices Columns		
Attribute	Type	Description
Cross Over Group	Integer	Refers to an elector group linked to this choice (See A.1.9 “Elector Groups”). The referred group represents the cross-over group; this is used by choices in a party preference ticket contest. Optional.
Cell Reference	String	A reference value for the voting box. Optional.
First Name	String	First name of candidate. Optional.
Last Name	String	Last name of candidate. Optional.
Gender	Enumeration: Male, Female, Unknown	Gender of the candidate. Optional.
Birth Year	Integer	Birth year. Optional.
Birth Month	Integer	Birth month. Optional.
Birth Day	Integer	Birth day. Optional.
Incumbent	Boolean	1 - indicates that the candidate is running for re-election. Optional.
Line Override	Integer	Allows to place the choice in any line.
Contest Index	Integer	Sets the contest index. Optional.
Type	Enumeration: Regular, No Candidate	Specifies the type of candidate. Optional.
Non-Rotatable	Boolean	Disable or Enable rotation on the choice level. Values can be 0 (choice rotation will be enabled) or 1 (choice rotation will be disabled)
ExternalId	String	External Id of the choice. Optional
Disabled	Boolean	If set to true, Choice will not be tallied. Optional

Table A-15: Columns for the Choices Worksheet (Continued)

Choices Columns		
Attribute	Type	Description
Image Resources	String	Name of file containing the image for the choice. The file must be placed in the same directory as the EDT sheet.
External Id 2	String	Second/Additional External ID of the contest. Optional.
External Id 3	String	Third/Additional External ID of the contest. Optional.
PARTY-[*]	String	Party affiliation reference columns. The user can indicate that a choice is affiliated to a political party by adding a reference to the name of an existing party (See Section A.1.5). Since a choice can be affiliated to multiple parties, the user can add as many columns as required as long as they have the prefix PARTY- and are uniquely named. Optional.
CR-[*]	String	Refers to Cell Reference. Number should match with PARTY. Optional
PE-[*]	String	Refers to the political party. This option allows multiple party affiliation to the same choice. Optional

Table A-15: Columns for the Choices Worksheet (Continued)

A.1.15 Choice Display (TRN)

The Choice Display worksheet, Table A-16, contains all styling-related information for choices.

Choice Display Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies this choice display item.
Contest Name	String	Refers to the contest (See Contests).
Choice Name	String	This is used in combination with the contest name to refer to a unique choice (See Choices).

Table A-16: Columns for the Choice Display Worksheet

Choice Display Columns		
Attribute	Type	Description
Language	String	Refers to the language name (See Languages (TRN)).
Purpose	Enumeration: Audio, Ballot Content, Screen Content, or Print Content	Refers to the Audio, Ballot Content, Screen Content, or Print Content purpose.
Appearance	Enumeration: Name, Rtf, Unit	For ballot type, content, or object name, rtf text, units and templates, ballot text for audio content appearance.
RTF Text	String	Specifies the override text to be used.
Audio File	String	Represents full audio file path (including extension) or relative path based on imported excel file for choice name. Optional.
NumOfTU	Integer	The Number of Textual Units. Default value is (0).
TU-[*]	String	Textual unit. The user can add as many columns as required, as long as they have prefix "TU-" and are uniquely named.

Table A-16: Columns for the Choice Display Worksheet (Continued)

A.1.16 Choice Group Display (TRN)

The Choice Group Display worksheet, Table A-17, contains all styling-related information for choice groups..

Choice Group Display Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies this choice group display item.
Contest Name	String	Refers to the contest (See Contests).

Table A-17: Columns for the Choice Group Display Worksheet

Choice Group Display Columns		
Attribute	Type	Description
Choice Group Name	String	This is used in combination with the contest name to refer to a unique choice group (See Choices).
Language	String	Refers to the language name (See Languages (TRN)).
Purpose	Enumeration: Audio, Ballot Content, Screen Content, or Print Content	Refers to the Audio, Ballot Content, Screen Content, or Print Content purpose.
Appearance	Enumeration: Object name, RTF text, UNITS	For ballot type content or object name, rtf text, units and templates, ballot text for audio content appearance.
RTF Text	String	Refers to the RTF text of audio ballot content (rtf appearance type).
Audio File	String	Represents full audio file path (including extension) or relative path based on imported excel file for choice group name. Optional.
NumOfTU	Integer	The Number of Textual Units. Default value is (0).
TU-[*]	String	Textual unit. The user can add as many columns as required. These columns must be uniquely named and prefixed by "TU-".

Table A-17: Columns for the Choice Group Display Worksheet (Continued)

A.1.17 Lines

The Lines worksheet, Table A-18, contains all lines in the election. This sheet is not relevant for every ballot style.

Lines Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the line.

Table A-18: Columns for the Lines Worksheet

Lines Columns		
Attribute	Type	Description
Name	String	Name of the line, has to be unique.
Number	Integer	Number of the line, has to be unique.
Letter	String	Letter for the line.

Table A-18: Columns for the Lines Worksheet (Continued)

A.1.18 Line Display (TRN)

The Line Display worksheet, Table A-19, contains all styling information for lines.

Line Display Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the line display item.
Name	String	Refers to the name of an existing line (See Lines).
Language	String	Refers to the language name (See Languages (TRN)).
Purpose	Enumeration: Audio, Ballot Content, Screen Content, or Print Content	Refers to the Audio, Ballot Content, Screen Content, or Print Content purpose.
Appearance	Enumeration: object name, rtf text, UNITS	For ballot type content or object name, rtf text, units and templates, ballot text for audio content appearance.
RTF Text	String	Refers to the RTF text of audio ballot content (rtf appearance type).
Line Template	String	Refers to the name of a line template that should be present in the database that will the data will be imported into.
NumOfTU	Integer	The Number of Textual Units. Default value is (0).

Table A-19: Columns for the Line Display Worksheet

Line Display Columns		
Attribute	Type	Description
TU -[*]	String	Textual unit. The user can add as many columns as required. These columns must be uniquely named and prefixed by “TU-”.

Table A-19: Columns for the Line Display Worksheet (Continued)

A.1.19 Contest Headings

The Contest Heading worksheet, Table A-20, contains all the information for contest headings.

Contest Headings Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the contest heading item.
Name	String	The name of contest heading.
Purpose	String	Type of presentation the heading is applied to (Both, Paper, Screen).
Paper appearance	String	Refers to contest heading paper appearance (All, First Appearance, First Appearance and each new column, First Appearance and each new sheet, First Appearance and each new card, No Appearance, Each Appearance).
Screen appearance	String	Refers to contest heading screen appearance (First Appearance, Each Appearance).

Table A-20: Columns for the Contest Headings Worksheet

A.1.20 Contest Heading Display (TRN)

The Contest Heading Display worksheet, Table A-21, contains all information for displaying contest headings.

Contest Headings Display Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies contest heading item.
Contest Heading Name	String	Refers to the name of contest heading.
Language	String	Refers to the language name (See Languages (TRN)).
Purpose	Enumeration: Audio, Ballot Content, Screen Content, or Print Content	Refers to the Audio, Ballot Content, Screen Content, or Print Content purpose.
Appearance	Enumeration: Name, Rtf, Unit	For ballot type content or object name, rtf text, units and templates, ballot text for audio content appearance.
RTF Text	String	RTF text for contest header.
Audio File	String	Represents full audio file path (including extension) or relative path based on imported excel file for contest heading name. Optional.
Contest Heading Template	String	Name of contest heading template.
NumOfTU	String	The Number of Textual Units. Default value is (0).
TU -[*]	Integer	Textual unit. The user can add as many columns as required. These columns must be uniquely named and prefixed by“TU-”.

Table A-21: Columns for the Contest Heading Display Worksheet

A.1.21 Image Resources

This Contest Heading Column worksheet, Table A-22, has information on Image

Resources.

Contest Headings Columns		
Attribute	Type	Description
Name	String	Name of the associated Party for the image resource.
Purpose	String	Type of presentation the heading is applied to (Both, Paper, Screen).
Paper Image	String	Refers to the screen party logo file that must be placed in the same directory as the spreadsheet. Optional.
Screen Image	String	Refers to the screen party logo file that must be placed in the same directory as the spreadsheet. Optional.
Screen B/W Image	String	Refers to the black on white party logo file that must be placed in the same directory as the spreadsheet. Optional.
Screen W/B Image	String	Refers to the white on black party logo file that must be placed in the same directory as the spreadsheet. Optional.

Table A-22: Columns for the Contest Headings Column

A.1.22 Contest Rotation

The Contest Rotation Column worksheet, Table A-23, has information on contest rotations.

Contest Rotation Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies contest heading item.
Name	String	Name of the contest rotation.

Table A-23: Columns for Contest Rotation Worksheet

Contest Rotation Columns		
Attribute	Type	Description
Contest Name	String	Name of the Office that should rotate
Office Name	String	Refers to the language name (See Languages (TRN)).
Rotation Type	String	Lists the rotation type that should be used, the options are: None, General Precinct Rotation, District Rotation, Rotation by Registered Voter, Custom Position
Rotation Target	String	Lists the target of the rotation, the options are: Choice, Choice Within Party, Choice Group.
Rotation Direction	String	Lists the direction the elements should rotate, options are: Up, Down.
Sub Division Type	String	Should list the district type that be the target of rotation, only used for District.
Use Predefined Rotation	String	Used to flag for predefined rotations, should be '1' if yes.

Table A-23: Columns for Contest Rotation Worksheet (Continued)

A.1.23 Custom Position

The Custom Position Column worksheet, Table A-24, has information on custom positions.

Custom Position Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies custom position item.
Contest	String	Refers to the contest to which the custom position applies (See Contests).
District Type	String	Name of the district type, helps to filter the drop-down list for District column, empty cell means that the type will be the default district type. Optional.

Table A-24: Columns for Custom Position Worksheet

Custom Position Columns		
Attribute	Type	Description
District	String	Name of the district that this custom position applies to (See Districts), empty cell means that the district will be the default district. Optional.
Choice	String	Refers to the choice to which the custom position applies (See Choices).
CellReference	String	A reference value for the voting box. Optional.

Table A-24: Columns for Custom Position Worksheet (Continued)

A.1.24 District Rotation

The District Rotation Column worksheet, Table A-25, has information on district rotations.

District Rotation Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies district rotation item.
ContestArea ExternalId	String	External Id of contest area.
RotationArea ExternalId	String	External Id of rotation area.
RotationIndex	String	Index of rotation.

Table A-25: Columns for Custom Position Worksheet

A.1.25 Ballot Type

The Ballot Type Columns worksheet, Table A-26, has information on ballot types..

Ballot Type Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies ballot type item.
Name	String	Name of the Ballot Type.
ExternalId	String	External Id of the ballot type. Optional

Table A-26: Columns for Ballot Type Worksheet

Ballot Type Columns		
Attribute	Type	Description
Abbreviation	String	Abbreviation for the Ballot Type. Optional
Polling District	String	Polling districts that this Ballot Type is assigned to. Optional
EGC-[*]	String	Ballot group reference columns. The user can indicate that a ballot type is linked to one or more ballot groups (in EED they are called elector group combinations) by adding a reference to the name of the ballot group (See Ballot Groups). Since a ballot type can be linked to multiple ballot groups, user can add as many columns as required as long as they have the prefix EGC- and are uniquely named. Optional.

Table A-26: Columns for Ballot Type Worksheet (Continued)

A.1.26 BallotTypeContest

The Ballot Type Contest Columns worksheet, Table A-27, has information on ballot type contests.

BallotTypeContest Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies ballot type contest item.
BallotTypeName	String	Name of the ballot type.
ContestName	String	Name of the contest.
RotationIndex	String	Index of rotation

Table A-27: Columns for BallotTypeContest Worksheet

A.1.27 BallotTypePrecincts

The Ballot Type Precincts Column worksheet, Table A-28, has information on ballot type precincts.

BallotTypePrecincts Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies ballot type precinct item.

Table A-28: Columns for BallotTypePrecincts Worksheet

BallotTypePrecincts Columns		
Attribute	Type	Description
BallotTypeName	String	Name of the ballot type.
PrecinctName	String	Name of the precinct.
PrecinctId	Integer	Refers to Id of the precinct.

Table A-28: Columns for BallotTypePrecincts Worksheet (Continued)

A.1.28 Activation Codes

The Activation Codes Column worksheet, Table A-29, has information on activation codes.

Activation Codes Columns		
Attribute	Type	Description
Code	Integer	Uniquely identifies the activation code. Optional
Description	String	Describes the activation code. Optional
PortionName	String	Name of the precinct portion.
PortionId	Integer	Refers to Id of the precinct portion.
BallotGroup	String	Name of the ballot group.

Table A-29: Columns for Activation Codes Worksheet

A.1.29 Polling Locations (TAB)

The Polling Locations Column worksheet, Table A-30, has information on polling locations.

Polling Locations Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the polling location.
Polling Location Number	Integer	Uniquely identifies the polling location.
Name	String	Name of the polling location. Has to be unique.
Address	String	Address of the polling location. Optional.

Table A-30: Columns for Polling Locations Worksheet

Polling Locations Columns		
Attribute	Type	Description
Description	String	Description of the polling location. Optional.
External Id	String	External Id of the polling Location. Optional

Table A-30: Columns for Polling Locations Worksheet (Continued)

A.1.30 Tabulators (TAB)

The Tabulators Column worksheet, Table A-31, has information on tabulators.

Tabulators Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the tabulator.
Tabulator Name	Integer	Number of the tabulator.
Name	String	Name of the tabulator. Has to be unique.
Location	String	Refers to the name of the polling location (See Polling Locations (TAB)).
Type	Enumeration: ImageCast Precinct, ImageCast Precinct 2 ImageCast Central, ImageCast Central 2, CF200, Ballot Box, ImageCast Evolution, Internet Voting, Interactive Voice Response	Tabulator type.
External Id	String	External Id of the tabulator. Optional
External Type Id	String	External identification of tabulator type. Optional

Table A-31: Columns for the Tabulators Worksheet

Tabulators Columns		
Attribute	Type	Description
Counting Group	String	Name of the counting group. (Must be unique).
Programming Group	String	Name of the programming group. (Must be unique).
Device Settings	String	Refers to the name of the device settings configuration instance inside the EMS project that will be used to import into. Optional
AVS Support	Boolean	If set to 1, Tabulator will support Accessible Voting Session.
External Key	String	This field is used for WinDI only. It can be populated with the PIN value to be entered on cartridge reader when loading results from this machine. Optional
Vote Anywhere	Boolean	If this flag is set to 1, the user does not need to assign any precincts to the tabulator, implicitly all precincts are connected to the tabulator.

Table A-31: Columns for the Tabulators Worksheet (Continued)

A.1.31 Counting Group (TAB)

The Counting Group worksheet, Table A-32, contains a list of all counting groups for the election, except the default counting group defined in the template database.

Counting Group Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the counting group.
Name	Integer	Name of the counting group. (Must be unique).
ExternalId	String	External Id of the counting group. Optional

Table A-32: Columns for Counting Group Worksheet

A.1.32 Programming Group (TAB)

The Counting Group Column worksheet, Table A-33, has information on counting groups.

Counting Group Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the programming group.
Name	Integer	Name of the programming group. (Must be unique).
Type	Enumeration (can be Regular or Election File)	The programming group type.
UnifyKey	Boolean	The unified security key for assigned tabulators. 1 (true) means that all assigned tabulators will be forced to have the same security key 0 (false) means that all assigned tabulators should not be forced to have the same security key.

Table A-33: Columns for Programming Group Worksheet

Ballot Style Parameters

Counting Group Columns		
Attribute	Type	Description
Id	Integer	Uniquely identifies the programming group.
Type	Enumeration (can be Regular or Election File)	The programming group type.

REVISION HISTORY

Rev.	Date	Summary
4	05-02-2023	Revised for CO feedback
3	04-04-2023	Updated based on CO feedback
2	04-05-2023	Updated based on CO feedback
1	02-09-2023	Branched for 5.17-CO

LIST OF FIGURES

Figure 2-1: EMS Application Server Settings	3
Figure 2-2: File Selection dialog	5
Figure 2-3: EMS Election Data Translator main screen	6
Figure 2-4: Updated Excel file	7
Figure 2-5: Updated Excel file	7
Figure 2-6: Updated Excel file	8
Figure 3-1: Select the importer mode dialog	9
Figure 3-2: Export Data dialog	10
Figure 3-3: Select the importer mode dialog	11
Figure 3-4: Export Data dialog	11
Figure 3-5: Language Selection	12
Figure 3-6: Export Data Success dialog	12
Figure 4-1: Export Data dialog	15
Figure 4-2: Select the importer mode dialog	16
Figure 4-3: File Selection dialog	17
Figure 4-4: Language Assignment dialog	17
Figure 4-5: Language Font Selector	18
Figure 4-6: Import Finished successfully	19
Figure 4-7: Select the importer mode dialog	19
Figure 4-8: Select the importer mode dialog	20
Figure 4-9: File Selection dialog	20
Figure 4-10: Import Finished successfully	21
Figure 5-1: Map External Format	23
Figure 5-2: Data Mapper Selection	24
Figure 5-3: File Selection dialog	24
Figure 5-4: Select Tabulator Type	25
Figure 5-5: Select Primary Type	25
Figure 5-6: Save As dialog	26
Figure 5-7: Map External Format	26
Figure 5-8: Data Mapper Selection	27
Figure 5-9: Browse for Folder	27


Figure 5-10: Ballot Content Languages	28
Figure 5-11: Other Settings dialog	28
Figure 5-12: Ballot Groups	29
Figure 5-13: Ballot Groups	30
Figure 5-14: Save As dialog	31
Figure 5-15: File Selection	32
Figure 5-16: File Selection Filled in	33
Figure 5-17: Login Form	33
Figure 5-18: General Tab	34
Figure 5-19: View 1 Tab	35
Figure 5-20: Language Assessment Screen	35
Figure 5-21: Status screen	36
Figure 5-22: Log File screen	36
Figure 5-23: Spreadsheet	37
Figure 5-24: Worksheet	37

LIST OF TABLES

Table A-1: Ballot Style Parameters Worksheet	39
Table A-2: Version Worksheet	39
Table A-3: District Types Worksheet	40
Table A-4: District Worksheet	40
Table A-5: Columns for the Precincts Worksheet	41
Table A-6: Columns for the Parties Worksheet	43
Table A-7: Columns for the Party Display Worksheet	44
Table A-8: Columns for the Languages	45
Table A-9: Columns for the Election Worksheet	46
Table A-10: Columns for Elector Display Worksheet	47
Table A-11: Columns for the Elector Groups Worksheet	48
Table A-12: Columns for the Ballot Groups Worksheet	48
Table A-13: Columns for the Contests Worksheet	49
Table A-14: Columns for the Contest Display Worksheet	54
Table A-15: Columns for the Choices Worksheet	55
Table A-16: Columns for the Choice Display Worksheet	57
Table A-17: Columns for the Choice Group Display Worksheet	58
Table A-18: Columns for the Lines Worksheet	59
Table A-19: Columns for the Line Display Worksheet	60
Table A-20: Columns for the Contest Headings Worksheet	61
Table A-21: Columns for the Contest Heading Display Worksheet	62
Table A-22: Columns for the Contest Headings Column	63
Table A-23: Columns for Contest Rotation Worksheet	63
Table A-24: Columns for Custom Position Worksheet	64
Table A-25: Columns for Custom Position Worksheet	65
Table A-26: Columns for Ballot Type Worksheet	65
Table A-27: Columns for BallotTypeContest Worksheet	66
Table A-28: Columns for BallotTypePrecincts Worksheet	66
Table A-29: Columns for Activation Codes Worksheet	67
Table A-30: Columns for Polling Locations Worksheet	67
Table A-31: Columns for the Tabulators Worksheet	68

Table A-32: Columns for Counting Group Worksheet 69
Table A-33: Columns for Programming Group Worksheet 70

End of Document



**DOMINION
VOTING**

Our customers come first.

